QUICK REFERENCE GUIDE > OR30SCI6R1 Date: 17.12.2024 > 1

# 30" Series 9 Classic 4 Zone Induction Self-Cleaning Range

Series 9 | Classic

Red



Blending heritage styling and contemporary performance, including convection oven and an instant-response induction cooktop.

- Four induction cooking zones with immediate heat response and precise control
- Convection oven with 3.5 cu ft total capacity and nine oven functions including Roast and Aero™Pastry

- Self-cleaning function breaks down food residue for an easy clean
- Non-tip full-extension shelves for safe removal of hot dishes

# **DIMENSIONS**

Height 35 3/4 - 37 5/8 "

Width 29 7/8 "

Depth 25 1/4 "

## **FEATURES & BENEFITS**

## **Outstanding Performance**

Discover the flexibility to get creative in the kitchen with nine oven functions including Bake, Roast, and Aero™ Pastry with Pizza Bake.

### Power & Control

The induction cooktop provides instant and immediate control from the highest to the gentlest heat. The finely tuned cooktop controls let you sear, stir fry or simmer a delicate sauce to perfection.

# **Generous Capacity**

The generous 3.5 cu ft total capacity for this range gives you plenty of space to cook multiple dishes at the same time.

# **Quality And Durability**

Every detail has been carefully crafted, from the heritage design cues, to the solid, perfectly balanced soft-close door, and to the chromed cast zinc dials. They all add up to an exceptional, premium range.

## Easy To Clean

The self-clean function reduces grease and food residue to an easily removable light ash and the cooktop simply needs a quick wipe to keep it looking good as new. The oven door and runners can also be removed for easy cleaning.

#### Safe And Sound

Designed for your safety and convenience, this range features full extension telescopic sliding shelves, a triple-glazed CoolTouch door, and a child lock.

## **SPECIFICATIONS**

# Accessories (included)

2-pc grill system (Broil pan and Grill rack)

Broil pan

Full extension sliding shelves

2 sets (part 578776)

Full extension telescopic shelves

2 sets (part 578776)

# Accessories (sold separately)

Kick strip, black (optional)	KICKOR30B1
Kick strip, red (optional)	KICKOR30R1
Kick strip, stainless steel (optional)	KICKOR30X1
Kick strip, white (optional)	KICKOR30W1
Wok grate included	N/A

# Capacity

Shelf positions	7
Total capacity	3.5 cu f
Usable capacity	2.9 cu f

QUICK REFERENCE GUIDE > OR30SCI6R1 Date: 17.12.2024 > 2

Cleaning		Warm	•	Power requirements	
Acid resistant graphite enamel	•			Connection	4-prong [NEMA
Drop down grill element	•	Out of factories			14-50P power cord]
Flat easy clean glass surface	•	Oven features		Service	- 40 A
Pyrolytic proof shelf runners	•	Automatic rapid pre-heat	•	Supply	120 / 240 V or
Pyrolytic self-clean	•	Electronic oven control	•		120 / 208 V, 60 Hz
Removable oven door	•	Full extension telescopic sliding shelves	•		
Removable shelf runners	•	Internal light	2 x 25W halogen (rear)	Product details	
		Soft open/close door	•	Self Cleaning Sf	Yes
Consumption		True convection	•		
Energy usage	337kWh/year	Oven functions		Product dimensions	
		Aero Broil	_	Depth	25 1/4 "
Controls		Aero™ Bake	•	Height	35 3/4 - 37 5/8 "
Audio feedback	•	Aero™ Pastry with Pizza mode	•	Width	29 7/8 "
Automatic cooking/minute timer	•	Bake			
Automatic pre-set temperatures	•	Number of functions	٥		
Celsius/Fahrenheit temperature	•	Pyrolytic self-clean	•	Rangetop features	
Electronic clock	•	Rapid proof		Auto heat reduce	•
High resolution display	•	Roast	•	Gentle heat	•
Laser etched graphics	•	True Aero	•	Heat settings	9
Precise electronic temperature control	•	True convection	•	Induction cooking technology	•
Sabbath mode	•	True convection			
Toughened fused glass graphics	•				
Turned stainless steel clock buttons	•	Oven performance		Rangetop Performance	
Turned stainless steel dials with illuminated halos	•	Broil power	4050 W	PowerBoost	•
		CoolTouch door	Triple glazed		
Main even functions		Warming drawer power	220 W	Safety	
Main oven functions				ADA compliant	•

QUICK REFERENCE GUIDE > OR30SCI6R1 Date: 17.12.2024 > 3

Advanced cooling system	•
Anti-tilt bracket	•
Balanced oven door	•
Catalytic venting system	•
Child lock	•
CoolTouch door	•
Full extension telescopic sliding shelves	•
Non-tip shelves	•
Pan detection system	•
Safety time out	•
Spill containment	68.13 L
Spill containment	1/8 gallon
Spillage auto off	•
Surface hot indicators	•

SKU 81964

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

#### Other product downloads available at fisherpaykel.com

↓ Service & Warranty

Installation Guide EN

Revit Induction Range

Rhino Induction Range



Sketchup Induction Range



User Guide Freestanding Range EN

## Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE 24 Hours 7 Days a Week Customer Support

T 1.888.936.7872 Wwww.fisherpaykel.com