QUICK REFERENCE GUIDE > RS4621FRJE1 Date: 17.12.2024 > 1

45.7cm Series 11 Integrated Column Freezer, Ice

Series 11 | Integrated

Panel Ready | Right Hinge

Experience the pinnacle of refrigeration design with our most advanced model. Featuring a right hinge and an elegant interior, this Column embodies premium functionality and style. Designed to optimise energy efficiency, it seamlessly integrates alone or paired with another Column.

- With a premium interior for a refined look and feel, this model is the highlight of our Integrated Columns collection
- Designed to optimise energy performance and efficiency
- Flexible storage with two Variable Temperature Zones: choose Freeze, Soft Freeze, or Deep Freeze mode
- Mix and match columns, install separately or pair, and customise with cabinetry or stainless steel panels

DIMENSIONS

Height	2134 mm
Width	451 mm
Depth	610 mm

FEATURES & BENEFITS

Premium interior

Our Series 11 Columns are designed with a premium interior that balances form and function. Every element, from the seamless finish to the considered interior lighting, creates a sleek, understated aesthetic that integrates effortlessly into any kitchen.

Clever energy

With highly efficient vacuum insulation reducing heat transfer, this fridge uses only the energy it needs while keeping your food fresher for longer.

Variable Temperature Zones

There's more than one way to freeze food, and different temperatures and techniques can affect food care and convenience. Optimal freezing depends on what you're storing, how fresh it is, and when you plan to use it. Switch a compartment to Soft Freeze for everyday convenience, or choose Freeze or Deep Freeze Mode to preserve freshness and retain natural goodness for longer.

Mix & Match

Integrated Column Refrigeration offers the flexibility to mix and match. Choose from different-sized Column Fridges and Freezers that can be installed individually or paired together. Complete the look with your own customised door panels to blend seamlessly with your kitchen cabinetry, or purchase our stainless steel door panels.

Perfect Fit

These models fit flush and have only 3mm gaps around them with no visible hinges or grilles. Our Integrated models can be seamlessly hidden behind your cabinetry for an understated and clean look with any kitchen layout.

Deep Freeze Mode

Deep freezing (-25°C) halts bacterial activity, allowing food to be stored safely for extended periods. Freezing food quickly helps to protect quality and retain nutrients, ensuring they are preserved when defrosted.

Easy install

Integrated Column Refrigerators and Freezers have been developed to make installation easy. The joiner kit is included when pairing refrigerators and freezers. All models come with front-adjustable levelling feet and they've been designed to easily slide into place as separate units.

SPECIFICATIONS

Accessories (included)

Joiner kit	AJ-RS21LR

Accessories (sold separately)

Door panel stainless steel Left hinge 457mm	RD4621L10D
Door panel stainless steel Right hinge 457mm	RD4621R10D
Handle kit Classic	AHCLRDSF
Handle kit Contemporary round, aluminium	AHSRDSF
Handle kit Contemporary square fine, aluminium	AHD5RDSF
Handle kit Contemporary square fine, black	AHD5RDSFB
Handle kit Professional round flush	AHP3RDSF
Joiner kit	AJ-RS21LR
Toe kick stainless steel 1067mm	AKRS10710
Toe kick stainless steel 1220mm	AKRS12210
Toe kick stainless steel 1676mm	AKRS16810
Toe kick stainless steel 1828mm	AKRS18310
Toe kick stainless steel 457mm	AKRS04610

Capacity

Total gross capacity 242 L

QUICK REFERENCE GUIDE > RS4621FRJE1 Date: 17.12.2024 > 2

Volume	220 L	Performance	
Volume freezer	220 L	ActiveSmart™ Foodcare	•
		Adaptive defrost	•
		Dual evaporator	•
Features		Frost free	•
Adjustable door shelves	4	Frost free freezer	•
Adjustable glass cantilevered shelves	•	Inverter controlled compressor	•
Adjustable glass shelves	3	Noise emissions	42 dBA
Smart appliance	•	Noise emissions class	D
SmartTouch interface at counter height	•	Sabbath mode	•
Water Filter	847200	Variable food modes	Soft freeze; Freeze; Deep Freeze
Freezer Features		Variable temperature zones	2
Automatic ice maker	•		
Bottle chill	•	Power requirements	
Door alarm	•	Rated current	10 A
Fast freeze	•	Supply frequency	50 Hz
Freezer bins	4	Supply voltage	230 V
Ice Boost	•	Supply voltage	230 V
LED bin lighting	•		
LED ceiling lighting	•	Product dimensions	
LED side lighting	•	Depth	610 mm
SmartTouch interface at counter height	•	Height	2134 mm
		Width	451 mm
Installation Dimensions			
Minimum inside width of cabinetry frame	457 mm	Product information	
Minimum internal depth of cabinetry	635 mm	Packaged weight	118 kg
Minimum internal height of cabinetry	2134 mm	Unpackaged weight	100 kg

Warranty

Р	arts and labour	2 years
S	ealed system parts only	5 years
_		

SKU	26941
SKU	20941

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

Other product downloads available at fisherpaykel.com

\underline{ullet}	2D-DWG Integrated Refrigeration - K05 Hinge
$\underline{\downarrow}$	2D-DWG Integrated Refrigeration
$\underline{\downarrow}$	2D-DXF Integrated Refrigeration - K05 Hinge
$\underline{\downarrow}$	2D-DXF Panel Preparation
$\underline{\downarrow}$	2D-DXF Integrated Refrigeration
$\underline{\downarrow}$	Service & Warranty
$\underline{\downarrow}$	Planning Guide Integrated Refrigeration EN
$\underline{\downarrow}$	Revit 20 Freezer
$\underline{\downarrow}$	Rhino 6 Freezer

Where applicable:

SketchUp Freezer

QUICK REFERENCE GUIDE > RS4621FRJE1 Date: 17.12.2024 > 3

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE 24 Hours 7 Days a Week Customer Support

T 0800 372 273 Wwww.fisherpaykel.com