

61cm Series 11 Integrated Column Freezer, Ice

Series 11 | Integrated

Panel Ready | Left hinge




<p>Install it separately or pair with another Column for true design freedom - this model is left hinge with stainless steel interior.</p>

- ActiveSmart™ technology helps keep food fresher for longer by constantly maintaining the ideal temperature.
- Variable Temperature Zone lets you change a compartment to Freeze, Soft Freeze or Deep Freeze for optimal storage
- Internal ice maker with boost for busy times

- Customise with your own kitchen cabinetry or purchase our stainless steel door panel accessory

DIMENSIONS

| | |
|--------|---------|
| Height | 2134 mm |
| Width | 603 mm |
| Depth | 610 mm |



FEATURES & BENEFITS

Variable Temperature Zones

There's more than one way to freeze food, and different freezing temperatures and techniques affect food care - and your levels of convenience - in different ways. Optimal freezing is a question of what you're storing, how fresh it is, and when you plan to consume it. Change a compartment to Soft Freeze to enjoy maximum everyday convenience, or to Freeze Mode or Deep Freeze Mode to retain natural goodness for future use.

DEEP FREEZE MODE

Deep freezing (-25°C) allows food to be stored for months or even years with temperatures that halt bacterial activity. Freezing food quickly is the key to protecting quality and retaining nutrients, so they are not lost when defrosting.

Mix & match

Integrated Column Refrigeration gives you the freedom to mix and match. Different sized Column Fridges and Freezers can be installed separately or paired. Finish them with our stainless steel door panels or customise to match your own kitchen cabinetry.

Clever Energy

Our ActiveSmart™ Foodcare Refrigerator Freezers adapt to daily use by cooling and defrosting only when needed. This means your refrigerator uses the energy it needs without compromising on food care.

Appealing Illumination

Bright LEDs light up each ceiling, shelves, bins and trays in both refrigerator and freezer, making it easy to find your food and creating a welcoming glow in your kitchen for those midnight snacks.

Design Quality

The premium design and quality finish includes a steel interior lining as well as full-extension metal shelf runners for easy access, and robust glass shelving.

Easy Install

Integrated Column Refrigerators and Freezers have been developed to make their installation easy. The joiner kit is included when pairing refrigerators and freezers. All models come with front adjustable levelling feet and they've been designed to easily slide into place as separate units.

| | |
|---|--------------|
| Volume | 336 L |
| Volume freezer | 336 L |
| Volume variable temperature compartment | 295 L |

Installation Dimensions

| | |
|---|----------------|
| Minimum inside width of cabinetry frame | 610 mm |
| Minimum internal depth of cabinetry | 635 mm |
| Minimum internal height of cabinetry | 2134 mm |

SPECIFICATIONS

Accessories (included)

| | |
|------------|------------------|
| Joiner kit | AJ-RS21LR |
|------------|------------------|

Accessories (sold separately)

| | |
|--|----------------------|
| Door panel stainless steel Left hinge 610mm | RD6121L10D |
| Door panel stainless steel Right hinge 610mm | RD6121R10D |
| Handle kit Classic | AHCLRDSF |
| Handle kit Contemporary round, aluminium | AHSRDSF |
| Handle kit Contemporary square fine, aluminium | AHD5RDSF |
| Handle kit Contemporary square fine, black | AHD5RDSFB |
| Handle kit Professional round flush | AHP3RDSF |
| Joiner kit | AJ-RS21LR |
| Toe kick stainless steel 1220mm | AKRS12210 |
| Toe kick stainless steel 1372mm | AKRS13710 |
| Toe kick stainless steel 1828mm | AKRS18310 |
| Toe kick stainless steel 1981mm | AKRS19810 |
| Toe kick stainless steel 610mm | AKRS06110 |
| Water filter replacement | 847200 - FWC3 |

Capacity

| | |
|----------------------|--------------|
| Total gross capacity | 368 L |
|----------------------|--------------|

Consumption

| | |
|---|------------------------|
| Energy rating | 2.5 star |
| Energy usage | 452kWh/year |
| In-use energy carbon emissions estimate | 61.2kgCO2e/year |

Features

| | |
|---------------------------------------|----------|
| Adjustable door shelves | 4 |
| Adjustable glass cantilevered shelves | • |
| Adjustable glass shelves | 4 |
| Adjustable half width door shelves | 3 |
| Front levelling feet | • |
| Smart appliance | • |

Freezer Features

| | |
|--|----------|
| Automatic ice maker | • |
| Bottle chill | • |
| Door alarm | • |
| Fast freeze | • |
| Freezer bins | 4 |
| Ice Boost | • |
| LED bin lighting | • |
| LED ceiling lighting | • |
| LED side lighting | • |
| SmartTouch interface at counter height | • |

Performance

| | |
|--------------------------------|---------------|
| ActiveSmart™ Foodcare | • |
| Adaptive defrost | • |
| Dual evaporator | • |
| Frost free | • |
| Frost free freezer | • |
| Inverter controlled compressor | • |
| Noise emissions | 42 dBA |
| Noise emissions class | D |
| Sabbath mode | • |
| Variable temperature zones | 2 |

Power requirements

| | |
|------------------|--------------------|
| Rated current | 10 A |
| Supply frequency | 50 Hz |
| Supply voltage | 230 - 240 V |

Product dimensions

| | |
|--------|----------------|
| Depth | 610 mm |
| Height | 2134 mm |
| Width | 603 mm |

Product information

| | |
|-------------------|---------------|
| Packaged weight | 137 kg |
| Unpackaged weight | 117 kg |

Warranty

| | |
|--------------------------|----------------|
| Parts and labour | 2 years |
| Sealed system parts only | 5 years |

| | |
|-----|-------|
| SKU | 26159 |
|-----|-------|

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

Other product downloads available at fisherpaykel.com

- [↓ 2D-DWG Integrated Column Freezer](#)
- [↓ 2D-DWG Integrated Column Freezer](#)
- [↓ 2D-DWG Integrated Column Freezer - Hinge](#)
- [↓ 2D-DWG Integrated Column Freezer - Panel Prep](#)
- [↓ 2D-DXF Integrated Column Freezer](#)
- [↓ 2D-DXF Integrated Column Freezer](#)
- [↓ 2D-DXF Integrated Column Freezer Panel Prep](#)
- [↓ 2D-DXF Integrated Column Freezer](#)
- [↓ 2D-DXF Integrated Column Freezer - Hinge](#)
- [↓ 2D-DXF Integrated Column Freezer - Panel Prep](#)
- [↓ Data Sheet Integrated Column Freezer](#)

- [↓ Data Sheet Integrated Column Freezer Dual Install \(457mm + 610mm\)](#)
- [↓ Data Sheet Integrated Column Freezer Dual Install \(610mm + 610mm\)](#)
- [↓ Data Sheet Integrated Column Freezer Dual Install \(610mm + 762mm\)](#)
- [↓ Data Sheet Integrated Column Freezer with Contemporary Square Handle Kit](#)
- [↓ Data Sheet Integrated Column Freezer with Contemporary Round Handle Kit](#)
- [↓ Energy Label Integrated Column Freezer](#)
- [↓ Energy Rating](#)
- [↓ Service & Warranty](#)
- [↓ Water Filter Replacement Instructions & Installation Guide EN](#)
- [↓ Installation Guide Integrated Column Refrigerator](#)
- [↓ Key Purchase Decisions Integrated Columns](#)
- [↓ Planning Guide Integrated Columns](#)
- [↓ Revit Integrated Column Freezer](#)
- [↓ Rhino Integrated Column Freezer](#)
- [↓ Rhino Integrated Column Freezer with Door Panel and Contemporary Round Handle](#)
- [↓ Rhino Integrated Column Freezer with Door Panel and Contemporary Square Handle](#)
- [↓ Sketchup Integrated Column Freezer](#)
- [↓ Sketchup Integrated Column Freezer with Door Panel and Contemporary Round Handle](#)
- [↓ Sketchup Integrated Column Freezer with Door Panel and Contemporary Square Handle](#)
- [↓ Specification Guide Integrated Column Freezer](#)
- [↓ User Guide Integrated Columns](#)
- [↓ User Guide Integrated Refrigerator Freezer EN](#)

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. **Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate** indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE
24 Hours 7 Days a Week Customer Support
 T 0800 372 273 W www.fisherpaykel.com