QUICK REFERENCE GUIDE > OR30SCI6W1

# 30" Series 9 Classic 4 Zone Induction Pyrolytic Range

Series 9 | Classic

White



Blending heritage styling and contemporary performance, including convection oven and an instant-response induction cooktop.

- Four induction cooking zones with immediate heat response and precise control
- Convection oven with 3.5 cu ft total capacity and nine oven functions including Roast and Aero™Pastry
- Self-cleaning function breaks down food residue for an easy clean

Non-tip full-extension shelves for safe removal of hot dishes

# **DIMENSIONS**

Height 35 3/4 - 37 5/8 "

Width 29 7/8 "

Depth 25 1/4 "

# **FEATURES & BENEFITS**

## **Outstanding Performance**

Discover the flexibility to get creative in the kitchen with nine oven functions including Bake, Roast, and Aero™ Pastry with Pizza Bake.

### Power & Control

The induction cooktop provides instant and immediate control from the highest to the gentlest heat. The finely tuned cooktop controls let you sear, stir fry or simmer a delicate sauce to perfection.

### **Generous Capacity**

The generous 3.5 cu ft total capacity for this range gives you plenty of space to cook multiple dishes at the same time.

# **Quality And Durability**

Every detail has been carefully crafted, from the heritage design cues, to the solid, perfectly balanced soft-close door, and to the chromed cast zinc dials. They all add up to an exceptional, premium range.

# Easy To Clean

The self-clean function reduces grease and food residue to an easily removable light ash and the cooktop simply needs a quick wipe to keep it looking good as new. The oven door and runners can also be removed for easy cleaning.

### Safe And Sound

Designed for your safety and convenience, this range features full extension telescopic sliding shelves, a triple-glazed CoolTouch door, and a child lock.

### **SPECIFICATIONS**

### Accessories (included)

2-pc grill system (Broil pan and Grill rack)

Broil pan

Full extension sliding shelves

2 sets (part 578776)

Full extension telescopic shelves

2 sets (part 578776)

# Accessories (sold separately)

Kick strip, white (optional) KICKOR30W1

Wok grate included N/A

### Capacity

Shelf positions 7
Total capacity 3.5 cu ft
Usable capacity 2.9 cu ft

### Cleaning

Acid resistant graphite enamel

QUICK REFERENCE GUIDE > OR30SCI6W1 Date: 24.09.2024 > 2

Drop down grill element	Internal light	2 x 25W halogen (rear)	Product Dimensions	
Flat easy clean glass surface	Soft open/close door	(rear)	Depth	25 1/4 "
Pyrolytic proof shelf runners	• True convection	•	Height	35 3/4 - 37 5/8 "
Pyrolytic self-clean	•	•	Width	29 7/8 "
Removable oven door	•			
Removable shelf runners	Oven functions			
	A cura Durail		Rangetop features	
	Aero Broil	•	Auto heat reduce	•
Controls	Aero™ Bake	•	Gentle heat	•
Audio feedback	Aero™ Pastry with Pizza mode	•	Heat settings	9
Automatic cooking/minute timer	Bake •	•	Induction cooking technology	•
Automatic pre-set temperatures	Number of functions	9		
Celsius/Fahrenheit temperature	Pyrolytic self-clean •	•		
Electronic clock	Rapid proof	•	Rangetop Performance	
High resolution display	Roast •	•	PowerBoost	
Laser etched graphics	True Aero •	•	i ower boost	_
Precise electronic temperature control	True convection	•		
Sabbath mode	•		Safety	
Toughened fused glass graphics	Oven performance		ADA compliant	•
Turned stainless steel clock buttons	•		Advanced cooling system	•
Turned stainless steel dials with illuminated	Broil power	4050 W	Anti-tilt bracket	•
halos	CoolTouch door	Triple glazed	Balanced oven door	•
	Warming drawer power	220 W	Catalytic venting system	•
Main oven functions			Child lock	•
Warm	• Power Requirements		CoolTouch door	•
Wallin	Amperage	51 A	Full extension telescopic sliding shelves	•
	Supply frequency	60 Hz	Non-tip shelves	•
Oven features	Supply frequency	00112	Pan detection system	•
Automatic rapid pre-heat	•		Safety time out	•
Electronic oven control	Product Details		Spill containment	68.13 L
Full extension telescopic sliding shelves	Self Cleaning Sf	Yes	Spill containment	1/8 gallon

QUICK REFERENCE GUIDE > OR30SCI6W1 Date: 24.09.2024 > 3

Spillage auto off	•
Surface hot indicators	•
SKU	81963

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

# Other product downloads available at fisherpaykel.com

↓ Service & Warranty

↓ Revit Induction Range

↓ Rhino Induction Range

Sketchup Induction Range

User Guide Freestanding Range EN

### Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



# A PEACE OF MIND SALE 24 Hours 7 Days a Week Customer Support

T 1.888.936.7872 Wwww.fisherpaykel.com