

Integrated Triple Zone Refrigerator, 24", Water

Series 9 | Integrated

Panel Ready | Right Hinge



Pair with the Integrated Triple Zone Freezer for the ultimate kitchen solution – this model features three independent food zones taking cooling flexibility to a new level.

- Three independent food zones, each with adjustable temperature to store different foods
- Panel ready, flush fit design with 3/16" gaps and custom height installation
- Convenient access to fresh, chilled water with internal water dispenser

- Easy-to-use touch-control panel and Wi-Fi capability

DIMENSIONS

Height	73 5/8 "
Width	23 5/16 "
Depth	22 11/16 "

FEATURES & BENEFITS

Three Levels Of Freshness

When it comes to optimal food preservation, one temperature does not fit all. Three independent food zones give you full control over the way you care for food. The Fridge zone has adjustable temperature from 34 to 43°F, while the bottom two compartments can be converted into a Fridge (34 to 43°F), Pantry (52 to 55°F) or Chill zone (29 to 32°F), to best suit different types of food. Adjust temperature for everyday convenience, or to provide additional chilling capacity for special occasions.

Mix & Match

These modular refrigerators and freezers can be mixed and matched, with different sizes and finishes. Installed side by side or individually throughout the kitchen, you can create a cooling solution to suit your lifestyle. Customize with your own kitchen cabinetry and handles, or purchase our stainless steel door panel and handle options.

Perfect Fit

These models fit flush, with only 3/16" gaps around them and no visible hinges or grilles. Our Integrated models can be seamlessly hidden behind your cabinetry, or you can purchase our stainless steel door panel.

Slimline Water Dispenser

The slimline water dispenser is located inside this Integrated model, leaving an uninterrupted exterior that blends in seamlessly with surrounding cabinetry. The flush fit design maximizes internal storage space, with a temperature-controlled flow and an angled water delivery to reduce drips and spills.

Clever Energy

ActiveSmart™ Foodcare learns how you live. It is technology that understands how you use your refrigerator and adjusts temperature, airflow and humidity inside to help keep food fresher for longer.

Simple Installation

Our Integrated products are easy to install, whether you are renovating your kitchen or designing a new one. Adjustable front and rear feet allow for uneven floors alongside adjustable door panels that can be customized to match your kitchen. These models are designed to easily slide into place as separate units – a perfect fit for European design kitchens.

Ease Of Use

Using the intuitive touch-sensitive control panel, you can easily adjust the temperature to suit. Beautiful to use, the refrigerator door is family safe with a soft-close mechanism.

SPECIFICATIONS

Accessories (included)

- Hinge change (from right hinge to left hinge)

Accessories (sold separately)

Door panel stainless steel	RD2474 (right & left hinge)
----------------------------	-----------------------------

Handle kit Contemporary square fine, aluminium	AHD5RDSF	SmartTouch control panel	•	Depth	22 11/16 "
Handle kit Contemporary square fine, black	AHD5RDSFB	Stackable bottle holders	2	Height	73 5/8 "
Handle kit Professional round flush	AHP3RDSF	Water tank capacity	30.7 oz	Width	23 5/16 "
Joiner Kit	AJRS74LR	Wi-Fi connectivity	•		
Toe kick stainless steel 23"	AKRS2304				
Toe kick stainless steel 47"	AKRS4704				
Toe kick stainless steel 71"	AKRS7104				
Water filter replacement	847200 - FWC3				
Capacity		Installation Dimensions		Warranty	
Volume refrigerator	10.8 cu ft	Minimum inside width of cabinetry frame	23 5/8 "	Parts and labor	2 years
		Minimum internal depth of cabinetry	24 "	Sealed system parts only	5 years
		Minimum internal height of cabinetry	74 "		
Consumption		Performance		SKU	26202
Energy rating	Energy star	ActiveSmart™ Foodcare	•		
Energy usage	152kWh/year	Adaptive defrost	•		
In-use energy carbon emissions estimate	18.7kgCO2e/year	Frost free	•		
		Humidity control system	•		
		Inverter controlled compressor	•		
		Sabbath mode	•		
		Triple evaporator	•		
		Variable food modes	Pantry; Fridge; Chill		
		Variable temperature zones	3		
Features		Power requirements		Other product downloads available at fisherpaykel.com	
Adjustable door shelves	3	Rated current	10 A	↓	2D - DWG Refrigerator
Adjustable glass cantilevered shelves	•	Supply frequency	60 Hz	↓	2D - DWG Refrigerator with Custom Panel
Covered door shelves	1	Supply voltage	115 V	↓	2D - DXF Refrigerator
Door alarm	•			↓	2D - DXF Refrigerator with Custom Panel
Internal water dispenser	•			↓	ArchiCAD 23 Refrigerator
LED bin lighting	•			↓	Data Sheet Refrigerator
LED ceiling lighting	•			↓	Data Sheet Refrigerator with Custom Panel
LED lighting	•			↓	Energy Label
LED side lighting	•			↓	Service & Warranty
Smart appliance	•	Product dimensions		↓	Installation Guide Integrated Refrigeration EN
				↓	Guide d'installation FR
				↓	Planning Guide

- [↓](#) Planning Guide Integrated Refrigeration
- [↓](#) Revit 18 Refrigerator
- [↓](#) Rhino 5 Refrigerator
- [↓](#) Rhino 5 Refrigerator with Custom Panel
- [↓](#) Rhino 5 Refrigerator Door with Classic Round Handle
- [↓](#) Rhino 5 Refrigerator Door with Contemporary Round Handle
- [↓](#) Rhino 5 Refrigerator Door with Professional Round Flush Handle
- [↓](#) Rhino 5 Refrigerator Door with Square Fine Black Handle
- [↓](#) Rhino 5 Refrigerator Door with Square Fine Handle
- [↓](#) Sketchup 8 Refrigerator
- [↓](#) Sketchup 8 Refrigerator with Custom Panel
- [↓](#) Sketchup 8 Refrigerator Door with Classic Round Handle
- [↓](#) Sketchup 8 Refrigerator Door with Contemporary Round Handle
- [↓](#) Sketchup 8 Refrigerator Door with Professional Round Flush Handle
- [↓](#) Sketchup 8 Refrigerator Door with Square Fine Black Handle
- [↓](#) Sketchup 8 Refrigerator Door with Square Fine Handle
- [↓](#) User Guide EN
- [↓](#) Guide d'utilisation FR
- [↓](#) Guía del usuario ES



A PEACE OF MIND SALE
24 Hours 7 Days a Week Customer Support
T 1.888.936.7872 W www.fisherpaykel.com

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. **Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate** indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.