QUICK REFERENCE GUIDE > DW60U4HI2

Integrated Dishwasher, Sanitise

Series 7 | Integrated



Designed to integrate seamlessly into your cabinetry, this dishwasher delivers superior wash performance and advanced drying.


- Customise with your own front panel and handle to match your kitchen cabinetry
- Eight wash programs from Heavy to Light, including Auto, 60min and Glassware
- Dry+, Sanitise, Half Load and Intensive modifiers provide extra wash options
- Wi-Fi enabled, it connects with the SmartHQ[™] app for remote control and notifications

DIMENSIONS

 Height
 820 - 880 mm

 Width
 597 mm

 Depth
 554 mm



FEATURES & BENEFITS

SEAMLESS INTEGRATION

Customise your dishwasher with a panel and handle to match your cabinetry, ensuring a seamless kitchen finish.

Advanced Drying

For beautifully dry dishes every time, this dishwasher features an advanced drying system with fan-assisted drying and Auto Door Open at the cycle's end. This releases excess steam, making dishes ready for use or storage. An innovative air curtain channels steam away from the adjacent benchtop, protecting your cabinetry.

A RELIABLE CLEAN

This dishwasher offers eight wash programs including Auto, which automatically senses the optimal wash settings for your dishes. The three-stage filtration system ensures a superior clean, and the rinse aid indicator reminds you to refill for sparkling results.

Customise Your Wash

Customise your wash with the Half Load modifier for faster turnaround of partial loads. Sanitise kills 99.99% of bacteria* in the final rinse, and the Dry+ modifier is ideal for plastic dishes. *Certified to NSF/ANSI Standard 184.

QUIET PERFORMER

Running at a very low decibel rating, this dishwasher operates quietly. Clever technology and simple mechanics ensure greater reliability and superior wash performance with minimal noise.

FLEXIBLE LOADING

Designed to accommodate 16 place settings, this dishwasher offers adjustable rack options for flexible loading. It includes a cutlery tray for small utensils, a height-adjustable middle rack, cup holders, and wine glass supports for convenience.

SPECIFICATIONS

Accessories (included)

Cutlery basket •

Kickstrip true

QUICK REFERENCE GUIDE > DW60U4HI2

Accessories (sold separately)		Energy saving delay start option of up to 24 hours	•	Supply voltage	220 - 240V
Door panel black stainless steel	ADDW60PB	Floor light cycle feedback	•		
Door panel stainless steel	ADDW60PX	Internal light	•	Product dimensions	
Handle kit Classic AHCL-DDDW-60X		Internal wash selector	•	Product dimensions	
Handle kit Contemporary square fine,	AHD5-	Keylock	•	Depth	554 mm
aluminium	OBDD-60SX	Rinse aid indicator light	•	Height	820 - 880 mm
Handle kit Contemporary square fine, black	AHD5- OBDD-60SB	Smart appliance	•	Width	597 mm
Capacity and loading		Features		Wash Program Modifiers	
	720			Dry +	•
Accommodates round plates up to (lower basket)	320mm	Air curtain for bench protection	•	Half load	•
Accommodates round plates up to (top basket)	220mm (with cutlery tray)	Aquastop	•	Intensive	•
		Auto Door Open Dry	•	Sanitise	•
Adjustable height, foldable cupracks	•	Built-in water softener	•	Wash modifiers	4
Easy lift adjustable upper basket	•	Fan assisted drying	•		
Fold down tines	•	Flood protection	•		
Fold down wine racks	•	Fully independent spray arms	•	Wash Programs	
Full width cutlery/utensil tray	•	Half load option	•	60 min	
Place settings	16	Internal tub material	Stainless Steel	Auto	
Wine glass supports with stemware grippers	•	Motor type	BLDC	Eco	
		Three-stage filtration system	•		·
		Variable wash pressure technology	•	Glassware	•
Consumption				Heavy	•
Energy rating	В			Light	•
Energy usage	66 kWh/100	Performance		Medium	•
	cycles	Noise emissions	42 dBA	Rinse	•
In-use energy carbon emissions estimate 1	8.9kgCO2e/100 cycles			Wash programs	8
Water usage (per wash cycle)	9.5L	Power requirements		Water connection	
		Amperage	10A	Water prossure	30kPa - 1000 kPa
Controls		Supply frequency	50Hz	Water pressure	SUKPA - IUUU KPA

QUICK REFERENCE GUIDE > DW60U4HI2 Date: 05.11.2025 > 3

Water supply	3/4" BSP (20mm) Connector Water Inlet Hose		
SKU	84224		

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

Other product downloads available at fisherpaykel.com

↓ DWG

DXF

↓ Data Sheet (English)

↓ Declaration of Conformity (English)

Label

↓ Installation Guide (English)

Product Information Sheet

User Guide (English)

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE 24 Hours 7 Days a Week Customer Support

T 1800 625174 Wwww.fisherpaykel.com