

90cm Series 9 Classic 5 Zone Induction Pyrolytic Range, 2 SmartZones

Series 9 | Classic

Black



<p>Classic styling with a large capacity oven, this is the perfect choice for those who love to cook.</p>

- Five cooking zones that can be paired to form SmartZones
- Convection oven with 140L total capacity, and nine functions plus Rotisserie
- Non-tip full-extension shelves for safe removal of hot dishes

- High-temperature self-cleaning oven cycle breaks down food residue for an easy clean

DIMENSIONS

| | |
|--------|--------------|
| Height | 898 - 946 mm |
| Width | 897 mm |
| Depth | 600 mm |

FEATURES & BENEFITS

Multi-Shelf Cooking

Our AeroTech™ system circulates air evenly throughout the entire oven so dishes on the top shelf turn out just as perfectly as food cooking on the bottom shelf.

Quality And Durability

Every detail has been carefully crafted. The solid, perfectly balanced soft-close door, durable hob and glowing halo dials all add up to an exceptional, premium range.

Power & Control

Instant and immediate control from the highest to the gentlest heat. The finely tuned hob controls let you sear, stir fry or simmer a delicate sauce to perfection.

Easy To Clean

Cleaning up spills is effortless. Your cooktop simply needs a quick wipe to keep it looking good as new. The pyrolytic self-clean oven cycle breaks down food residue at a very high temperature, leaving a light ash that's easily removed with a damp cloth.

Complementary Design

Combining traditional aesthetics and modern performance, this Classic style freestanding range cooker is the perfect centrepiece for your unique kitchen design.

Large Capacity Oven

The generous 140L total capacity oven gives you plenty of space to cook multiple dishes at once.

Multi-Function Flexibility

No matter what you are cooking, you have the right heat to match thanks to nine oven functions plus Rotisserie, including Pastry Bake with Pizza Mode and Rapid Proof for making bread.

Large, Flexible Cooking Area

SmartZone links two cooking zones and controls them as one, giving you the flexibility to use large pans and griddles and easily handle bigger food items such as a whole fish.

SPECIFICATIONS

Accessories (included)

| | |
|-----------------------------------|----------------------|
| Flat wire shelf | 1 |
| Full extension telescopic shelves | 2 sets (part 578744) |
| Grill rack | true |
| Rotisserie set | 1 set |
| Step down wire shelf | • |

Accessories (sold separately)

| | |
|------------------------------|------------|
| Kick strip, black (optional) | KICKOR90B1 |
|------------------------------|------------|

Capacity

| | |
|-----------------|--------------|
| Shelf positions | 6 |
| Total capacity | 140 L |
| Usable capacity | 120 L |

| | |
|---|---|
| Toughened fused glass graphics | • |
| Turned stainless steel clock buttons | • |
| Turned stainless steel clock crown (dial) | • |

| | |
|-----------------------------|---|
| Pastry Bake with Pizza mode | • |
| Rapid proof | • |
| Roast | • |
| Rotisserie | • |
| True convection | • |

Cleaning

| | |
|---------------------------------|---|
| Acid resistant graphite enamel | • |
| Drop down grill element | • |
| Flat easy clean glass surface | • |
| Pyrolytic proof shelf runners | • |
| Pyrolytic self-clean | • |
| Removable oven door | • |
| Removable oven door inner glass | • |
| Removable shelf runners | • |

Installation Dimensions

| | |
|--|---------------|
| Installation cutout dimensions (Depth) | 600 mm |
| Installation cutout dimensions (Width) | 900 mm |

Oven features

| | |
|--|---|
| AeroTech™ technology | • |
| Automatic rapid pre-heat | • |
| Bright chromed, cast zinc dials with illuminated halos | • |
| Convection | • |
| Electronic oven control | • |
| Internal light | 4 x 25W halogen (2 side & 2 top) |
| Soft open/close door | • |
| True convection | • |
| Twin cavity fans | • |
| Warming drawer | • |

Oven functions

| | |
|---------------------|----------|
| Bake | • |
| Fan bake | • |
| Fan forced | • |
| fanGrill | • |
| Grill | • |
| Number of functions | 9 |

Oven performance

| | |
|----------------------|-------------------------|
| CoolTouch door | Quadruple glazed |
| Grill power | 4500W |
| Warming drawer power | 202 W |

Power requirements

| | |
|------------------|--------------------|
| Amperage | 68 A |
| Supply frequency | 50 Hz |
| Supply voltage | 220 - 240 V |

Product dimensions

| | |
|--------|---------------------|
| Depth | 600 mm |
| Height | 898 - 946 mm |
| Width | 897 mm |

Rangetop features

| | |
|---------------------|----------|
| Auto heat reduce | • |
| Dual colour display | • |
| Gentle heat | • |
| Heat settings | 9 |
| Hob rail | • |

Consumption

| | |
|---------------|----------------------|
| Energy rating | A |
| Energy usage | 1.62kWh/cycle |

Controls

| | |
|--|---|
| Audio feedback | • |
| Automatic cooking/minute timer | • |
| Automatic pre-set temperatures | • |
| Celsius/Fahrenheit temperature | • |
| Electronic clock | • |
| High resolution display | • |
| Laser etched graphics | • |
| Precise electronic temperature control | • |
| Sabbath mode | • |

| | |
|------------------------------|--------------|
| Hob rear trim | 60 mm |
| Induction cooking technology | • |
| Zone bridging | • |

Parts and labour **5 years**

SKU 82226

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.

Rangetop Performance

| | |
|-------------------------|----------------------|
| Centre | 2300 W |
| Left front zone rating | 1600 (1850) W |
| Left rear zone rating | 2100 (3000) W |
| Number of cooking zones | 5 |
| PowerBoost all zones | up to 3000 W |
| Right front zone rating | 1600 (1850) W |
| Right rear zone rating | 2100 (3000) W |

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020



A PEACE OF MIND SALE
24 Hours 7 Days a Week Customer Support
 T 08000 886 605 W www.fisherpaykel.com

Other product downloads available at fisherpaykel.com

- [↓ 2D-DWG Induction Range](#)
- [↓ 2D-DXF Induction Range](#)
- [↓ Service & Warranty](#)
- [↓ Installation Guide Freestanding Cooker](#)
- [↓ User Guide Freestanding Cooker](#)
- [↓ Declaration of Conformity](#)
- [↓ Energy Label](#)

Safety

| | |
|---|-------------|
| ADA compliant | • |
| Advanced cooling system | • |
| Anti-tilt bracket | • |
| Balanced oven door | • |
| Child lock | • |
| CoolTouch door | • |
| Full extension telescopic sliding shelves | • |
| Non-tip shelves | • |
| Pan detection system | • |
| Safety time out | • |
| Spill containment | 12 L |
| Spillage auto off | • |
| Surface hot indicators | • |

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. **Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate** indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Warranty