QUICK REFERENCE GUIDE > RS6121FLJK1 Date: 20.06.2024 > 1

Integrated Column Freezer, 61cm, Ice

Series 11 | Integrated

Panel Ready | Left hinge




Install it separately or pair with another Column for true design freedom - this model is left hinge with stainless steel interior.

- ActiveSmart[™] technology helps keep food fresher for longer by constantly maintaining the ideal temperature.
- Variable Temperature Zone lets you change a compartment to Freeze, Soft Freeze or Deep Freeze for optimal storage
- Internal ice maker with boost for busy times

 Customise with your own kitchen cabinetry or purchase our stainless steel door panel accessory

DIMENSIONS

Height 2134 mm
Width 603 mm
Depth 610 mm



FEATURES & BENEFITS

Mix & match

Integrated Column Refrigeration gives you the freedom to mix and match. Different sized Column Refrigerators and Freezers can be installed separately or paired. Finish them with our stainless steel door panels or customise to match your own kitchen cabinetry.

Perfect Fit

These models fit flush, with only 3mm gaps around them and no visible hinges or grilles. Our Integrated Column models can be seamlessly hidden behind your cabinetry, or you can purchase our stainless steel door panel.

Clever Energy

Our ActiveSmart™ Foodcare Refrigerator Freezers adapt to daily use by cooling and defrosting only when needed. This means your refrigerator uses the energy it needs without compromising on food care.

Appealing Illumination

Bright LEDs light up each ceiling, shelves, bins and trays in both refrigerator and freezer, making it easy to find your food and creating a welcoming glow in your kitchen for those midnight snacks.

Design Quality

The premium design and quality finish include a stainless steel interior lining, full-extension metal shelf runners for easy access, and robust glass shelving.

Easy Install

Integrated Column Refrigerators and Freezers have been developed to make their installation easy. The joiner kit is included when pairing refrigerators and freezers. All models come with front adjustable levelling feet and they've been designed to easily slide into place as separate units.

SPECIFICATIONS

Accessories (included)

Joiner kit

AJ-RS21LR

Accessories (sold separately)

Door panel stainless steel Left hinge 762mm	RD6121L10D	Smart appliance UK IE	•	Sabbath mode	•
Door panel stainless steel Right hinge 610mm	RD6121R10D			Variable temperature zones	2
Handle kit Contemporary round, aluminium	AHS-RD21	Freezer Features			
Handle kit Contemporary square fine, aluminium	AHD5RDSF	Automatic ice maker	•	Power requirements	
Handle kit Contemporary square fine, black	AHD5RDSFB	Bottle chill	•	Rated current	10 A
Handle kit Contemporary square, aluminium	AHD3-RD21	Door alarm	•	Supply frequency	50 Hz
Toe kick stainless steel 1220mm	AKRS12210	Fast freeze	•	Supply voltage	230 - 240 V
Toe kick stainless steel 1372mm	AKRS13710	Freezer bins	4		
Toe kick stainless steel 1828mm	AKRS18310	Ice Boost	•		
Toe kick stainless steel 1981mm	AKRS19810	LED bin lighting	•	Product dimensions	
Toe kick stainless steel 610mm	AKRS06110	LED ceiling lighting	•	Depth	610 mm
Water filter replacement	847200 - FWC3	LED side lighting	•	Height	2134 mm
		SmartTouch interface at counter height	•	Width	603 mm
Capacity					
Total gross capacity	368 L	Installation Dimensions		Product information	
Total net volume	295L	Minimum inside width of cabinetry frame	610 mm	Packaged weight	137 kg
Volume	336 L	Minimum internal depth of cabinetry	635 mm	Unpackaged weight	117 kg
Volume freezer	336 L	Minimum internal height of cabinetry	2134 mm		
Volume variable temperature compartment	295 L				
				Warranty	
		Performance		Parts and labour	2 years
Features		ActiveSmart™ Foodcare	•	Sealed system parts only	3 years
Adjustable door shelves	4	Adaptive defrost	•		
Adjustable glass cantilevered shelves	•	Dual evaporator	•		
Adjustable glass shelves	4	Frost free	•	SKU	26141
Adjustable half width door shelves	3	Frost free freezer	•	51.0	20141
Front levelling feet	•	Inverter controlled compressor	•		
Smart appliance AU NZ	•	Noise emissions	42 dBA		
Smart appliance EU	•	Noise emissions class	D		

QUICK REFERENCE GUIDE > RS6121FLJK1 Date: 20.06.2024 > 3

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

Other product downloads available at fisherpaykel.com

- 2D-DWG Integrated Column Freezer
- 2D-DWG Integrated Column Freezer Hinge
- ↓ 2D-DWG Integrated Column Freezer Panel Prep
- ↓ 2D-DXF Integrated Column Freezer
- ↓ 2D-DXF Integrated Column Freezer Hinge
- ↓ 2D-DXF Integrated Column Freezer Panel Prep
- Data Sheet Integrated Column Freezer
- Data Sheet Integrated Column Freezer Dual Install (457mm + 610mm)
- Data Sheet Integrated Column Freezer Dual Install (610mm + 610mm)
- Data Sheet Integrated Column Freezer Dual Install (610mm + 762mm)
- Data Sheet Integrated Column Freezer with Contemporary Square Handle Kit
- Data Sheet Integrated Column Freezer with Contemporary Round Handle Kit
- ↓ Energy Label
- Service & Warranty
- Installation Guide Toe Kick
- ↓ Key Purchase Decisions Integrated Columns
- ↓ Planning Guide
- Revit Integrated Column Freezer
- J. Rhino Integrated Column Freezer
- Rhino Integrated Column Freezer with Door Panel and Contemporary Round Handle
- Rhino Integrated Column Freezer with Door Panel and Contemporary Square Handle

- , Sketchup Integrated Column Freezer
- Sketchup Integrated Column Freezer with Door Panel and Contemporary Round Handle
- Sketchup Integrated Column Freezer with Door Panel and Contemporary Square Handle
- Specification Guide
- ↓ User Guide Integrated Refrigerator Freezer EN

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE 24 Hours 7 Days a Week Customer Support

T +65 6741 0777 Wwww.fisherpaykel.com