QUICK REFERENCE GUIDE > RS2484WRUE1 Date: 17.12.2024 > 1

24" Series 11 Integrated Column Freezer, Ice & Water

Series 11 | Integrated

Panel Ready | Right Hinge

Experience the pinnacle of refrigeration design with our most advanced model. Featuring a right hinge and an elegant interior, this Column embodies premium functionality and style. Designed to optimise energy efficiency, it seamlessly integrates alone or paired with another Column.

- With a premium interior for a refined look and feel, this model is the highlight of our Integrated Columns collection
- Designed to optimise energy performance and efficiency
- Flexible storage with two Variable Temperature Zones: choose Pantry, Fridge, Soft Freeze or Freezer mode
- Mix and match columns, install separately or pair, and customize with cabinetry or stainless steel panels

DIMENSIONS

Height	84 "
Width	23 3/4 "
Depth	24 "

FEATURES & BENEFITS

Premium interior

Our Series 11 Columns are designed with a premium interior that balances form and function. Every element, from the seamless finish to the considered interior lighting, creates a sleek, understated aesthetic that integrates effortlessly into any kitchen.

Clever energy

With highly efficient vacuum insulation reducing heat transfer, this fridge uses only the energy it needs while keeping your food fresher for longer.

Variable Temperature Zones

There's more than one way to freeze food, and different temperatures and techniques can affect food care and convenience. Optimal freezing depends on what you're storing, how fresh it is, and when you plan to use it. Switch a compartment to Soft Freeze for everyday convenience, or choose Freeze or Deep Freeze Mode to preserve freshness and lock in natural goodness for longer.

Mix & Match

Integrated Column Refrigeration offers the flexibility to mix and match. Choose from different-sized Column Fridges and Freezers that can be installed individually or paired together. Complete the look with your own customized door panels to blend seamlessly with your kitchen cabinetry, or purchase our stainless steel door panels.

Perfect Fit

These models fit flush and have only 1/8" gaps around them with no visible hinges or grilles. Our Integrated models can be seamlessly hidden behind your cabinetry for an understated and clean look with any kitchen layout.

Deep Freeze Mode

Deep freezing (-13°F) halts bacterial activity, allowing food to be stored safely for extended periods. Freezing food quickly helps to protect quality and retain nutrients, ensuring they are preserved when defrosted.

Easy install

Integrated Column Refrigerators and Freezers have been developed to make installation easy. The joiner kit is included when pairing refrigerators and freezers. All models come with front-adjustable leveling feet and they've been designed to easily slide into place as separate units.

SPECIFICATIONS

Accessories (sold separately)

Door panel stainless steel Left hinge 84"	RD2484WLD
Door panel stainless steel Right hinge 84"	RD2484WRD
Handle kit Classic	AHCLRD2484W
Handle kit Contemporary round, aluminium	AHSRD2484W
Handle kit Contemporary square fine, aluminium	AHD5RD2484W
Handle kit Contemporary square fine, black	AHD5RD2484WB
Handle kit Professional round flush	AHP3RD2484W
Handle kit Professional round flush, Brass off-stands	AHP3RD2484WB A
Handle kit Professional round flush, Dark Copper off-stands	AHP3RD2484WD C
Joiner Kit	AJ-RS84LR
Toe kick stainless steel 24"	AKRS2404
Toe kick stainless steel 42"	AKRS4204
Toe kick stainless steel 48"	AKRS4804
Toe kick stainless steel 54"	AKRS5404
Toe kick stainless steel 60"	AKRS6004
Toe kick stainless steel 66"	AKRS6604
Toe kick stainless steel 72"	AKRS7204
Toe kick stainless steel 78"	AKRS7804
Toe kick stainless steel 84"	AKRS8404

QUICK REFERENCE GUIDE > RS2484WRUE1 Date: 17.12.2024 > 2

Packaged weight 12.08 cut EDD cellinalighting Packaged weight 250 bits 250 b	Capacity		LED bin lighting	•	Product information	
Volume recere	Total gross capacity	12.08 cu ft	LED ceiling lighting	•	Packaged weight 35°	7 lbs
Volume reference	Volume	12.1 cu ft	LED side lighting	•	Unpackaged weight 269	9 lbs
Features Performance Adjustable door shelves Adjustable glass cantilievered shelves 1 Duel evaporator Frost free freezer Frost free freezer All inverter controlled compressor Internal water dispenser LED bin lighting 1 Nariable food modes Pantry, Fridge Freezer Freezer Freezer Freezer LED lighting 1 Variable food modes Pantry, Fridge Freezer Freezer Features Automatic ice maker Bottle chill Door alarm Automatic ice maker Bottle chill Door alarm Automatic ice maker Bottle chill Freezer freezer Freezer Freezer Bottle chill Door alarm Automatic ice maker Bottle chill Door alarm Boeth defined and counter freezer Automatic ice maker Bottle chill Preezer Freezer Freezer Features 1 North defined and counter freezer Product downloads available at fisherpaykel.com Freezer Features Automatic ice maker Bottle chill Door alarm Boeth defined and counter freezer Preezer Features Automatic ice maker Bottle chill Door alarm Boeth defined and counter freezer Preezer Features Automatic ice maker Bottle chill Door alarm Boeth defined and counter freezer Boeth defined and counter freezer Boeth defined and counter freezer Freezer freezer Boeth defined and counter freezer Freezer freezer Freezer freezer Boeth defined and counter freezer Freezer freezer Freezer freezer Boeth defined and counter freezer	Volume freezer	4.1 cu ft	Max Cold	•		
Features Adjustable door shelves Adjustable glass cantilevered shelves Covered door shelves 1 Dual evaporator Covered door shelves 2 Dual Enter she Papaykel Customer Care Carrie to ensure this page covered she with Fisher & Payakel Castomer Care Carrie to ensure this page covered she with Fisher & Payakel Castomer Care Carrie to ensure this page covered she with Fisher & Payakel Castomer Care Carrie to ensure this page covered she with Fisher & Payakel Castomer Care Carrie to ensure this page covered she with Fisher &	Volume refrigerator	8 cu ft	SmartTouch interface at counter height	•		
Peterures Adjustable door shelves Adjustable glass cantilevered shelv					Warranty	
Adjustable door shelves 4 ActiveSmart**Foodcare . Adjustable glass cantilevered shelves . Adjustable glass cantilevered shelves . Covered door shelves . Door alarm . Fruit and vegetable bins . Salo free freezer . Salo free freezer . Salo free freezer . Salo fre	Features		Performance		•	•
Adjustable glass cantilevered shelves Covered door shelves 1 Dual evaporator Frost free freezer Fruit and vegetable bins 2 Humidity control system 1 Inverter controlled compressor Internal water dispenser LED bin lighting LED lighting LED lighting 1 Variable food modes Subbath mode LED lighting 1 Variable temperature zones LED side lighting 1 Variable temperature zones Subbath mode Stackable bottle holders Agolian-counter height Stackable bottle holders Freezer Features Automatic ice maker Bottle chill Door alarm Freezer bins Preezer trays 1 Depth Adaptive defrost Provided freezer Provided timensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications and specification		4	ActiveSmart™ Foodcare	•	Sealed system parts only 5 y	/ears
Door alarm	·	•	Adaptive defrost	•		
Fruit and vegetable bins 2 Humidity control system 3 Humidity control system 4 Humidity control system 5 Humidity control system 5 Humidity control system 6 Inverter controlled compressor 6 Inverter controlled compressor 6 Inverter controlled compressor 7 Inverter controlled compressor 8 Sabbath mode 8 Pantry; Fridge; Soft freeze; Freezer 8 Freezer 8 Freezer 8 Pantry; Fridge; Soft freeze; Freezer 9 Power requirements 9 Pantry; Fridge; Soft freeze; Freezer 9 Power requirements 9 Pantry; Fridge; Soft freeze; Pantry Southment Care Centre to ensure this page apply to the specific dimensions and specifications in this page apply to the specific dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications in this page apply to the specific dimensions and specifications in this page apply to the specific dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement check with Fisher & Paykell Scuttomer Care Centre to ensure this page apply to the specific dimensions and specifications in this page apply to the specific dimensions and specifications may chenge at any time, You should therefore check with Fisher & Paykell Scuttomer Care Centre to ensure this page apply to the specific dimensions and specifications in this page any time check	, -	1	Dual evaporator	•		
Freizer Features Altomatic ice maker Automatic ice maker Bottle chill Door alarm Freezer bins Freezer bins Freezer trays Inverter controlled compressor The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykefs Customs Care Center to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020 Other product downloads available at fisher paykel.com Other product dow		•	Frost free freezer	•	SKU 2	<u>:</u> 6907
Internal water dispenser LED bin lighting LED ceiling lighting lighting led lighting lighting led lighting lighti		2	Humidity control system	•		
LED bin lighting LED celling lighting LED lighting LED lighting Available food modes Pantry; Fridge; Soft freeze; Freezer LED lighting Available temperature zones Available temperature sunter bits pace correctly describes the model currently available. Available at fisherpaykel.com Available top every temperature sunter by available at fisherpaykel.com Available top every temperature sunter by available at fisherpaykel.com Available top every temperature sunter by available at fisherpaykel.com Available top every temperature sunter by available at fisherpaykel.com Available top every temperature sunter by available at fisherpaykel.com Available top every temperature sunter by available at fisherpaykel.com Available t	-	1	Inverter controlled compressor	•	The product dimensions and specifications in this page apply to the spec	cific
LED bin lighting LED ceiling lighting LED ceiling lighting Pantry; Fridge; Soft freeze; Freezer Freezer Freezer Freezer Freezer Freezer Appliances Ltd 2020 LED side lighting Power requirements Exact Current Supply frequency Automatic ice maker Bottle chill Door alarm Freezer Features Popular Counter dimensions Pooluct dimensions Pooluct dimensions Pooluct dimensions Pooluct dimensions Pooluct dimensions Poly Freezer Freezer Again Planning Guide Integrated Refrigeration FR Freezer Freezer Width Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel's Customer Correctly describes the model currently available. Appliances Ltd 2020 Other product downloads available at fisherpaykel.com Other product downloads available at fis	Internal water dispenser	•	Sabbath mode	•		
LED ceiling lighting LED lighting A Variable temperature zones Correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020 LED side lighting SmartTouch interface at counter height Stackable bottle holders A Power requirements Rated current Supply frequency Supply frequency Automatic ice maker Bottle chill Door alarm Freezer feet Freezer feet Dopth Freezer fiees A Product dimensions Depth Freezer fiees A Power requirements Supply voltage Automatic ice maker Bottle chill Door alarm Freezer fiees A Power requirements Automatic ice maker Bottle chill Door alarm Freezer fiees A Power requirements Automatic ice maker Bottle chill A Product dimensions A Power requirements A Depth	LED bin lighting	•	Variable food modes			fore
LED lighting LED side lighting SmartTouch interface at counter height Stackable bottle holders A counter requirements Rated current Supply frequency Supply voltage Automatic ice maker Bottle chill Door alarm Freezer Features Door alarm Freezer Features A legible Depth Bottle Depth Bot	LED ceiling lighting	•				
SmartTouch interface at counter height Stackable bottle holders 4 Power requirements Rated current Supply frequency Supply voltage Automatic ice maker Bottle chill Door alarm Fast freeze Fast freeze Fast freeze Freezer bins Freezer tays 1 Width Power requirements Rated current Supply voltage 10 A 2 D-DWG Integrated Refrigeration - K05 Hinge 2 D-DXF Integrated Refrigeration - K05 Hinge 2 D-DXF Integrated Refrigeration 2 D-DXF Panel Preparation 2 D-DXF Panel Preparation 2 D-DXF Panel Preparation 3 Service & Warranty 4 Planning Guide EN Planning Guide Integrated Refrigeration SP Revit 20 Refrigerator Freezer	LED lighting	•	Variable temperature zones	2	Appliances Ltd 2020	
Stackable bottle holders 4 Power requirements Rated current 10 A 2D-DWG Integrated Refrigeration - K05 Hinge 2D-DWG Integrated Refrigeration - K05 Hinge 3D-DWG Integrated Refrigeration - K05 Hinge 4 D-DWG Integrated Refrigeration - K05 Hinge 4	LED side lighting	•				
Rated current 10 A	SmartTouch interface at counter height	•			Other product downloads available at fisherpaykel.com	
Supply frequency Supply requency Supply voltage Automatic ice maker Bottle chill Door alarm Freezer bins Freezer bins Treezer bins Supply frequency Supply voltage Supply voltage Supply voltage Supply voltage Supply voltage 115 V 2D-DXF Integrated Refrigeration - KO5 Hinge 2D-DXF Panel Preparation 2D-DXF Panel Preparation Service & Warranty Planning Guide EN Planning Guide Integrated Refrigeration FR Planning Guide Integrated Refrigeration FR Planning Guide Integrated Refrigeration SP Freezer trays Revit 20 Refrigerator Freezer	Stackable bottle holders	4	Power requirements			
Freezer Features Supply voltage 115 V Door alarm Fast freezer Depth Depth			Rated current	10 A		
Automatic ice maker Bottle chill Door alarm Fast freeze Freezer bins Preezer trays Automatic ice maker Product dimensions Product dimensions Product dimensions Product dimensions Product dimensions Product dimensions Planning Guide EN Planning Guide Integrated Refrigeration FR Planning Guide Integrated Refrigeration SP Planning Guide Integrated Refrigeration SP Revit 20 Refrigerator Freezer			Supply frequency	60 Hz		
Bottle chill Product dimensions Product dimensions Popth East freeze Preezer bins Preezer trays Product dimensions Planning Guide EN Planning Guide Integrated Refrigeration FR Planning Guide Integrated Refrigeration SP Preezer trays Revit 20 Refrigerator Freezer	Freezer Features		Supply voltage	115 V	<u> -</u>	
Bottle chill Product dimensions Product dimensions Product dimensions Product dimensions Product dimensions Product dimensions Planning Guide EN Planning Guide Integrated Refrigeration FR Preezer bins Preezer trays Planning Guide Integrated Refrigeration SP Preezer trays Revit 20 Refrigerator Freezer	Automatic ice maker	•			<u> </u>	
Door alarm Fast freeze • Depth • Depth Freezer bins 2 Height 1 Width Planning Guide EN Planning Guide Integrated Refrigeration FR Planning Guide Integrated Refrigeration SP	Bottle chill	•			<u>-</u>	
Fast freeze Depth Planning Guide Integrated Refrigeration FR Freezer bins Height Height Planning Guide Integrated Refrigeration FR Planning Guide Integrated Refrigeration SP Preezer trays Revit 20 Refrigerator Freezer	Door alarm	•	Product dimensions		<u> -</u>	
Freezer bins 2 Height 84 " Planning Guide Integrated Refrigeration SP Freezer trays 1 Width 23 3/4 " Revit 20 Refrigerator Freezer	Fast freeze	•	Depth	24 "		
Freezer trays 1 Width 23 3/4 " 👱 Revit 20 Refrigerator Freezer	Freezer bins	2	Height	84 "	<u> </u>	
Ice Boost • Rhino 6 Refrigerator Freezer	Freezer trays	1	Width	23 3/4 "		
	Ice Boost	•			→ Rhino 6 Refrigerator Freezer	

QUICK REFERENCE GUIDE > RS2484WRUE1 Date: 17.12.2024 > 3



SketchUp Refrigerator Freezer

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE 24 Hours 7 Days a Week Customer Support

T 1.888.936.7872 Wwww.fisherpaykel.com