30" Series 7 Professional 4 Burner Gas Range, Natural Gas

Series 7 | Professional

Stainless Steel | Natural Gas



Professional style and performance, with high power burners delivering high heat or the most gentle simmer.

- Top burner heat of 22,500 BTU, for seriously fast boiling
- Gas oven with 4.6 cu ft total capacity
- Non-tip full-extension shelves in main cavitiy for safe removal of hot dishes

Made from quality materials and real stainless steel

DIMENSIONS

| Height | 35 3/4 - 36 3/4 " |
|--------|-------------------|
| Width | 29 7/8 " |
| Depth | 29 1/8 " |

FEATURES & BENEFITS

Cooktop Power

Sealed Dual Flow Burners[™] deliver cooktop power up to 22,500 BTU for seriously fast boiling right down to a precise 140°F full surface simmer with the gentlest of flames.

Cooking Flexibility

The cooktop is designed for easy access to any burner with grates you can smoothly slide pots across. The oven is large enough to hold full size baking sheets.

Design Quality

This range has craftsmanship in every detail, with real stainless steel, cast-iron grates, and titanium coated dials. Each cavity features incandescent lights and full extension telescopic racks. From the robust legs to the powerful cooktop, the Range is built to last.

Easy To Clean

With a continuous, porcelain basepan, cleaning up spills is effortless. Your cooktop simply needs a quick wipe to keep it looking good as new.

Total Control

Precise control across high and low settings is delivered through the halo-illuminated cooktop dials.

SPECIFICATIONS

| Wok grate included | ١ |
|--------------------------------------------------------------------------------------------------|------------------|
| Burner ratings | |
| Maximum burner power | 22500 B |
| Power back left | 18500B |
| Power back right | 18500B |
| Power front left | 22500B |
| Power front right | 18500B |
| Total cooktop power | 78000 B |
| Capacity Shelf positions | |
| Capacity | |
| Shelf positions Total capacity | 4.6 cu |
| Shelf positions | |
| Shelf positions Total capacity | |
| Shelf positions Total capacity Usable capacity | |
| Shelf positions Total capacity Usable capacity Cleaning | |
| Shelf positions Total capacity Usable capacity Cleaning Easy clean porcelain basepan | 4.6 cu 3.4 cu |

Gas Requirements

FISHER & PAYKEL

QUICK REFERENCE GUIDE > RGV3-304-N

| Fitting and pipe | ½ NPT, min. %″ Ŋ flex line |
|-------------------------------------------|-------------------------------|
| Supply Pressure (natural gas) | 6" to 9" W.C |
| | |
| Oven features | |
| Auto re-ignition system | • |
| Broil pan | • |
| Electronic oven control | • |
| Full extension telescopic sliding shelves | • |
| Infrared Broiler | • |
| Internal light | true |
| Titanium coated, illuminated metal dials | • |
| | |
| Oven functions | |
| Bake | • |
| Broil | • |
| Convection bake | • |
| Number of functions | 4 |
| Slow cook | • |
| | |

| Oven | performance | |
|------|-------------|--|
|------|-------------|--|

| Bake power | 21500 |
|--------------------|--------------|
| Power requirements | |
| Service | 15 A |
| Supply | 120 V, 60 Hz |

| Product | dimensions | |
|---------|------------|--|
| | | |

| Depth | 29 1/8 ″ |
|---------------------------|-------------------|
| Depth (excluding handles) | 2918 mm |
| Height | 35 3/4 - 36 3/4 " |
| Width | 29 7/8 " |

Rangetop features

| Sealed range top | • |
|--------------------|---|
| Vent trim included | • |

Recommended Back Guards Ventilation

| Combustible situation Non combustible situation | BGRV3-3030H BGRV2-3030 / | |
|---------------------------------------------------------|---------------------------------------------------------|--|
| Recommended hood | BGRV2-1230 HCB30-6_N (Professional Range Hood) | |
| Safety | | |
| ADA compliant Full extension telescopic sliding shelves | • | |
| SKU | 82004 | |

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

Other product downloads available at fisherpaykel.com

| ⊥ | 2D-DWG Gas Cooker |
|-------------------------|-----------------------------|
| $\overline{1}$ | 2D-DXF Range |
| <u>↓</u> | Service & Warranty |
| $\overline{\mathbf{h}}$ | Installation Guide EN |
| $\overline{1}$ | Installation Guide FR |
| $\overline{1}$ | Guide d'utilisation FR |
| $\overline{\mathbf{h}}$ | User Guide |
| | |
| Whe | re applicable: |
| All ap | opliances use energy, and |
| carbo | on emissions. Fisher & Pa |
| Carb | on Emissions Estimate in |
| prod | uct's in-use energy. This i |
| cycle | , using the product's mai |
| consi | umption data multiplied |
| | |

d energy usage typically generates aykel Appliances' In-use Energy ndicates carbon emissions from a

is calculated either annually or per arket-specific energy label energy by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE 24 Hours 7 Days a Week Customer Support

T 1.888.936.7872 Wwww.fisherpaykel.com