QUICK REFERENCE GUIDE > DD60STI9

Integrated Single DishDrawer Dishwasher, Tall, Sanitise

Series 9 | Integrated

Panel Ready




Integrating into your kitchen design seamlessly, with extra height for larger dishes in the tall top drawer.*

- Customise with your own front panel and handle to match your kitchen cabinetry
- · Knock to pause function is perfect if you miss a dish
- With extra height for taller dishes, and customisable internal shelving

 Six wash programs, as well as additional Quick wash, Sanitise and Extra Dry options

DIMENSIONS

Height	454 mm
Width	599 mm
Depth	553 mm



FEATURES & BENEFITS

Ease Of Use

DishDrawer™ Dishwashers are as easy to open and close as kitchen drawers and can be conveniently positioned at bench height for ease of loading and minimal bending.

Quick, Sanitise and Extra Dry options

The Quick wash modifier delivers a faster wash while maintaining performance. The Sanitise option provides extra protection, killing 99.9% of bacteria in the final rinse. The Extra Dry setting is perfect for plastic dishes.

Knock to pause

Instead of needing a remote control, these DishDrawer™ Dishwashers have a knock to pause function. A knock on the front panel will pause the dishwasher which can be re-started again by using the start/play button.

Quiet Performer

Running at a very low decibel rate, these DishDrawer™ Dishwashers do their job without making a fuss. The combination of intelligent technology and simple mechanics means greater reliability and excellent wash performance.

SPECIFICATIONS

Accessories (included)

Cutlery basket
Knife clip and multipurpose clip

Accessories (sold separately)

Door panel black stainless steel ADDD60STPB Door panel stainless steel ADDD60STPX Handle kit Contemporary round, aluminium AHS-OBDD-60S AHD5-Handle kit Contemporary square fine, OBDD-60SX aluminium Handle kit Contemporary square fine, black AHD5-OBDD-60SB Handle kit Contemporary square, aluminium AHD3-OBDD-60S Handle kit Contemporary square, black AHD3-OBDD-60B Handle kit Professional round flush AHP3-DWDD-60S

QUICK REFERENCE GUIDE > DD60STI9 Date: 02.07.2024 > 2

Capacity and loading		Fan assisted drying	•	Wash modifiers	3
Accommodates round plates up to	310mm	Flood protection	•		
Adjustable height, foldable cupracks	310111111	Flow through detergent dispenser	•		
Fold down tines		Quiet operation	•	Wash Programs	
	•	SmartDrive™ technology	•	Delicate	•
Pitch adjustable tines	7			Eco	•
Place settings				Fast	•
Place settings	7	Performance		Heavy	
		Noise emissions	43 dBA	Medium	•
Consumption		.10.00 000.0		Rinse	•
·			_	Wash programs	6
Energy rating	3.5 star	Power requirements		vvasii programs	v
Energy usage	136kWh/year	A	F.A.		
In-use energy carbon emissions estimate	18.4kgCO2e/year	Amperage	5A	Water connection	
Water rating	4.5 star (WELS)	Supply frequency	50Hz		
Water usage (per wash cycle)	6.9L	Supply voltage	220 - 240V	Water pressure	30kPa - 1000 kPa
				Water supply	3/4" BSP (20mm) Connector Water
		Product dimensions			Inlet Hose
Controls		Froduct differsions			
Electronic fault/Diagnostic indicator	•	Depth	553 mm		
End of cycle beeps	•	Height	454 mm	SKU	82320
Energy saving delay start option of up to 12 hours	•	Width	599 mm	SKO	02320
Internal wash selector	•			The product dimensions and specificat	tions in this nage apply to the specific
Keylock	•	Warranty		The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these	
Knock to pause	•	Parts and labour	2 years	dimensions and specifications may cha	
Rinse aid indicator light	•		•	check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel	
Smart appliance	•			Appliances Ltd 2020	
Wi-Fi connectivity	•	Wash Program Modifiers			
		Extra Dry	•	Other product downloads availal	ble at fisherpaykel.com
Features		Quick	•		
reatules		Sanitise	•		DishDrawer™ Dishwasher

QUICK REFERENCE GUIDE > DD60STI9

- ↓ 2D-DXF Integrated Single DishDrawer™ Dishwasher
- Data Sheet Integrated Single DishDrawer™ Dishwasher
- Energy and Water Label
- ↓ Service & Warranty
- Installation Guide Single DishDrawer™ Dishwasher
- Planning Guide Integrated Single DishDrawer™ Dishwasher
- ↓ Quick Start Guide
- ↓ Revit Single DishDrawer™ Dishwasher
- ↓ Rhino Single DishDrawer™ Dishwasher
- Sketchup Single DishDrawer™ Dishwasher
- ↓ Specification Guide Single DishDrawer™ Dishwasher
- User Guide DishDrawer™ Dishwasher
- , Wash Program Data DishDrawer™ Dishwasher

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE 24 Hours 7 Days a Week Customer Support

T 0800 372 273 Wwww.fisherpaykel.com