QUICK REFERENCE GUIDE > DD60STI9

Integrated Single DishDrawer Dishwasher, Tall, Sanitise

Series 9 | Integrated

Panel Ready




Integrating into your kitchen design seamlessly, with extra height for larger dishes in the tall top drawer.*

- Customise with your own front panel and handle to match your kitchen cabinetry
- · Knock to pause function is perfect if you miss a dish
- With extra height for taller dishes, and customisable internal shelving

 Six wash programs, as well as additional Quick wash, Sanitise and Extra Dry options

DIMENSIONS

Height	454 mm
Width	599 mm
Depth	553 mm



FEATURES & BENEFITS

Ease Of Use

DishDrawer™ Dishwashers are as easy to open and close as kitchen drawers and can be conveniently positioned at bench height for ease of loading and minimal bending.

Quick, Sanitise and Extra Dry options

The Quick wash modifier delivers a faster wash while maintaining performance. The Sanitise option provides extra protection, killing 99.9% of bacteria in the final rinse. The Extra Dry setting is perfect for plastic dishes.

Knock to pause

Instead of needing a remote control, these DishDrawer™ Dishwashers have a knock to pause function. A knock on the front panel will pause the dishwasher which can be re-started again by using the start/play button.

Quiet Performer

Running at a very low decibel rate, these DishDrawer™ Dishwashers do their job without making a fuss. The combination of intelligent technology and simple mechanics means greater reliability and excellent wash performance.

SPECIFICATIONS

Accessories (included)

Cutlery basket
Knife clip and multipurpose clip

Accessories (sold separately)

Door panel black stainless steel ADDD60STPB Door panel stainless steel ADDD60STPX Handle kit Contemporary round, aluminium AHS-OBDD-60S AHD5-Handle kit Contemporary square fine, OBDD-60SX aluminium Handle kit Contemporary square fine, black AHD5-OBDD-60SB Handle kit Contemporary square, aluminium AHD3-OBDD-60S Handle kit Contemporary square, black AHD3-OBDD-60B Handle kit Professional round flush AHP3-DWDD-60S

QUICK REFERENCE GUIDE > DD60STI9 Date: 20.06.2024 > 2

Capacity and loading		Fan assisted drying	•	Wash modifiers	3	
Accommodates round plates up to	310mm	Flood protection	•			
Adjustable height, foldable cupracks	•	Flow through detergent dispenser	•			
Fold down tines	•	Quiet operation	•	Wash Programs		
Pitch adjustable tines	•	SmartDrive™ technology	•	Delicate	•	
Place settings	7			Eco	•	
Place settings	7			Fast	•	
		Performance		Heavy	•	
		Noise emissions	43 dBA	Medium	•	
Consumption				Rinse	•	
Energy rating	3.5 star			Wash programs	6	
Energy usage	136kWh/year	Power requirements				
In-use energy carbon emissions estimate	18.4kgCO2e/year	Amperage	5A			
Water rating	4.5 star (WELS)	Supply frequency	50Hz	Water connection		
Water usage (per wash cycle)	6.9L	Supply voltage	220 - 240V	Water pressure	30kPa - 1000 kPa	
				Water supply	3/4" BSP (20mm) Connector Water Inlet Hose	
Controls		Product dimensions				
Electronic fault/Diagnostic indicator	•	Depth	553 mm	·		
End of cycle beeps	•	Height	454 mm	01/11	00700	
Energy saving delay start option of up to 12 hours	•	Width	599 mm	SKU	82320	
Internal wash selector	•	_		The product dimensions and specifies	ations in this page apply to the specific	
Keylock	•	Warranty		product and model. Under our policy		
Knock to pause	•	Parts and labour	2 years	dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel		
Rinse aid indicator light	•					
Smart appliance	•			Appliances Ltd 2020		
Wi-Fi connectivity	•	Wash Program Modifiers				
		Extra Dry	•	Other product downloads availa	able at fishernavkel com	
		Quick	•	other product downloads availed	and at honer payrencom	
Features		Sanitise	•		e DishDrawer™ Dishwasher	

QUICK REFERENCE GUIDE > DD60STI9

- 2D-DXF Integrated Single DishDrawer™ Dishwasher
- J Data Sheet Integrated Single DishDrawer™ Dishwasher
- ↓ Energy & Water Label DishDrawer™
- ↓ Energy and Water Label
- ↓ Service & Warranty
- ↓ Installation Guide Single DishDrawer™ Dishwasher
- Installation Guide Single DishDrawer™ Dishwasher
- ↓ Planning Guide Integrated Single DishDrawer™ Dishwasher
- ↓ Quick Start Guide
- ↓ Revit Single DishDrawer™ Dishwasher
- ↓ Rhino Single DishDrawer™ Dishwasher
- J Sketchup Single DishDrawer™ Dishwasher
- J Specification Guide Single DishDrawer™ Dishwasher
- User Guide DishDrawer™ Dishwasher
- User Guide Integrated DishDrawer™ Dishwasher
- Wash Program Data DishDrawer™ Dishwasher

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.

