QUICK REFERENCE GUIDE > DD24STI9 N

Integrated Single DishDrawer Dishwasher, Tall, Sanitize

Series 9 | Integrated

Panel Ready



Designed to fit your full-sized dinner plates, this DishDrawer™ can be placed anywhere in your kitchen, integrating seamlessly.

- · Knock to pause function is perfect if you miss a dish
- Six wash programs, as well as additional Quick wash, Sanitize and Extra Dry options
- Customize with your own kitchen cabinetry or purchase our stainless steel door panel accessory


 American Disabilities Act (ADA) compliant, this can be installed at an accessible height for loading and unloading

DIMENSIONS

Height 17 7/8 "

Width 23 9/16 "

Depth 21 3/4 "



FEATURES & BENEFITS

Seamless integration

Slide your DishDrawer™ Dishwasher into an existing kitchen space or integrate into kitchen cabinetry, for a seamless look whilst delivering superior dish care.

Ease of use

DishDrawer™ Dishwashers are as easy to open and close as kitchen drawers and can be conveniently positioned at bench height for ease of loading and minimal bending. Flexible racking allows you to make adjustments to fit in a variety of dishes.

Quick, Sanitize and Extra Dry options

The Quick wash modifier delivers a faster wash while maintaining performance. The Sanitize option provides extra protection killing 99.9% of bacteria in the final rinse. The Extra Dry setting is perfect for plastic dishes.

Knock to pause

Instead of needing a remote control, these DishDrawer™ Dishwashers have a knock to pause function. A knock on the front panel will pause the dishwasher which can be re-started again by using the start/play button.

Quiet performer

Running at a very low decibel rate, these DishDrawer™ Dishwashers do their job without making a fuss. The combination of intelligent technology and simple mechanics means greater reliability and excellent wash performance.

SPECIFICATIONS

Accessories (included)

Cutlery basket •

Knife clip and multipurpose clip

Accessories (sold separately)

Handle kit Classic

Door panel stainless steel ADDD24STPX

AHCL-DDDW-24X

Handle kit Contemporary round, aluminium AHS-OBDD-60S

QUICK REFERENCE GUIDE > DD24STI9 N Date: 20.06.2024 > 2

Handle kit Contemporary square fine, aluminium	AHD5- OBDD-60SX	Internal wash selector	•	Width	23 9/16 "
Handle kit Contemporary square fine, black	AHD5-	Keylock	•		
	OBDD-60SB	Knock to pause	•	Safety and compliance	
Handle kit Contemporary square, aluminium AHD3-OBDD-60S		Rinse aid indicator light	•	Safety and compliance	
Handle kit Professional round flush	AHP3-DWDD-SX	Smart appliance	•	ADA compliant	•
Handle kit Professional round flush, Brass off-stands	AHP3DDDW24BA	Wi-Fi connectivity	•		
Handle kit Professional round flush, Dark	AHP3DDDW24DC			Warranty	
Copper off-stands		Features		Parts and labor	Limited 2 years
		Fan assisted drying	•		
Capacity and loading		Flood protection	•		
Accommodates round plates up to	12,25"	Flow through detergent dispenser	•	Wash Program Modifiers	
Adjustable height, foldable cupracks	•	Quiet operation	•	Extra Dry	•
Fold down tines		SmartDrive™ technology	•	Quick	•
Pitch adjustable tines	•			Sanitise	•
Place settings	7			Wash modifiers	3
Place settings	7	Performance			
Flace Settings	,	Noise emissions	43 dBA		
				Wash Programs	
Consumption				Delicate	•
•		Power requirements		Eco	•
Energy rating	Energy star	Amperage	5A	Fast	•
Energy usage	144kWh/year	Electric circuit	3 wire	Heavy	•
In-use energy carbon emissions estimate	17.8kgCO2e/year	Rated current	15 A	Medium	•
Water usage (per wash cycle)	1.64 gal	Supply frequency	60Hz	Rinse	
		Supply voltage	100 - 120V	Wash programs	6
Controls					
Electronic fault/Diagnostic indicator	•	Product dimensions		Water connection	
End of cycle beeps	•		017/6"		
Energy saving delay start option of up to 12 hours	•	Depth	21 3/4 "	Inlet water temperature	Max 140 °F
		Height	17 <i>7</i> /8 "	Supplied hose to suit 3/8" (9mm) male compression fitting	•

QUICK REFERENCE GUIDE > DD24STI9 N Date: 20.06.2024 > 3

Water pressure	30kPa - 1000 kPa
Water supply	3/8" to suit Male Compression Fitting

SKU 82341

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

Other product downloads available at fisherpaykel.com

- 2D-DWG Integrated Single DishDrawer™ Dishwasher
- 2D-DXF Integrated Single DishDrawer™ Dishwasher
- ↓ Data Sheet Integrated Single DishDrawer™ Dishwasher
- L Energy Label Single DishDrawer™ Dishwasher
- ↓ Service & Warranty
- L Installation Guide DishDrawer™ Dishwasher Venting Kit EN
- Installation Guide Single Dish Drawer EN
- J. Guide d'installation FR
- Planning Guide Integrated Single DishDrawer™
- Planning Guide Professional Style Dial/Handle Accessories
- J. Quick Start Guide
- Guide De Démarrage Rapide FR
- L Revit Single DishDrawer™ Dishwasher
- ↓ Rhino Single DishDrawer™ Dishwasher
- Rhino Single DishDrawer™ Dishwasher with Door Panel and Contemporary Square Handle
- J Sketchup Single DishDrawer™ Dishwasher

- \downarrow
 - Sketchup Single DishDrawer™ Dishwasher with Door Panel and Contemporary Square Handle
- User Guide DishDrawer™ Dishwasher EN

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE 24 Hours 7 Days a Week Customer Support

T 1.888.936.7872 Wwww.fisherpaykel.com