QUICK REFERENCE GUIDE > OR30SCI6X1 Date: 10.07.2024 > 1

# Induction Range, 30", 4 Zones, Self-cleaning

Series 9 | Classic

Stainless Steel



Blending heritage styling and contemporary performance, including convection oven and an instant-response induction cooktop.

- Four induction cooking zones with immediate heat response and precise control
- Convection oven with 3.5 cu ft total capacity and nine oven functions including Roast and Aero™Pastry
- Self-cleaning function breaks down food residue for an easy clean

· Non-tip full-extension shelves for safe removal of hot dishes

# **DIMENSIONS**

Height 35 3/4 - 37 5/8 "
Width 29 7/8 "
Depth 25 1/4 "

# **FEATURES & BENEFITS**

#### **Outstanding Performance**

Discover the flexibility to get creative in the kitchen with nine oven functions including Bake, Roast, and Aero™ Pastry with Pizza Bake.

#### Power & Control

The induction cooktop provides instant and immediate control from the highest to the gentlest heat. The finely tuned cooktop controls let you sear, stir fry or simmer a delicate sauce to perfection.

#### **Generous Capacity**

The generous 3.5 cu ft total capacity for this range gives you plenty of space to cook multiple dishes at the same time.

## **Quality And Durability**

Every detail has been carefully crafted, from the heritage design cues, to the solid, perfectly balanced soft-close door, and to the chromed cast zinc dials. They all add up to an exceptional, premium range.

# Easy To Clean

The self-clean function reduces grease and food residue to an easily removable light ash and the cooktop simply needs a quick wipe to keep it looking good as new. The oven door and runners can also be removed for easy cleaning.

#### Safe And Sound

Designed for your safety and convenience, this range features full extension telescopic sliding shelves, a triple-glazed CoolTouch door, and a child lock.

## **SPECIFICATIONS**

# Accessories (included)

2-pc grill system (Broil pan and Grill rack)

Broil pan

Full extension sliding shelves

2 sets (part 578776)

Full extension telescopic shelves

2 sets (part 578776)

## Accessories (sold separately)

Kick strip, stainless steel (optional)

Wok grate included

N/A

#### Capacity

Shelf positions 7

Total capacity 3.5 cu ft

Usable capacity 2.9 cu ft

#### Cleaning

Acid resistant graphite enamel

QUICK REFERENCE GUIDE > OR30SCI6X1 Date: 10.07.2024 > 2

Drop down broil element	•	Oven features		Amperage	51 A
Drop down grill element	•	Automatic rapid pre-heat	•	Supply frequency	60 Hz
Flat easy clean glass surface	•	Concealed element	•		
Pyrolytic proof shelf runners	•	Electronic oven control	•		
Pyrolytic self-clean	•	Full extension telescopic sliding shelves	•	Product details	
Removable oven door	•	Internal light	2 x 25W halogen	Self Cleaning Sf	Yes
Removable shelf runners	•		(rear)		
		Soft open/close door	•		
		True convection	•	Product dimensions	
Controls		Turned stainless steel clock dial	•	Depth	25 1/4 "
Audio feedback	•			Height	35 3/4 - 37 5/8 "
Automatic cooking/minute timer	•			Width	29 7/8 "
Automatic pre-set temperatures	•	Oven functions			
Celsius/Fahrenheit temperature	•	Aero Broil	•		
Electronic clock	•	Aero™ Bake	•	Rangetop features	
High resolution display	•	Aero™ Pastry with Pizza mode	•	Auto heat reduce	•
Laser etched graphics	•	Bake	•	Gentle heat	•
Precise electronic temperature control	•	Number of functions	9	Heat settings	9
Sabbath mode	•	Pyrolytic self-clean	•	Induction cooking technology	•
Toughened fused glass graphics	•	Rapid proof	•		
Turned stainless steel clock buttons	•	Roast	•		
Turned stainless steel dials with illuminated	•	True Aero	•	Rangetop Performance	
halos		True convection	•	PowerBoost	•
Installation Dimensions		Oven performance		Safety	
Installation cutout dimensions (Width)	30 mm	Broil power	4050 W		
		CoolTouch door	Triple glazed	ADA compliant	•
		Warming drawer power	220 W	Advanced cooling system	•
Main oven functions		waitiiiig drawer power	220 VV	Anti-tilt bracket	•
Warm	•			Balanced oven door	•
		Power requirements		Catalytic venting system	•

QUICK REFERENCE GUIDE > OR30SCI6X1

Child lock	•
CoolTouch door	•
Full extension telescopic sliding shelves	•
Non-tip shelves	•
Pan detection system	•
Safety time out	•
Spill containment	68.13 L
Spill containment	1/8 gallon
Spillage auto off	•
Surface hot indicators	•

SKU 81961

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

#### Other product downloads available at fisherpaykel.com

- ↓ Energy Label Dual Fuel / Induction Range
- ↓ Service & Warranty
- ↓ Installation Guide Freestanding Cooker EN
- ↓ Guide d'installation FR
- ↓ Revit Induction Cooker
- Rhino Induction Cooker
- ↓ Sketchup Induction Cooker
- User Guide Freestanding Range EN

#### Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



# A PEACE OF MIND SALE 24 Hours 7 Days a Week Customer Support T 1.888.936.7872 Wwww.fisherpaykel.com