
QUICK REFERENCE GUIDE > RS6121SRK2

# 61cm Series 11 Integrated Column Refrigerator

Series 11 | Integrated

Panel Ready | Right Hinge



Install it separately or pair with another Column for true design freedom – this model is right hinge with stainless steel interior.

- ActiveSmart<sup>™</sup> technology helps keep food fresher for longer by constantly maintaining the ideal temperature
- Variable Temperature Zone lets you change a compartment to Fridge, Pantry or Chill for optimal storage
- Customise with your own kitchen cabinetry or purchase our stainless steel door panel accessory

## **DIMENSIONS**

Height	2134 mm
Width	603 mm
Depth	610 mm

# **FEATURES & BENEFITS**

#### VARIABLE TEMPERATURE ZONES

When it comes to optimal food preservation, one temperature does not fit all. Create the perfect climate for different food and drink types using Variable Temperature Zones. Change a compartment to Fridge, Pantry or Chill Mode for maximum everyday convenience, or change modes for additional capacity when you need it.

#### PANTRY MODE

Not everything benefits from cold storage. Pantry Mode (11 to 13°C) is the perfect climate to store foods that benefit from a cool, dark place, including bread, many types of fruit, bananas, avocados, tomatoes, nuts, grains and cereals.

#### Mix & Match

Integrated Column Refrigeration gives you the freedom to mix and match. Different sized Column Fridges and Freezers can be installed separately or paired. Finish them with our stainless steel door panels or customise to match your own kitchen cabinetry.

### Clever energy

Our ActiveSmart™ Foodcare Refrigerator Freezers adapt to daily use by cooling and defrosting only when needed. This means your refrigeratoruses the energy it needs without compromising on food care.

## Appealing illumination

Bright LEDs light up each ceiling, shelves, bins and trays in both refrigerator and freezer, making it easy to find your food and creating a welcoming glow in your kitchen for those midnight snacks.

## **Design Quality**

The premium design and quality finish includes a steel interior lining as well as full-extension metal shelf runners for easy access, and robust glass shelving.

# Easy Install

Integrated Column Refrigerators and Freezers have been developed to make their installation easy. The joiner kit is included when pairing refrigerators and freezers. All models come with front adjustable levelling feet and they've been designed to easily slide into place as separate units.

# **SPECIFICATIONS**

## Accessories (sold separately)

Handle kit Classic	AHCLRDSF
Handle kit Contemporary round, aluminium	AHSRDSF
Handle kit Contemporary square fine, aluminium	AHD5RDSF
Handle kit Contemporary square fine, black	AHD5RDSFB
Handle kit Professional round flush	AHP3RDSF
Joiner kit	AJ-RS21LR
Toe kick stainless steel 1067mm	AKRS10710
Toe kick stainless steel 1220mm	AKRS12210
Toe kick stainless steel 1372mm	AKRS13710
Toe kick stainless steel 1828mm	AKRS18310
Toe kick stainless steel 1981mm	AKRS19810
Toe kick stainless steel 610mm	AKRS06110

Capacity		Adaptive defrost	•
Total gross capacity	383 L	Dual evaporator	•
Volume	351 L	Frost free	•
Volume refrigerator	351 L	Humidity control system	•
		Inverter controlled compressor	•
		Noise emissions	42 dBA
Consumption		Noise emissions class	D
Energy rating	С	Sabbath mode	•
Energy usage	104kWh/year	Variable temperature zones	2
Features		Power requirements	
Adjustable door shelves	4	Rated current	10 A
Covered door shelves	1	Supply frequency	50 Hz
Door alarm	•	Supply voltage	220 - 240 V
Gallon door shelves	1		
LED bin lighting	•		
LED ceiling lighting	•	Product dimensions	
LED side lighting	•	Depth	610 mm
Smart appliance	•	Height	2134 mm
Stackable bottle holders	4	Width	603 mm
Installation Dimensions		Product information	
Minimum inside width of cabinetry frame	610 mm	Packaged weight	137 kg
Minimum internal depth of cabinetry	635 mm	Unpackaged weight	117 kg
Minimum internal height of cabinetry	2134 mm		
		Warranty	
Performance		Parts and labour	5 years
ActiveSmart™ Foodcare	•	Sealed system parts only	5 years

SKU 26632

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

## Other product downloads available at fisherpaykel.com

Declaration of Conformity Refrigeration with WiFi Capability

Service & Warranty

Installation Guide Toe Kick

Installation Guide Integrated Column Refrigerator

Revit Integrated Column Refrigerator

Rhino Integrated Column Refrigerator

Rhino Integrated Column Refrigerator with Door Panel and Contemporary Round Handle

Rhino Integrated Column Refrigerator with Door Panel and Contemporary Square Handle

Sketchup Integrated Column Refrigerator

Sketchup Integrated Column Refrigerator with Door Panel and Contemporary Round Handle

Sketchup Integrated Column Refrigerator with Door Panel and Contemporary Square Handle

Brugervejledning DA

User Guide Integrated Refrigerator Freezer EN

Käyttöopas FI

MMM MMMMHE

Energy Label

Where applicable:

QUICK REFERENCE GUIDE > RS6121SRK2

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE 24 Hours 7 Days a Week Customer Support

T 08000886605 Wwww.fisherpaykel.com