48" Series 9 Professional 6 Burner Griddle Dual Fuel Range, LPG

Series 9 | Professional

Stainless Steel | LPG



With intuitive touchscreen and specialized cooking functions across two ovens, this range is a stand-out addition to your kitchen.

- Guided cooking using your touchscreen makes it simple to cook by food, function or recipe
- Gas cooktop with a griddle and six burners that deliver up to 19,000 BTU for fast boiling
- 6.9 cu ft total oven capacity across two oven cavities

• Use the food probe to monitor your cooking real time

DIMENSIONS

Height	35 3/4 - 36 3/4 "
Width	47 7/8 "
Depth	29 1/8 "

FEATURES & BENEFITS

Cook With Confidence

Our touchscreen interface provides an intuitive guided cooking experience that helps deliver perfect results, whether you've been cooking all your life or just starting out. Cook with a favorite method, a hero ingredient, or a go-to cooking function or recipe. The screen tilts for improved ergonomics and optimal visibility while cooking.

Generous Capacity

Two independently operating cavities provide a large total capacity of 4.8 cu. ft. in the main cavity and 2.1 cu. ft. in the secondary. That's enough room for a 32 lb turkey in one oven, and your sides in the other.

Cooking Flexibility

No matter what you're cooking, you've got the right heat to get perfect results. Each of the 15 oven functions in the main cavity and 11 in the secondary have been extensively researched and carefully designed to cater to a broad range of dishes and cooking styles. The handy food probe helps you monitor your progress.

Cooktop Power

Sealed dual flow burners deliver cooktop power up to 19,000 BTU for seriously fast boiling, and precise 140°F full surface, low temperature cooking with the gentlest of flames.

Design Quality

This range has craftsmanship in every detail, with real stainless steel, cast-iron trivets, and beautifully weighted, halo illuminated dials. Each cavity features incandescent lights and full extension telescopic racks. From the robust legs to the powerful cooktop, this Range is built to last.

Easy To Clean

The oven features a self-cleaning function and self-clean proof side racks, which don't need to be removed when using this function.

SPECIFICATIONS

Accessories (included)	
Adjustable feet covers	•
Branded coin end cap	•
Telescopic sliding runners	true

Burner ratings

Maximum burner power	19000 BTU
Power back centre	13000BTU
Power back left	13000BTU
Power back right	13000BTU
Power front centre	15000BTU
Power front left	19000BTU
Power front right	15000BTU
Power griddle	15000BTU
Total cooktop power	103000 BTU

QUICK REFERENCE GUIDE > RDV3-486GD-L

Capacity

Shelf positions (main oven)	5
Shelf positions (second oven)	5
Total capacity (main oven)	4.8 cu ft
Total capacity second oven	2.1 cu ft
Usable capacity (main oven)	3.8 cu ft

Cleaning

Easy clean porcelain basepan	•
Pyrolytic proof shelf runners	•
Controls	
Dial with illuminated halo	•
Dual control oven dials	•
High resolution display	•
Multi-language interface	•
Precise cooking with food probe	•
recipeAndFoodBasedFunctions	•
Sabbath mode	•
Smart appliance	•
Tilting touch screen interface	•
Gas Requirements	
Fitting and pipe	½ NPT, min. ⁵⁄₃″ [] flex line
Supply Pressure (LPG)	11" to 14" W.C

Main oven features

Concealed Element
Electronic oven control
Food probe
Full extension telescopic racks
Internal light
Large broil pan
Self-clean proof side racks
True convection

Main oven functions Air fry Bake Broil Classic bake Clean Convection bake Convection broil Maxi broil Number of oven functions Pizza bake Rapid proof Roast Slow cook True convection Warm

Oven features

Auto re-ignition system

Concealed element

Electronic oven controlFood probeFull extension telescopic sliding shelvesInternal lightLarge broil panSelf-clean proof side racksTrue convection

Oven functions

٠

.

٠

٠

٠

15

.

Air fry	•
Bake	•
Broil	•
Classic bake	•
Clean	•
Convection bake	•
Convection Broil	•
Dehydrate	•
Dehydrate	•
Maxi Broil	•
Number of functions	15
Pastry bake	•
Pizza bake	•
Rapid proof	•
Roast	•
Slow cook	•
True convection	•
Warm	•

Power Requirements

FISHER & PAYKEL

82386

QUICK REFERENCE GUIDE > RDV3-486GD-L

Connection	4-prong
	grounding type [NEMA 14-50P
	plug]
Service	50 A
Supply	120 / 240 V, 60
	Hz
Product Dimensions	
Depth	29 1/8 "
Height	35 3/4 - 36 3/4 "
Width	47 7/8 "
Rangetop features	
Sealed range top	•
Vent trim included	•
Rangetop Performance	
Number of burners	6
Recommended Back Guards Ventilation	
Combustible situation	BGRV3-3048H
Non combustible situation	/ BGRV2-3048 BGRV2-1248
Recommended hood	HCB48-12_N (48"
	Professional
	Range Hood, Dual Blower)

ADA compliant	•
Child lock	•
Secondary oven features	
3/4 Extension racks	2
Concealed element	•
Electronic oven control	•
Food probe	•
Internal light	•
Secondary oven functions	
Air fry	•
Bake	•
Classic bake	•
Convection bake	•
Convection broil	•
Maxi broil	•
Number of secondary oven functions	11
Pastry bake	•
Pizza bake	•
Rapid proof	•
Roast	•
Warm	•
Warranty	

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020 Other product downloads available at fisherpaykel.com

2D-DWG Dual Fuel Range
2D-DXF Dual Fuel Range
ArchiCAD Dual Fuel Range
Data Sheet Professional Range
Service & Warranty
Planning Guide Professional Style Dial/Handle Accessories
Revit Dual Fuel Range
Rhino Dual Fuel Range
SketchUp Dual Fuel Range
User Guide EN
ro applicable:

Where applicable:

SKU

All appliances use energy, and energy usage typically generates carbon emissions. **Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate** indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Safety

Limited 2 years

Parts and labor

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE 24 Hours 7 Days a Week Customer Support

T 1.888.936.7872 Wwww.fisherpaykel.com