QUICK REFERENCE GUIDE > RS2484SLHK1 Date: 01.04.2025 > 1

# 24" Series 11 Integrated Column Refrigerator, Water

Series 11 | Integrated

Panel Ready | Left hinge



Install it separately or pair with another Column for seamless integration – this model is left hinge with stainless steel interior.

- ActiveSmart<sup>™</sup> technology helps keep food fresher for longer by constantly maintaining the ideal temperature
- Two separate Variable Temperature Zones. Choose from Fridge, Pantry or Chill
- Internal water dispenser for convenient access to fresh, chilled water


 Customize with your own kitchen cabinetry or purchase our stainless steel door panel accessory

#### **DIMENSIONS**

 Height
 84 "

 Width
 23 3/4 "

 Depth
 24 "



## **FEATURES & BENEFITS**

## Variable Temperature Zones

Create the perfect climate by storing food at their optimal temperature. Change a compartment to Fridge, Pantry or Chill.

Internal Water Dispenser

This integrated model features a slimline water dispenser, located on the inside for an uninterrupted exterior. The flush-fit design of the water dispenser maximizes internal storage space, allowing the shelves to be adjusted to suit your needs. Enjoy a continuous flow of temperature-controlled chilled water to fill almost any size or shape of vessel.

## Appealing Illumination

Bright LEDs light up the ceiling, shelves, bins and trays in both refrigerator and freezer, creating a welcoming glow in your kitchen at night and using less power than comparable halogen lights.

#### Mix & Match

Integrated Column Refrigeration gives you the freedom to mix and match refrigerators and freezers based on your needs – or install separately. They can be customized with your kitchen cabinetry for a seamless look, or finished with one of our stainless steel door panels.

#### Clever Energy

ActiveSmart™ makes your refrigerator more energy efficient - adapting to daily use and cooling and defrosting only when needed. This means it uses the energy it needs without compromising on food care.

## **Design Quality**

The premium design and quality finish includes a white or stainless steel interior lining, as well as full-extension metal shelf runners for easy access and robust glass shelving.

## **SPECIFICATIONS**

#### Accessories (sold separately)

Door panel stainless steel Left hinge 84" RD2484L4D

Door panel stainless steel Right hinge 84" RD2484R4D

Handle kit Classic AHCLRDSF

QUICK REFERENCE GUIDE > RS2484SLHK1 Date: 01.04.2025 > 2

| Handle kit Contemporary round, aluminium                       | AHSRDSF                     | In-use energy carbon emissions estimate | 50.6kgCO2e/year          |
|--|-----------------------------|---|--------------------------|
| Handle kit Contemporary square fine, aluminium                 | AHD5RDSF                    | -                                       |                          |
| Handle kit Contemporary square fine, black                     | AHD5RDSFB                   | Features                                |                          |
| Handle kit Professional round flush                            | AHP3RDSF                    | Adjustable door shelves                 | 4                        |
| Handle kit Professional round flush, Brass off-stands          | AHP3RDSFBA                  | Adjustable glass cantilevered shelves   | •                        |
| Handle kit Professional round flush, Dark<br>Copper off-stands | AHP3RDSFDC                  | Covered door shelves  Door alarm        | 1                        |
| Joiner Kit   | AJ-RS84LR                   | Fruit and vegetable bins                | 4                        |
| Stainless steel door panel                                     | 24" Left hinge<br>RD2484L4D | Gallon door shelves                     | 1                        |
| Toe kick stainless steel 24"                                   | AKRS2404                    | LED bin lighting                        | •                        |
| Toe kick stainless steel 42"                                   | AKR\$4204                   | LED ceiling lighting                    | •                        |
| Toe kick stainless steel 48"                                   | AKRS4804                    | LED lighting                            | •                        |
| Toe kick stainless steel 54"                                   | AKRS5404                    | LED side lighting                       | •                        |
| Toe kick stainless steel 60"                                   | AKRS6004                    | SmartTouch interface at counter height  | •                        |
| Toe kick stainless steel 66"                                   | AKRS6604                    | Soft-close fruit and vegetable bins     | •                        |
| Toe kick stainless steel 72"                                   | AKRS7204                    | Stackable bottle holders                | 4                        |
| Toe kick stainless steel 78"                                   | AKRS7804                    |   |                          |
| Toe kick stainless steel 84"                                   | AKRS8404                    | Performance                             |                          |
| Water filter replacement                                       | 847200 - FWC3               | ActiveSmart™ Foodcare                   | •                        |
|  |                             | Dual evaporator                         | •                        |
| Capacity   |                             | Frost free                              | •                        |
| Total gross capacity   | 12.4 cu ft                  | Humidity control system                 | •                        |
| Volume   | 12.4 cu ft                  | Inverter controlled compressor          | •                        |
| Volume refrigerator  | 12.4 cu ft                  | Sabbath mode                            | •                        |
|  |                             | Variable food modes lower compartment   | Pantry; Fridge;<br>Chill |
| Consumption  |                             | Variable temperature zones              | 2                        |
| Energy rating  | Energy star                 |   |                          |
| Energy usage   | 439kWh/year                 | Power requirements                      |                          |

| Rated current               | 10 A               |
|-----------------------------|--------------------|
| Supply frequency            | 60 Hz              |
| Supply voltage              | 115 V              |
|                             |                    |
| Product dimensions          |                    |
| Depth                       | 24 "               |
| Height                      | 84 "               |
| Width                       | 23 3/4 "           |
| Warranty                    |                    |
| Parts and labor             | 2 years            |
| Sealed system parts & labor | additional 3 years |
|                             |                    |
| SKU                         | 26167              |

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

## Other product downloads available at fisherpaykel.com



2D-DWG Integrated Refrigeration - K05 Hinge



2D-DWG Integrated Column Refrigerator



2D-DXF Integrated Refrigeration - K05 Hinge



2D-DXFIntegrated Column Refrigerator



Data Sheet Integrated Column Refrigerator

QUICK REFERENCE GUIDE > RS2484SLHK1 Date: 01.04.2025 > 3

- Data Sheet Integrated Column Fridge Dual Install (24" + 24")
- Data Sheet Integrated Column Fridge Dual Install (24" + 30")
- ↓ Energy Label
- ↓ Service & Warranty
- Water Filter Replacement Instructions Parts 847200 and 847201 EN

- Water Filter Replacement Instructions Parts 847200 and 847201 FR
- Key Purchase Decisions Integrated Columns
- ↓ Planning Guide Integrated Columns
- ↓ Revit Integrated Column Refrigerator
- Rhino Integrated Column Refrigerator with Custom Panel
- Rhino Integrated Column Refrigerator with Door Panel and Contemporary Round Handle
- Rhino Integrated Column Refrigerator with Door Panel and Contemporary Square Handle
- Rhino Integrated Column Refrigerator with Door Panel and Professional Round Handle
- Rhino Integrated Column Refrigerator with Door Panel and Professional Square Handle
- ↓ Sketchup Integrated Column Refrigerator with Custom Panel
- Sketchup Integrated Column Refrigerator with Door Panel and Contemporary Round Handle
- Sketchup Integrated Column Refrigerator with Door Panel and Contemporary Square Handle
- Sketchup Integrated Column Refrigerator with Door Panel and Professional Round Handle
- Sketchup Integrated Column Refrigerator with Door Panel and Professional Square Handle
- User Guide EN

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE 24 Hours 7 Days a Week Customer Support

T 1.888.936.7872 Wwww.fisherpaykel.com

Where applicable: