QUICK REFERENCE GUIDE > RS3084SL1

Integrated Column Refrigerator, 30"

Series 9 | Integrated

Panel Ready | Left hinge



Install it separately or pair with another Column for seamless kitchen integration - this model is left hinge with white interior.


- ActiveSmart[™] technology helps keep food fresher for longer by constantly maintaining the ideal temperature
- Two separate Variable Temperature Zones: each with Fridge, Pantry or Chill
- Customize with your own kitchen cabinetry or purchase our stainless steel door panel accessory

DIMENSIONS

Depth

 Height
 84 "

 Width
 29 3/4 "



FEATURES & BENEFITS

Variable Temperature Zones

Food is stored in two separate zones. You have the choice of three food modes: Fridge 32°F to 44°F, Pantry 52°F to 56°F and Chill 29°F to 32°F.

Mix & Match

Integrated Column Refrigeration gives you the freedom to mix and match. Different sized Column Fridges and Freezers can be installed separately or paired. Finish them with our stainless steel door panels or customize to match your own kitchen cabinetry.

Clever Energy

24 "

Our Energy Star-certified ActiveSmart™ Refrigerators & Freezers adapt to daily use by cooling and defrosting only when needed. This means your refrigerator uses the energy it needs without compromising on food care.

Appealing Illumination

Bright LEDs light up the ceiling, shelves, bins and tray in both refrigerator and freezer, making it easy to find your food and creating a welcoming glow in your kitchen for those midnight snacks.

Design Quality

The premium design and quality finish includes a white or stainless steel interior lining, as well as full-extension metal shelf runners for easy access and robust glass shelving.

Easy Install

Integrated Column Refrigerators and Freezers have been developed to make their installation easy. The joiner kit is included when pairing refrigerator and freezers. All models come with front adjustable levelling feet and they've been designed to easily slide into place as separate units.

Perfect Fit

These models fit flush and have only 1/8" gaps around them with no visible hinges or grilles. Our Integrated Column models can be seamlessly hidden behind your cabinetry or you can purchase our stainless steel door panel.

SPECIFICATIONS

Accessories (sold separately)

Handle kit Contemporary round, aluminium	AHS-RD84	Features		Product Dimensions	
Handle kit Contemporary square fine, aluminium	AHD5RDSF	Adjustable door shelves	4	Depth	24 "
Handle kit Contemporary square fine, black	AHD5RDSFB	Adjustable glass cantilevered shelves	•	Height	84 "
Handle kit Contemporary square, aluminiur	n AHD3-RD84	Covered door shelves	1	Width	29 3/4 "
Handle kit Professional round	AHC-RD84	Door alarm	•		
Handle kit Professional round flush	AHP3RDSF	Fruit and vegetable bins	4		
Handle kit Professional square	AHV2-RD84	LED bin lighting	•	Product information	
Joiner Kit	AJ-RS84LR	LED ceiling lighting	•	Packaged weight	309 lbs
Stainless steel door panel	30" Left hinge RD3084L4D	LED lighting	•	Unpackaged weight 294 lb	294 lbs
		LED side lighting	•		
Toe kick stainless steel 30"	AKRS3004	SmartTouch interface at counter height	•		
Toe kick stainless steel 48"	AKRS4804	Soft-close fruit and vegetable bins	•	Safety and compliance	
Toe kick stainless steel 54"	AKRS5404	Stackable bottle holders	4	ADA compliant	•
Toe kick stainless steel 60"	AKRS6004				
Toe kick stainless steel 66"	AKRS6604				
Toe kick stainless steel 72"	AKRS7204	Performance		Warranty	
Toe kick stainless steel 78"	AKRS7804	ActiveSmart™ Foodcare	•	Parts and labor	2 years
Toe kick stainless steel 84"	AKRS8404	Dual evaporator	•	Sealed system parts & labor	additional 3 years
Water filter replacement	847200 - FWC3	Humidity control system	•		
		Inverter controlled compressor	•		
		Sabbath mode	•	SKU	20127
Capacity		Variable food modes	Pantry; Fridge;	SNU 20	26127
Total gross capacity	16.3 cu ft		Chill		
Volume	16.3 cu ft	Variable temperature zones	2	The product dimensions and specifications in this page apply to the specific	
Volume refrigerator	16.3 cu ft			product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore	
		Power Requirements		check with Fisher & Paykel's Customer Care C	entre to ensure this page
Consumption		Rated current	correctly describes the model currently available. © Fisher & Paykel 10 A Appliances Ltd 2020		bie. © Fisilei α Pdykei
Energy rating	Energy star	Supply frequency	60 Hz		
Energy usage	247kWh/year	Supply voltage	115 V	Other product downloads available at fisherpaykel.com	
In-use energy carbon emissions estimate	90.5kgCO2e/year			Other product downloads available at	nsner paykei.com
. 3,	3				

QUICK REFERENCE GUIDE > RS3084SL1

- 2D-DWG Integrated Column Refrigerator
- 2D-DXF Integrated Column Refrigerator
- ↓ Data Sheet Integrated Column Refrigerator
- → Data Sheet Integrated Column Refrigerator Dual Install (18" + 30")
- Data Sheet Integrated Column Refrigerator Dual Install (24" + 30")
- Data Sheet Integrated Column Refrigerator Dual Install (30" + 30")
- ↓ Energy Label
- Service & Warranty
- Installation Guide

- ↓ Key Purchase Decisions Integrated Column Refrigerator
- Planning Guide Integrated Column Refrigerator
- ↓ Rhino Refrigerator
- ↓ Rhino Refrigerator
- ↓ Rhino Refrigerator
- Rhino Refrigerator
- ↓ Rhino Refrigerator
- ↓ SketchUp Refrigerator
- J. SketchUp Refrigerator
- ↓ SketchUp Refrigerator
- SketchUp Refrigerator
- ↓ SketchUp Refrigerator
- Specification Guide Integrated Column Refrigerator

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE 24 Hours 7 Days a Week Customer Support

T 1.888.936.7872 Wwww.fisherpaykel.com