QUICK REFERENCE GUIDE > DD24DHTI9 N

Integrated Double DishDrawer Dishwasher, Tall, Sanitize

Series 9 | Integrated

Panel Ready




Doing the dishes got easier. Load one drawer while the other washes - with the top drawer fitting your large dinner plates easily.

- · Knock to pause function is perfect if you miss a dish
- Six wash programs, as well as additional Quick wash, Sanitize and Extra Dry options
- Built-in water softener improves wash performance by reducing unwanted minerals in the water

 Customize with your own kitchen cabinetry or purchase our stainless steel door panel accessory

DIMENSIONS

Height 34 - 36 3/8 "
Width 23 9/16 "
Depth 22 1/2 "



SPECIFICATIONS

Accessories (included)

Kickstrip	true
Knife clip and multipurpose clip	•

Accessories (sold separately)

Door panel stainless steel ADDD24DTPX Handle kit Classic AHCL-DDDW-24X Handle kit Contemporary round, aluminium AHS-OBDD-60S Handle kit Contemporary square fine, AHD5aluminium OBDD-60SX AHD5-Handle kit Contemporary square fine, black **OBDD-60SB** Handle kit Contemporary square, aluminium AHD3-OBDD-60S Handle kit Professional round flush AHP3-DWDD-SX Handle kit Professional round flush, Brass AHP3DDDW24BA off-stands Handle kit Professional round flush, Dark AHP3DDDW24DC Copper off-stands

Capacity and loading

Accommodates round plates up to	12.25" (top) 11" (bottom)
Adjustable height, foldable cupracks	
Fold down tines	•
Pitch adjustable tines	•
Place settings	14
Place settings	14
Place settings per drawer	7
Place settings per drawer	7

Consumption

Energy usage	286kWh/year
In-use energy carbon emissions estimate	104.8kgCO2e/ year
Water usage (per wash cycle)	3.6 gal running both tubs

QUICK REFERENCE GUIDE > DD24DHTI9 N

Controls		Supply voltage	100 - 120V
Electronic fault/Diagnostic indicator	•		
End of cycle beeps	•	Durathest Discounting	
Energy saving delay start option of up to 12 hours	•	Product Dimensions Depth	22 1/2 "
Internal wash selector	•	Height	34 - 36 3/8 "
Keylock	•	Width	23 9/16 "
Knock to pause	•		
Rinse aid indicator light	•		
Smart appliance	•	Warranty	
Wi-Fi connectivity	•	Parts and labor	Limited 2 years
Features		Wash Program Modifiers	
Built-in water softener	•	Extra Dry	•
Fan assisted drying	•	Quick	•
Flow through detergent dispenser	•	Sanitise	•
Motor type	BLDC		
Quiet operation	•		_
SmartDrive™ technology	•	Wash Programs	
		Delicate	•
		Eco	•
Performance		Fast	•
Noise on standard cycle top drawer	43 dBA	Heavy	•
		Medium	•
		Rinse	•
Power Requirements		Wash programs	6
Amperage	10A		
Electric circuit	3 wire		
Rated current	15 A	Water connection	
Supply frequency	60Hz	Supplied hose to suit 3/8" (9mm) male compression fitting	•

Water pressure	100kPa - 1000kPa
Water supply	3/8" to suit Male Compression Fitting

SKU 82337

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

Other product downloads available at fisherpaykel.com

2D-DWG Integrated Double DishDrawer™ Dishwasher
 2D-DXF Integrated Double DishDrawer™ Dishwasher
 Data Sheet Integrated Double DishDrawer™ Dishwasher
 Energy Label Integrated Double DishDrawer™ Dishwasher
 Service & Warranty
 Installation Guide Double DishDrawer™ Dishwasher EN
 Planning Guide Professional Style Dial/Handle Accessories
 Quick Start Guide EN
 Revit Double DishDrawer™ Dishwasher
 Rhino Double DishDrawer™ Dishwasher
 Rhino Double DishDrawer™ Dishwasher with Door Panel and Contemporary Square Handle
 Sketchup Double DishDrawer™ Dishwasher

Sketchup Double DishDrawer™ Dishwasher with Door Panel and Contemporary Square Handle

User Guide DishDrawer™ Dishwasher EN

QUICK REFERENCE GUIDE > DD24DHTI9 N

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE
24 Hours 7 Days a Week Customer Support

T 1.888.936.7872 Wwww.fisherpaykel.com