QUICK REFERENCE GUIDE > RS6121FRJK1

61cm Series 11 Integrated Column Freezer, Ice

Series 11 | Integrated

Panel Ready | Right Hinge




Install it separately or pair with another Column for true design freedom – this model is right hinge with stainless steel interior.

- ActiveSmart[™] technology helps keep food fresher for longer by constantly maintaining the ideal temperature.
- Variable Temperature Zone lets you change a compartment to Freeze, Soft Freeze or Deep Freeze for optimal storage
- Internal ice maker with boost for busy times

 Customise with your own kitchen cabinetry or purchase our stainless steel door panel accessory

DIMENSIONS

Height 2134 mm
Width 603 mm
Depth 610 mm



FEATURES & BENEFITS

Mix & Match

Integrated Column Refrigeration gives you the freedom to mix and match. Different sized Column Refrigerators and Freezers can be installed separately or paired. Finish them with our stainless steel door panels or customise to match your own kitchen cabinetry.

Perfect Fit

These models fit flush, with only 3mm gaps around them and no visible hinges or grilles. Our Integrated Column models can be seamlessly hidden behind your cabinetry, or you can purchase our stainless steel door panel.

Clever Energy

Our ActiveSmart™ Foodcare Refrigerator Freezers adapt to daily use by cooling and defrosting only when needed. This means your refrigerator uses the energy it needs without compromising on food care.

Appealing Illumination

Bright LEDs light up each ceiling, shelves, bins and trays in both refrigerator and freezer, making it easy to find your food and creating a welcoming glow in your kitchen for those midnight snacks.

Design Quality

The premium design and quality finish include a stainless steel interior lining, full-extension metal shelf runners for easy access, and robust glass shelving.

Easy Install

Integrated Column Refrigerators and Freezers have been developed to make their installation easy. The joiner kit is included when pairing refrigerators and freezers. All models come with front adjustable levelling feet and they've been designed to easily slide into place as separate units.

SPECIFICATIONS

Accessories (included)

Joiner kit

AJ-RS21LR

Accessories (sold separately)

RD6121L10D	Freezer Features		Power requirements		
RD6121R10D	Automatic ice maker	•	Rated current	10 A	
AHCLRDSF	Bottle chill	•	Supply frequency	50 Hz	
AHSRDSF	Door alarm	•	Supply voltage	230 - 240 V	
AHD5RDSF	Fast freeze	•			
	Freezer bins	4			
AHD5RDSFB	Ice Boost	•	Product dimensions		
AHP3RDSF	LED bin lighting	•	Depth	610 mm	
AJ-RS21LR	LED ceiling lighting	•	Height	2134 mm	
AKRS12210	LED side lighting	•	Width	603 mm	
AKRS13710	SmartTouch interface at counter height	•			
AKRS18310					
AKRS19810			Product information		
AKRS06110	Installation Dimensions		Packaged weight	137 kg	
	Minimum inside width of cabinetry frame	610 mm	Unpackaged weight	117 kg	
	Minimum internal depth of cabinetry	635 mm			
	Minimum internal height of cabinetry	2134 mm			
368 L			Warranty		
295L	-	_	Parts and labour	2 years	
336 L	Performance		Sealed system parts only	3 years	
336 L	ActiveSmart™ Foodcare	•			
295 L	Adaptive defrost	•			
	Dual evaporator	•			
	Frost free	•	SKU	26142	
	Frost free freezer	•			
4	Inverter controlled compressor	•	The product dimensions and specifications in this	page apply to the specific	
•	Noise emissions	42 dBA	product and model. Under our policy of continuous improvement, these		
4	Noise emissions class	D	dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel		
3	Sabbath mode	•			
•	Variable temperature zones	2	Appliances Ltd 2020		
	RD6121R10D AHCLRDSF AHSRDSF AHD5RDSFB AHD5RDSFB AHP3RDSF AJ-RS21LR AKRS12210 AKRS13710 AKRS18310 AKRS19810 AKRS06110 368 L 295L 336 L 336 L 295 L	AHCLRDSF AHSRDSF AHDSRDSF AHDSRDSF AHDSRDSF AHDSRDSF AHDSRDSF AHDSRDSF AHP3RDSF ALED bin lighting AJ-RS21LR AKRS12210 AKRS13710 AKRS13710 AKRS18310 AKRS18310 AKRS06110 Installation Dimensions Minimum internal depth of cabinetry frame Minimum internal height of cabinetry Minimum internal height of cabinetry 368 L 295L 336 L ActiveSmart™ Foodcare Adaptive defrost Dual evaporator Frost free Frost free Frost free Frost free freezer 4 Inverter controlled compressor Noise emissions 4 Noise emissions class Sabbath mode	AHCLRDSF Bottle chill	RD612IR10D Automatic ice maker Bottle chill AHCRDSF AHSRDSF AHDSRDSF AHDSRDSF Feat freeze AHDSRDSF Boot alarm AHDSRDSFB Lee Boost AHJSRDSF Lee Boost AHJSRDSF LED in lighting AJ-RS21LR LED ceiling lighting AKRS12210 AKRS13710 AKRS13710 AKRS13710 AKRS13710 AKRS13710 AKRS18310 AKRS18310 AKRS18310 AKRS18310 AKRS19810 AKR	

QUICK REFERENCE GUIDE > RS6121FRJK1 Date: 18.12.2024 > 3

Other product downloads available at fisherpaykel.com

↓ 2D-DWG Integrated Refrigeration - K05 Hinge

↓ 2D-DWG Integrated Column Freezer

2D-DXF Integrated Refrigeration - K05 Hinge

↓ 2D-DXF Panel Preparation

↓ 2D-DXF Integrated Column Freezer

Energy Label

↓ Service & Warranty

Water Filter Replacement Instructions - Parts 847200 and 847201 - EN

↓ Installation Guide Toe Kick

↓ Planning Guide Integrated Refrigeration EN

Revit 20 Freezer

Rhino Integrated Column Freezer

Rhino Integrated Column Freezer with Door Panel and Contemporary Round Handle

Rhino Integrated Column Freezer with Door Panel and Contemporary Square Handle

↓ Rhino 6 Freezer

J. SketchUp Freezer

J. Sketchup Integrated Column Freezer

Sketchup Integrated Column Freezer with Door Panel and Contemporary Round Handle

Sketchup Integrated Column Freezer with Door Panel and Contemporary Square Handle

User Guide Integrated Refrigerator Freezer EN

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE 24 Hours 7 Days a Week Customer Support

T +65 6741 0777 Wwww.fisherpaykel.com