

Gas Range, 36", 6 Burners

Series 7 | Professional

Stainless Steel | Natural Gas



Professional style with power. 23,500 BTU gas burners paired with a large capacity gas oven.

- Top burner heat of 23,500 BTU, for seriously fast boiling
- Gas oven with 5.3 cu ft total capacity
- Non-tip full-extension shelves in main cavity for safe removal of hot dishes
- Made from quality materials and real stainless steel

DIMENSIONS

| | |
|--------|-------------------|
| Height | 35 3/4 - 36 3/4 " |
| Width | 35 7/8 " |
| Depth | 29 1/8 " |

FEATURES & BENEFITS

Generous Capacity

Featuring a generous total capacity of 5.3 cu ft, with enough room to fit a 32 lb turkey and full-sized baking sheets.

Cooktop Power

Sealed Dual Flow Burners™ deliver cooktop power up to 23,500 BTU for seriously fast boiling right down to a precise 140°F full surface simmer with the gentlest of flames.

Cooking Flexibility

The cooktop is designed for easy access to any burner with grates you can smoothly slide pots across. The oven is large enough to hold full size baking sheets.

Design Quality

This range has craftsmanship in every detail, with real stainless steel, cast-iron grates, and titanium coated dials. Each cavity features incandescent lights and full extension telescopic racks. From the robust legs to the powerful legs to the powerful cooktop, the Range is built to last.

Easy To Clean

Cleaning up spills is effortless with the continuous, porcelain basepan. Your cooktop simply needs a quick wipe to keep it looking good as new.

Total Control

Precise control across high and low settings is delivered through the halo-illuminated cooktop dials.

SPECIFICATIONS

Accessories (sold separately)

| | |
|----------------------|--------|
| Square handle option | AH-R36 |
| Wok grate included | Yes |

Burner ratings

| | |
|----------------------|------------|
| Maximum burner power | 23500 BTU |
| Power back centre | 18500BTU |
| Power back left | 18500BTU |
| Power back right | 18500BTU |
| Power front centre | 18500BTU |
| Power front left | 23500BTU |
| Power front right | 23500BTU |
| Total cooktop power | 121000 BTU |

Capacity

| | |
|-----------------|-----------|
| Shelf positions | 5 |
| Total capacity | 5.3 cu ft |
| Usable capacity | 4 cu ft |

Controls

| | |
|-------------------------|--------|
| Electric circuit | 3 wire |
| Metal illuminated dials | • |

Gas Requirements

| | |
|-------------------------------|--------------------------|
| Fitting and pipe | ½ NPT, min. ⅝" flex line |
| Supply Pressure (natural gas) | 6" to 9" W.C |

Oven features

| | |
|---|------|
| Auto re-ignition system | • |
| Broil pan | • |
| Electronic oven control | • |
| Full extension telescopic sliding shelves | • |
| Infrared Broiler | • |
| Internal light | true |
| Titanium coated, illuminated metal dials | • |

Oven functions

| | |
|---------------------|---|
| Bake | • |
| Broil | • |
| Convection bake | • |
| Number of functions | 4 |
| Slow cook | • |

Oven performance

| | |
|-------------|---------|
| Bake power | 28000 |
| Broil power | 18500 W |

Power Requirements

| | |
|---------|--------------|
| Service | 15 A |
| Supply | 120 V, 60 Hz |

Product Dimensions

| | |
|---------------------------|-------------------|
| Depth | 29 1/8 " |
| Depth (excluding handles) | 2918 mm |
| Height | 35 3/4 - 36 3/4 " |
| Width | 35 7/8 " |

Rangetop features

| | |
|--------------------|---|
| Sealed range top | • |
| Vent trim included | • |

Recommended Back Guards Ventilation

| | |
|---------------------------|---|
| Combustible situation | BGRV3-3036H |
| Non combustible situation | BGRV2-3036 / BGRV2-1236 |
| Recommended hood | HCB36-6_N (36" Professional Range Hood) / HCB36-12_N (36" Professional Range Hood, Dual Blower) |

Safety

| | |
|---|---|
| ADA compliant | • |
| Full extension telescopic sliding shelves | • |

| | |
|-----|-------|
| SKU | 82002 |
|-----|-------|

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

Other product downloads available at fisherpaykel.com

- [↓ ArchiCAD Gas Range](#)
- [↓ Service & Warranty](#)
- [↓ Revit Gas Range](#)
- [↓ Rhino Gas Range](#)
- [↓ Sketchup Gas Range](#)
- [↓ User Guide](#)

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. **Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate** indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE
 24 Hours 7 Days a Week Customer Support
 T 1.888.936.7872 W www.fisherpaykel.com