QUICK REFERENCE GUIDE > HP60ICSX3

## 60cm Series 3 Integrated Insert Wall Rangehood

Series 3 | Integrated

Stainless Steel



This efficient, stylish rangehood is perfectly hidden away in cabinetry and easy to install.

- With three fan speeds, select the perfect extraction rate for your cooking
- Hidden from view by integrating seamlessly into the cabinetry above your cooktop
- Powerful maximum air movement 740m³/hr

## **DIMENSIONS**

Height	325 mm
Width	492 mm 277 mm
Accessories (sold separately)	
Eave ducting kit	PD-RHK125E
Light bulb	792603
Recirculation carbon filter	791772
Roof ducting kit	PD-RHK1251
Side wall ducting kit	PD-RHK125W
Fan ratings	
Maximum pressured air movement EN61591	740 m³/hı
Maximum sound rating	60 dBA
Installation and cleaning	
Air outlet size	120 mm
Dishwasher safe filters	1
Ducted	Top extraction

Extraction type	Surface
Fan speeds	3

Filter type	Mesh	
Number of filters	1	
Power requirements		
Supply voltage	220-240 V	
Product dimensions		
Depth	277 mm	
Height	325 mm	
Width	492 mm	
Product information		
Control type	Slider	
Ventilation features		
Light type	LED	
SKU	50133	

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

QUICK REFERENCE GUIDE > HP60ICSX3 Date: 17.10.2024 > 2

## Other product downloads available at fisherpaykel.com



Archicad Integrated Insert Rangehood



Service & Warranty



Revit Integrated Insert Rangehood



Rhino Integrated Insert Rangehood



Sketchup Integrated Insert Rangehood



Installation & User Guide Built-in Integrated Rangehood

## Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE 24 Hours 7 Days a Week Customer Support

T 1300 650 590 Wwww.fisherpaykel.com