QUICK REFERENCE GUIDE > RS3084SRHK1 Date: 17.12.2024 > 1

30" Series 11 Integrated Column Refrigerator, Water

Series 11 | Integrated

Panel Ready | Right Hinge



Install it separately or pair with another Column for seamless integration - this model is right hinge with stainless steel interior.

- ActiveSmart[™] technology helps keep food fresher for longer by constantly maintaining the ideal temperature
- Two separate Variable Temperature Zones. Choose from Fridge, Pantry or Chill
- Internal water dispenser for convenient access to fresh, chilled water


 Customize with your own kitchen cabinetry or purchase our stainless steel door panel accessory

DIMENSIONS

 Height
 84 "

 Width
 29 3/4 "

 Depth
 24 "



FEATURES & BENEFITS

Variable Temperature Zones

Create the perfect climate by storing food at their optimal temperature. Change a compartment to Fridge, Pantry or Chill.

Internal Water Dispenser

This integrated model features a slimline water dispenser, located on the inside for an uninterrupted exterior. The flush-fit design of the water dispenser maximizes internal storage space, allowing the shelves to be adjusted to suit your needs. Enjoy a continuous flow of temperature-controlled chilled water to fill almost any size or shape of vessel.

Appealing Illumination

Bright LEDs light up the ceiling, shelves, bins and trays in both refrigerator and freezer, creating a welcoming glow in your kitchen at night and using less power than comparable halogen lights.

Mix & Match

Integrated Column Refrigeration gives you the freedom to mix and match refrigerators and freezers based on your needs – or install separately. They can be customized with your kitchen cabinetry for a seamless look, or finished with one of our stainless steel door panels.

Clever Energy

ActiveSmart™ makes your refrigerator more energy efficient - adapting to daily use and cooling and defrosting only when needed. This means it uses the energy it needs without compromising on food care.

Design Quality

The premium design and quality finish includes a white or stainless steel interior lining, as well as full-extension metal shelf runners for easy access and robust glass shelving.

Perfect Fit

Create an understated and clean look in any kitchen. You can hide our Integrated Column models seamlessly behind your cabinetry, fitting flush with only a ½" gap and no visible hinges or grilles.

SPECIFICATIONS

Accessories (sold separately)		Energy rating	Energy star	Power requirements	
Door panel stainless steel Left hinge 84"	RD3084L4D	Energy usage	247kWh/year	Rated current	10 A
Door panel stainless steel Right hinge 84"	RD3084R4D	In-use energy carbon emissions estimate	30.5kgCO2e/year	Supply frequency	60 Hz
Handle kit Classic	AHCLRDSF			Supply voltage	115 V
Handle kit Contemporary round, aluminium	AHSRDSF	Factoria			
Handle kit Contemporary square fine, aluminium	AHD5RDSF	Features Adjustable door shelves	4	Product dimensions	
Handle kit Contemporary square fine, black	AHD5RDSFB	Adjustable glass cantilevered shelves	•	Depth	24 "
Handle kit Professional round flush	AHP3RDSF	Adjustable glass shelves	2	Height	84 "
Handle kit Professional round flush, Brass off-stands	AHP3RDSFBA	Covered door shelves	1	Width	29 3/4 "
Handle kit Professional round flush, Dark Copper off-stands	AHP3RDSFDC	Door alarm Gallon door shelves	• 1		
Joiner Kit	AJ-RS84LR	Internal water dispenser	•	Product information	
Stainless steel door panel	30" Right hinge	LED bin lighting	•	Packaged weight	309 lbs
	RD3084R4D	LED ceiling lighting	•	Unpackaged weight	294 lbs
Toe kick stainless steel 30"	AKRS3004	LED lighting	•	onpuonages weight	
Toe kick stainless steel 48"	AKRS4804	LED side lighting	•		
Toe kick stainless steel 54"	AKRS5404	SmartTouch interface at counter height	•	Warranty	
Toe kick stainless steel 60"	AKRS6004	Soft-close fruit and vegetable bins	•	Dawka and Jalaan	2
Toe kick stainless steel 66"	AKRS6604	Stackable bottle holders	4	Parts and labor	2 years
Toe kick stainless steel 72"	AKRS7204			Sealed system parts & labor	additional 3 years
Toe kick stainless steel 78"	AKRS7804				
Toe kick stainless steel 84"	AKRS8404	Performance			
		ActiveSmart™ Foodcare	•	SKU	26166
Capacity		Dual evaporator	•		
Total successions	16.7 64	Humidity control system	•	The product dimensions and specifications in	this page apply to the specific
Total gross capacity	16.3 cu ft	Inverter controlled compressor	•	product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020	
Volume	16.3 cu ft	Sabbath mode	•		
Volume refrigerator	16.3 cu ft	Variable food modes lower compartment	Pantry; Fridge; Chill		
		Variable temperature zones	2		
Consumption					

QUICK REFERENCE GUIDE > RS3084SRHK1 Date: 17.12.2024 > 3

Other product downloads available at fisherpaykel.com

- ↓ 2D-DWG Integrated Refrigeration K05 Hinge
- ↓ 2D-DWG Integrated Column Refrigerator
- ↓ 2D-DXF Integrated Refrigeration K05 Hinge
- ↓ 2D-DXF Panel Preparation
- ↓ 2D-DXF Integrated Column Refrigerator
- Energy Label
- ↓ Service & Warranty
- Water Filter Replacement Instructions Parts 847200 and 847201 EN
- ↓ Installation Guide Toe Kick
- Water Filter Replacement Instructions Parts 847200 and 847201 FR
- → Planning Guide Professional Style Dial/Handle Accessories
- Planning Guide EN
- ↓ Planning Guide Integrated Refrigeration FR
- ↓ Planning Guide Integrated Refrigeration SP
- ↓ Revit Integrated Column Refrigerator
- ↓ Rhino Integrated Column Refrigerator with Custom Panel
- Rhino Integrated Column Refrigerator with Door Panel and Contemporary Round Handle
- → Rhino Integrated Column Refrigerator with Door Panel and Contemporary Square Handle
- Rhino Integrated Column Refrigerator with Door Panel and Professional Round Handle
- Rhino Integrated Column Refrigerator with Door Panel and Professional Square Handle
- ↓ Sketchup Integrated Column Refrigerator with Custom Panel
- Sketchup Integrated Column Refrigerator with Door Panel and Contemporary Round Handle
- Sketchup Integrated Column Refrigerator with Door Panel and Contemporary Square Handle
- Sketchup Integrated Column Refrigerator with Door Panel and Professional Round Handle
- Sketchup Integrated Column Refrigerator with Door Panel and Professional Square Handle



User Guide EN



User Guide FR

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE 24 Hours 7 Days a Week Customer Support

T 1.888.936.7872 Wwww.fisherpaykel.com