

18" Series 11 Integrated Column Freezer, Ice

Series 11 | Integrated

Panel Ready | Right Hinge




Install it separately or pair with another Column for seamless integration - this model is right hinge with stainless steel interior.

- ActiveSmart™ technology helps keep food fresher for longer by constantly maintaining the ideal temperature
- Two separate Variable Temperature Zones: each with Freeze, Soft Freeze or Deep Freeze
- Internal ice maker with boost for busy times

- Customize with your own kitchen cabinetry or purchase our stainless steel door panel accessory

DIMENSIONS

Height	84 "
Width	17 3/4 "
Depth	24 "



FEATURES & BENEFITS

Variable Temperature Zones

Food is stored in two separate zones. You have the choice of three food modes: Freeze -7°F to 7°F, Soft Freeze 14°F to 18°F and Deep Freeze is fixed at -13°F.

Mix & Match

Integrated Column Refrigeration gives you the freedom to mix and match. Different sized Column Fridges and Freezers can be installed separately or paired. Finish them with our stainless steel door panels or customize to match your own kitchen cabinetry.

Clever Energy

Our Energy Star certified ActiveSmart™ Foodcare Fridges & Freezers adapt to daily use by cooling and defrosting only when needed. This means your refrigerator uses the energy it needs without compromising on food care.

Appealing Illumination

Bright LEDs light up the ceiling, shelves, bins and tray in both refrigerator and freezer, making it easy to find your food and creating a welcoming glow in your kitchen for those midnight snacks.

Design Quality

The premium design and quality finish includes a steel interior lining as well as full extension metal shelf runners for easy access and robust glass shelving.

Easy Install

Integrated Column Refrigerators and Freezers have been developed to make their installation easy. The joiner kit is included when pairing refrigerator and freezers. All models come with front adjustable levelling feet and they've been designed to easily slide into place as separate units.

Perfect Fit

These models fit flush and have only 1/8" gaps around them with no visible hinges or grilles. Our Integrated Column models can be seamlessly hidden behind your cabinetry or you can purchase our stainless steel door panel.

SPECIFICATIONS

Accessories (included)

Joiner kit	AJ-RS84LR	Consumption	Inverter controlled compressor	•
<hr/>		Energy rating	Energy star	Sabbath mode
Accessories (sold separately)		Energy usage	415kWh/year	•
Door panel stainless steel Left hinge 84"	RD1884L4D	In-use energy carbon emissions estimate	152.1kgCO2e/year	Variable temperature zones
Door panel stainless steel Right hinge 84"	RD1884R4D	<hr/>		
Handle kit Classic	AHCLRDSF	Features	Power Requirements	
Handle kit Contemporary round, aluminium	AHSRDSF	Adjustable door shelves	Rated current	10 A
Handle kit Contemporary square fine, aluminium	AHD5RDSF	Adjustable glass cantilevered shelves	Supply frequency	60 Hz
Handle kit Contemporary square fine, black	AHD5RDSFB	Door alarm	Supply voltage	115 V
Handle kit Professional round flush	AHP3RDSF	<hr/>		
Handle kit Professional round flush, Brass off-stands	AHP3RDSFBA	Freezer Features	Product Dimensions	
Handle kit Professional round flush, Dark Copper off-stands	AHP3RDSFDC	Automatic ice maker	Depth	24 "
Joiner Kit	AJ-RS84LR	Bottle chill	Height	84 "
Stainless steel door panel	RD1884R4D	Door alarm	Width	17 3/4 "
Toe kick stainless steel 18"	AKRS1804	Fast freeze	<hr/>	
Toe kick stainless steel 42"	AKRS4204	Freezer bins	Safety and compliance	
Toe kick stainless steel 48"	AKRS4804	Glass shelves	ADA compliant	•
Toe kick stainless steel 54"	AKRS5404	Ice Boost	<hr/>	
Toe kick stainless steel 60"	AKRS6004	LED bin lighting	Warranty	
Toe kick stainless steel 66"	AKRS6604	LED ceiling lighting	Parts and labor	2 years
Toe kick stainless steel 72"	AKRS7204	LED side lighting	Sealed system parts only	5 years
Toe kick stainless steel 78"	AKRS7804	SmartTouch interface at counter height	<hr/>	
Toe kick stainless steel 84"	AKRS8404	<hr/>		
<hr/>		Performance	SKU	26118
Capacity		ActiveSmart™ Foodcare	<hr/>	
Total gross capacity	7.8 cu ft	Adaptive defrost		
Volume	7.8 cu ft	Dual evaporator		
Volume freezer	7.8 cu ft	Frost free		
<hr/>		<hr/>		

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

- [↓ Sketchup Freezer](#)
- [↓ Sketchup Freezer](#)
- [↓ User Guide EN](#)
- [↓ User Guide Integrated Refrigerator Freezer EN](#)
- [↓ User Guide FR](#)

Other product downloads available at fisherpaykel.com

- [↓ 2D-DWG Integrated Refrigeration - K05 Hinge](#)
- [↓ 2D-DWG Integrated Column Freezer](#)
- [↓ 2D-DXF Integrated Refrigeration - K05 Hinge](#)
- [↓ 2D-DXF Panel Preparation](#)
- [↓ 2D-DXF Integrated Column Freezer](#)
- [↓ Energy Label](#)
- [↓ Service & Warranty](#)
- [↓ Water Filter Replacement Instructions - Parts 847200 and 847201 - EN](#)
- [↓ Installation Guide](#)
- [↓ Installation Guide Toe Kick](#)
- [↓ Water Filter Replacement Instructions - Parts 847200 and 847201 - FR](#)
- [↓ Installation Guide FR](#)
- [↓ Planning Guide Professional Style Dial/Handle Accessories](#)
- [↓ Planning Guide EN](#)
- [↓ Planning Guide Integrated Refrigeration FR](#)
- [↓ Planning Guide Integrated Refrigeration SP](#)
- [↓ Revit Freezer](#)
- [↓ Rhino Freezer](#)
- [↓ Rhino Freezer](#)
- [↓ Rhino Freezer](#)
- [↓ Rhino Freezer](#)
- [↓ Rhino Freezer](#)
- [↓ Rhino Freezer](#)
- [↓ Sketchup Freezer](#)
- [↓ Sketchup Freezer](#)
- [↓ Sketchup Freezer](#)

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. **Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate** indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE
 24 Hours 7 Days a Week Customer Support
 T 1.888.936.7872 W www.fisherpaykel.com