

92cm Series 11 Integrated Refrigerator Freezer, Ice & Water

Series 11 | Integrated

Panel Ready | Left hinge



Experience the pinnacle of refrigeration design with our most advanced model. Featuring an elegant interior, this refrigerator embodies premium functionality and style. Designed to optimise energy efficiency, it comes complete with an ice maker and internal water dispenser.

- For optimal food care, the Variable Temperature Drawer lets you switch between three modes: Chill, Fridge, or Pantry

- With a premium interior for a refined look and feel, this model is the highlight of our Integrated collection
- Enjoy convenient access to fresh, chilled water and ice with the internal water dispenser and ice maker
- Designed to optimise energy performance and efficiency

DIMENSIONS

Height	2134 mm
Width	908 mm
Depth	610 mm

FEATURES & BENEFITS

Variable temperature drawer

When it comes to optimal food preservation, one temperature does not fit all. Our Variable Temperature Drawer gives you complete control over how you care for your food. With the touch of a button, you can transform the bottom refrigerator drawer into Chill, Fridge, or Pantry modes to best suit different types of food. Adjust the settings for everyday convenience or switch modes to increase chilling capacity, perfect for special occasions.

Clever energy

Your refrigerator adapts to daily use by cooling and defrosting only when needed. Designed to optimise energy performance and efficiency, it uses the energy it needs without compromising on food care.

Elegant interior

With a premium interior for a refined look and feel, this model is the highlight of our Integrated refrigeration collection. Experience superior design and functionality combined seamlessly.

Internal water and ice dispenser

Both the water dispenser and ice maker are located inside this integrated model, ensuring an uninterrupted exterior that blends seamlessly with adjacent cabinetry. The slimline water dispenser is flush-fit to maximise internal storage space. It boasts a temperature-controlled flow and an angled delivery to catch any drips or spills.

ActiveSmart™ Foodcare

ActiveSmart™ Foodcare adapts to your lifestyle. This technology understands how you use your fridge and adjusts the temperature, airflow, and humidity to keep your food fresher for longer.

Seamless integration

These models fit flush, with only 3mm gaps around them and no visible hinges or grilles. Our Integrated models can be seamlessly hidden behind your cabinetry, or you can purchase our stainless steel door panel.

SPECIFICATIONS

Accessories (sold separately)

Door panel set stainless steel	Left hinge RD9121WLD, Right hinge RD9121WRD
Handle kit Classic	AHCLRD9121W
Handle kit Contemporary round, aluminium	AHSRD9121W
Handle kit Contemporary square fine, aluminium	AHD5RD9121W
Handle kit Contemporary square fine, black	AHD5RD9121WB
Handle kit Professional round flush	AHP3RD9121W

Joiner kit **AJ-RS21LR**

Capacity

Volume	555 L
Volume freezer	190 L
Volume refrigerator	328 L
Volume variable temperature compartment	37 L

Features

Adjustable door shelves	3
Adjustable glass cantilevered shelves	•
Adjustable glass shelves	4
Door alarm	•
Fruit and vegetable bins	1
Full extension drawers	2
Internal water dispenser	•
Keylock	•
LED bin lighting	•
LED ceiling lighting	•
Smart appliance	•
SmartTouch interface at counter height	•
Split level cantilevered shelves	•
Variable temperature drawer	•

Freezer Features

Automatic ice maker	•
Bottle chill	•
Door alarm	•

Fast freeze	•
Freezer bins	1
Freezer drawers	1
Freezer trays	1
Ice bin and scoop	•
Ice Boost	•
LED Lighting	•
Max Cold	•
Slide Out Pastry Tray	•
SmartTouch interface at counter height	•

Installation Dimensions

Minimum inside width of cabinetry frame	914 mm
Minimum internal depth of cabinetry	635 mm
Minimum internal height of cabinetry	2134 mm

Performance

ActiveSmart™ Foodcare	•
Adaptive defrost	•
Eco friendly R600a refrigerant	•
Frost free	•
Holiday mode	•
Humidity control system	•
Internal replacable water filter	•
Sabbath mode	•
Triple evaporator	•
Variable food modes	Pantry; Fridge; Chill
Variable temperature compartment	•

Power requirements

Rated current	10 A
Supply frequency	50 Hz
Supply voltage	230 V

Product dimensions

Depth	610 mm
Height	2134 mm
Width	908 mm

Product information

Packaged weight	240 kg
-----------------	---------------

Variable Temp Compartment

Chill	•
Fridge	•
Pantry	•

Warranty

Parts and labour	2 years
Sealed system parts only	5 years

SKU **26759**

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE
24 Hours 7 Days a Week Customer Support

T 0800 372 273 [Wwww.fisherpaykel.com](http://www.fisherpaykel.com)

Other product downloads available at fisherpaykel.com

- [↓](#) 2D-DWG Integrated Refrigeration - K05 Hinge
- [↓](#) 2D-DWG Integrated Refrigerator
- [↓](#) 2D-DXF Integrated Refrigeration - K05 Hinge
- [↓](#) 2D-DXF Integrated Refrigeration
- [↓](#) 2D-DXF Panel Preparation
- [↓](#) Energy Label Integrated Refrigerator Freezer with Ice and Water
- [↓](#) Service & Warranty
- [↓](#) Planning Guide Integrated Refrigeration EN
- [↓](#) Revit 20 Integrated Refrigerator
- [↓](#) Rhino 6 Integrated Refrigerator
- [↓](#) SketchUp 8 Integrated Refrigerator
- [↓](#) User Guide Integrated Refrigerator Freezer

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. **Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate** indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.