QUICK REFERENCE GUIDE > OR90SCG2X1

Freestanding Cooker, Dual Fuel, 90cm, 5 Burners

Series 7 | Classic

Stainless Steel



Get the best of both worlds with dual fuel. A gas cooktop with wok burner is paired with a nine-function convection oven.


- · Five burner gas cooktop, with precise heat control
- Convection oven with 140L total capacity and nine oven functions including Pastry Bake and Rapid Proof
- · Non-tip full-extension shelves for safe removal of hot dishes

DIMENSIONS

 Height
 898 - 946 mm

 Width
 897 mm

 Depth
 600 mm



FEATURES & BENEFITS

Multi-Shelf Cooking

Our AeroTech™ system circulates air evenly throughout the entire oven so dishes on the top shelf turn out just as perfectly as food cooking on the bottom shelf.

Quality And Durability

Every detail has been carefully crafted. The solid, perfectly balanced soft-close door and durable cooktop trivets all add up to an exceptional, premium range.

Burner Power & Control

Instant and immediate control from the highest to the gentlest heat. The finely tuned cooktop controls let you sear, stir fry or simmer a delicate sauce to perfection.

Large Capacity Oven

The generous 140L total capacity oven gives you plenty of space to cook multiple dishes at once.

Easy To Clean

Your cooktop simply needs a quick wipe to keep it looking good as new for years to come, as the gas cooktop is made from a single piece of stainless steel that contains spills. The oven door, its inner pane of glass and runners can also be removed for easy cleaning.

Even Heat

Accurate, electronically-controlled oven heat ensures a great result every time.

SPECIFICATIONS

Accessories (included)

Chromed shelf runners

Flat wire shelf

Roasting dish

Small pot support

1 (part 533981 cast)

Step down wire shelf

Accessories (sold separately)

Full extension sliding shelves
Optional (part 578744)

Full extension telescopic shelves
Optional (part 578744)

Kick strip, stainless steel (optional)

KICKOR90X1

QUICK REFERENCE GUIDE > OR90SCG2X1 Date: 19.06.2024 > 2

Burner ratings		Celsius/Fahrenheit temperature	•	Fan grill	•
Dual wok burner inner/outer (LPG)	14.9MJ/h	Electronic clock	•	Grill	•
Dual wok burner inner/outer (natural gas)	16.2MJ/h	Laser etched graphics	•	Number of functions	9
Maximum burner power	16.2MJ/h	Precise electronic temperature control	•	Pastry Bake with Pizza mode	•
Semi-rapid burner (natural gas)	5.8MJ/h	Sabbath mode	•	Rapid proof	•
Semi-rapid burner (natural gas) x2	6.5MJ/h	Turned stainless steel clock buttons	•	Roast	•
Total cooktop power	58.0MJ/h			True convection	•
Triple ring wok burner (LPG) x2	14.4MJ/h				
Triple ring wok burner (natural gas) x2	14.4MJ/h	Installation Dimensions			
		Installation cutout dimensions (Depth)	600 mm	Oven performance	
		Installation cutout dimensions (Width)	900 mm	CoolTouch door	Triple glazed
Capacity					
Shelf positions	6	Over feeture		Davisa va sviva sa anta	
Shelf positions (main oven)	6	Oven features		Power requirements	
Total capacity	140 L	AeroTech™ technology	•	Amperage	22 A
Usable capacity	121 L	Automatic rapid pre-heat	•	Supply frequency	50 Hz
Usable capacity (main oven)	121 L	Bright chromed, cast zinc dials with illuminated halos	•	Supply voltage	220 - 240 V
		Electronic oven control	•		
Cleaning		Full extension telescopic sliding shelves	•	Product dimensions	
Acid resistant graphite enamel	•	Internal light	4 x 25W halogen (2 side & 2 top)	Depth	600 mm
Drop down grill element	•	Storage compartment	•	Height	898 - 946 mm
Removable oven door	•	True convection	•	Width	897 mm
Removable oven door inner glass	•	Twin cavity fans	•		
Removable shelf runners	•				
				Rangetop features	
		Oven functions		Hob rail	•
Controls		Bake	•	Hob rear trim	60 mm
Audio feedback	•	Classic bake	•	LPG / Natural Gas compatible	•
Automatic cooking/minute timer	•	Fan bake	•	Sealed range top	•
Automatic pre-set temperatures	•	Fan forced	•		

QUICK REFERENCE GUIDE > OR90SCG2X1

Rangetop Performance

Number of burners 5

Safety

Advanced cooling system

Anti-tilt bracket

Balanced oven door

CoolTouch door

Flame failure system

Full extension telescopic shelves

• Optional (part

Spill containment 26 L

Warranty

Parts and labour 2 years

SKU 81680

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

Other product downloads available at fisherpaykel.com



Service & Warranty

1

Installation Guide

 $\overline{\mathbf{4}}$

Installation Guide - Kick Strip



Revit Dual Fuel Cooker



Rhino Dual Fuel Cooker
Sketchup Dual Fuel Cooker



User Guide

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE 24 Hours 7 Days a Week Customer Support T 0800 372 273 Wwww.fisherpaykel.com