Series 9, Integrated Tall Single DishDrawer Dishwasher

Panel Ready




Designed to fit your full-sized dinner plates, this DishDrawer™ can be placed anywhere in your kitchen, integrating seamlessly.

- Knock to pause function is perfect if you miss a dish
- Six wash programs, as well as additional Quick wash, Sanitize and Extra Dry options
- Built-in water softener improves wash performance by reducing unwanted minerals in the water

 Customize with your own kitchen cabinetry or purchase our stainless steel door panel accessory

DIMENSIONS

Height	17 7/8 "
Width	23 9/16 "
Depth	21 3/4 "



SPECIFICATIONS

Accessories (included)	
Cutlery basket	
Knife clip and multipurpose clip	

Accessories (sold separately)

Door panel recessed handle matte black ADDD24STZB glass
Door panel recessed handle stainless steel ADDD24STNX
Door panel stainless steel ADD24STPX
Handle kit Classic AHCL-DDDW-24X
Handle kit Contemporary round, aluminium AHS-OBDD-60S
Handle kit Contemporary square fine,AHD5-aluminiumOBDD-60SX
Handle kit Contemporary square fine, black AHD5- OBDD-60SB
Handle kit Contemporary square, aluminiumAHD3-OBDD-60S
Handle kit Professional round flush AHP3-DWDD-SX
Handle kit Professional round flush, Brass AHP3DDDW24BA off-stands
Handle kit Professional round flush, Dark AHP3DDDW24DC Copper off-stands

Capacity and loading

Accommodates round plates up to	12.25″
Adjustable height, foldable cupracks	•
Fold down tines	•
Pitch adjustable tines	•
Place settings	7
Place settings	7

Consumption

Energy usage	152kWh/year
In-use energy carbon emissions estimate	55.7kgCO2e/year
Water usage (per wash cycle)	1.79 gal

Controls

FISHER & PAYKEL

QUICK REFERENCE GUIDE > DD24SHTI9 N

Electronic fault/Diagnostic indicator
End of cycle beeps
Energy saving delay start option of up to 12 hours
Internal wash selector
Keylock
Knock to pause
Rinse aid indicator light
Smart appliance

Features	
Built-in water softener	•
Fan assisted drying	•
Flow through detergent dispenser	•
Motor type	BLDC
Quiet operation	•
SmartDrive™ technology	•
Performance Noise emissions Power Requirements	43 dBA
Amperage	5A
Electric circuit	3 wire
Rated current	15 A
Supply frequency	60Hz
Supply voltage	100 - 120V

Depth	21 3/4 ′
Height	17 7/8 ′
Width	23 9/16 ′
Warranty Parts and labor	Limited 2 years

Wash Program Modifiers

Extra Dry	•
Quick	•
Sanitise	•
Wash modifiers	3

Wash Programs

Delicate	•
Eco	•
Fast	•
Неаvy	•
Medium	•
Rinse	•
Wash programs	6

Water connection

Supplied hose to suit 3/8" (9mm) male compression fitting 100kPa - 1000kPa

Water pressure

Water supply 3/8" to suit Male Compression Fitting SKU 82340

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

Other product downloads available at fisherpaykel.com

⊥	2D-DWG Integrated Single DishDrawer™ Dishwasher
$\overline{1}$	2D-DXF Integrated Single DishDrawer™ Dishwasher
	Data Sheet Integrated Single DishDrawer™ Dishwasher
\checkmark	Energy Label Integrated Single DishDrawer™ Dishwasher
$\overline{\mathbf{v}}$	Service & Warranty
$\overline{1}$	Installation Guide DishDrawer™ Dishwasher Venting Kit EN
$\overline{1}$	Installation Guide EN
\downarrow	Installation Guide FR
¥ ⊥	Planning Guide Integrated Single DishDrawer™
$\overline{1}$	Planning Guide Professional Style Dial/Handle Accessories
$\overline{1}$	Quick Start Guide
$\overline{1}$	Revit Single DishDrawer™ Dishwasher
$\stackrel{\checkmark}{\underline{+}}$	Rhino Single DishDrawer™ Dishwasher
$\overline{1}$	Rhino Single DishDrawer™ Dishwasher with Door Panel and Contemporary Square Handle
↓	Sketchup Single DishDrawer™ Dishwasher
$\overline{1}$	Sketchup Single DishDrawer™ Dishwasher with Door Panel and Contemporary Square Handle
↓	User Guide DishDrawer™ Dishwasher EN

FISHER & PAYKEL

٠

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. **Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate** indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE 24 Hours 7 Days a Week Customer Support T 1.888.936.7872 Wwww.fisherpaykel.com