QUICK REFERENCE GUIDE > DD24DT19 N

Integrated Double DishDrawer Dishwasher, Tall, Sanitize

Series 9 | Integrated

Panel Ready



Doing the dishes got easier. Load one drawer while the other washes - with the top drawer fitting your large dinner plates easily.

- · Knock to pause function is perfect if you miss a dish
- Six wash programs, as well as additional Quick wash, Sanitize and Extra Dry options
- Flexible racking can be folded down to fit bigger dishes


 Customize with your own kitchen cabinetry or purchase our stainless steel door panel accessory

DIMENSIONS

Height 34 - 36 3/8 "

Width 23 9/16 "

Depth 21 3/4 "



FEATURES & BENEFITS

Seamless integration

Slide your DishDrawer™ Dishwasher into an existing kitchen space or integrate into kitchen cabinetry, for a seamless look whilst delivering superior dish care.

Ease of use

DishDrawer™ Dishwashers are as easy to open and close as kitchen drawers and can be conveniently positioned at bench height for ease of loading and minimal bending. Flexible racking allows you to make adjustments to fit in a variety of dishes.

Independent Wash

With the ability to use both drawers independently and select different wash programs the DishDrawer™ Dishwasher can wash everything from fine glass and crystal to heavily soiled pots and pans.

TRUE HALF LOAD

Each drawer holds a true half load for guilt-free small washes and fast turnaround of your dishes. Both drawers operate independently so different wash cycles can run simultaneously to accommodate a variety of loads.

Quick, Sanitize and Extra Dry options

The Quick wash modifier delivers a faster wash while maintaining performance. The Sanitize option provides extra protection killing 99.9% of bacteria in the final rinse. The Extra Dry setting is perfect for plastic dishes.

Knock to pause

Instead of needing a remote control, these DishDrawer $^{\text{TM}}$ Dishwashers have a knock to pause function. A knock on the front panel will pause the dishwasher which can be re-started again by using the start/play button.

Quiet performer

Running at a very low decibel rating, these DishDrawer™ dishwashers do their job without making a fuss. The combination of intelligent technology and simple mechanics means greater reliability and excellent wash performance.

SPECIFICATIONS

Accessories (included)

QUICK REFERENCE GUIDE > DD24DTI9 N Date: 20.06.2024 > 2

Cutlery basket	•	In-use energy carbon emissions estimate	32.4kgCO2e/year	Electric circuit	3 wire
Kickstrip	true	Water usage (per wash cycle)	3.28 gal running	Rated current	15 A
Knife clip and multipurpose clip	•		both tubs	Supply frequency	60Hz
				Supply voltage	100 - 120V
	<u> </u>	Controls			
Accessories (sold separately)					
Door panel stainless steel	ADDD24DTPX	Electronic fault/Diagnostic indicator	•	Product dimensions	
Handle kit Classic	AHCL-DDDW-24X	End of cycle beeps	•	Depth	21 3/4 "
Handle kit Contemporary round, aluminium	AHS-OBDD-60S	Energy saving delay start option of up to 12 hours	•	Height	34 - 36 3/8 "
Handle kit Contemporary square fine, aluminium	AHD5- OBDD-60SX	Internal wash selector	•	Width	23 9/16 "
Handle kit Contemporary square fine, black	AHD5-	Keylock	•		
	OBDD-60SB	Knock to pause	•	Marranty	
Handle kit Contemporary square, aluminium AHD3-OBDD-60S		Rinse aid indicator light	•	Warranty	
Handle kit Professional round flush	AHP3-DWDD-SX	Smart appliance	•	Parts and labor	Limited 2 years
Handle kit Professional round flush, Brass off-stands	AHP3DDDW24BA	Wi-Fi connectivity	•		
the state of the s	AHP3DDDW24DC			Wash Program Modifiers	
Copper off-stands		Features		Extra Dry	•
-		Fan assisted drying	•	Quick	•
Capacity and loading		Flood protection	•	Sanitise	•
Accommodates round plates up to	12.25" (top)	Flow through detergent dispenser	•	Wash modifiers	3
Accommodates round plates up to	11" (bottom)	Quiet operation	•		
Adjustable height, foldable cupracks	•	SmartDrive™ technology	•		
Fold down tines	•			Wash Programs	
Pitch adjustable tines	•			Delicate	•
Place settings	14	Performance		Eco	•
Place settings	14	Noise on standard cycle top drawer	43 dBA	Fast	•
		,		Heavy	•
				Medium	•
Consumption		Power requirements		Rinse	•
Energy usage	263kWh/year	Amperage	10A	Wash programs	6

QUICK REFERENCE GUIDE > DD24DT19 N

Water connection

Inlet water temperature 140 °C
Inlet water temperature max 140 °F
Supplied hose to suit 3/8" (9mm) male compression fitting

Water pressure 30kPa - 1000 kPa

Water supply 3/8" to suit Male
Compression
Fitting

SKU 82338

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

Other product downloads available at fisherpaykel.com

- 2D-DWG Integrated Double DishDrawer™ Dishwasher
- 2D-DXF Integrated Double DishDrawer™ Dishwasher
- Data Sheet Integrated Double DishDrawer™ Dishwasher
- Data Sheet integrated Double DishDrawer... Dishwashe
- ↓ Energy Label Double DishDrawer™ Dishwasher
- Service & Warranty
- Installation Guide Double DishDrawer™ Dishwasher EN
- Installation Guide Double DishDrawer™ Dishwasher EN
- Guide d'installation FR
- ↓ Planning Guide Integrated Double DishDrawer™
 - Planning Guide Professional Style Dial/Handle Accessories
- Quick Start Guide
- Guide De Démarrage Rapide FR

- Revit Double DishDrawer™ Dishwasher
- ↓ Rhino Double DishDrawer™ Dishwasher
- Rhino Double DishDrawer™ Dishwasher with Door Panel and Contemporary Square Handle
- Sketchup Double DishDrawer™ Dishwasher
- Sketchup Double DishDrawer™ Dishwasher with Door Panel and Contemporary Square Handle
- ↓ User Guide DishDrawer™ Dishwasher EN

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE 24 Hours 7 Days a Week Customer Support

T 1.888.936.7872 Wwww.fisherpaykel.com