QUICK REFERENCE GUIDE > OB60SMPTNG1

# 60cm Series 9 Minimal Handleless Pyrolytic Oven

Series 9 | Minimal

Grey Glass




Achieve perfect results with every dish using this Minimal style, handleless oven featuring an intuitive touchscreen for guided cooking.

- Handleless oven design ensures smooth, uninterrupted lines in your kitchen cabinetry for a cohesive look
- Guided touchscreen cooking offers helpful tips for different food types as well as full recipes
- 85L total capacity with 16 oven functions including Pastry Bake, Roast, and Air Fry

Pyrolytic self-cleaning function breaks down food residue for an easy clean

## **DIMENSIONS**

Height	598 mm
Width	596 mm
Depth	565 mm



## **FEATURES & BENEFITS**

## Handleless Design

Effortlessly open and close your oven with a gentle press of a button, ensuring convenience and smooth operation in the kitchen. Moving away from traditional oven doors, this model is an ideal match for kitchens with a continuous, handle-free design, ensuring a seamless flow across the cabinetry.

## Cook With Confidence

Using the large 5" touchscreen interface, you can cook with a favourite method, hero ingredient, cooking function or recipe. Your oven will guide you through the steps, or change the temperature and heat type automatically, depending on your selection.

## **Generous Capacity**

With a generous 85L total capacity, you can create several perfectly cooked dishes at once using multiple shelves. Nontip, full-extension shelves help to ensure safe removal of hot dishes.

## **Exceptional Performance**

Our unique cooking technologies were developed to help deliver perfect results. ActiveVent ensures optimised moisture levels, while AeroTech™ circulates heat evenly for a consistent temperature.

## Self-Cleaning

Pyrolytic self-clean breaks down food residue at a very high temperature, leaving a light ash that's easily removed with a damp cloth. The enamel-coated side racks don't need to be removed when using this function.

## **Design Freedom**

Crafted with premium materials and detailing, this oven supports a cohesive and considered kitchen design.

Complement it with our Minimal style Warming Drawer to achieve the ultimate kitchen solution.

# **SPECIFICATIONS**

## Accessories (included)

Flat brushed baking tray

Full extension sliding shelves

Grill rack 1 set

QUICK REFERENCE GUIDE > OB60SMPTNG1 Date: 02.12.2024 > 2

Pyrolytic proof shelf runners  Roasting dish  1 Celsius/Fahrenhelit temperature  Roasting dish  Smokeless grill tray  1 Delay start  1 Electronic capacitive touch controls  1 Electronic clock  Vired temperature sensor  1 Electronic oven control  Food probe  Capacity  Shelf positions  6 Haiogen lights  Total capacity  85 L Handle-free design  Multi-language display  Multi-language display  Multi-language display  Touch control glass interface  Soft close doors  Acid resistant graphite enamel  Easy to clean interior  Pyrolytic proof shelf runners  Removable oven door laner glass  Removable oven door laner glass  Functions  A latomatic pre-set temperature sensor  1 Delay start  Lectronic oven control  Food probe  Food p	· · · · · 35 - 280
Smokeless grill tray         1         Delay start         .         Roast           Step down wire shelf         1         Electronic capacitive touch controls         .         Slow cook           Wired temperature sensor         1         Electronic clock         .         Vent bake           Capacity         Food probe         .         .         .           Capacity         6         Halogen lights         .         Performance           Total capacity         85 L         Handle-free design         .         ActiveVent** system           Usable capacity         72 L         Intuitive touchscreen display         .         ActiveVent** system           Usable capacity         72 L         Intuitive touchscreen display         .         Temperature range           Usable capacity         72 L         Intuitive touchscreen display         .         Temperature range           Usable capacity         85 L         Handle-free design         .         Automatic rapid pre-heat           Usable capacity         1         Multi-language display         true         Temperature range           Cleaning         5         Soft close doors         .         Power requirements           Easy to clean interior         1         True convection oven <td>35 - 280</td>	35 - 280
Step down wire shelf  Wired temperature sensor  I Blectronic clock  Capacity  Capacity  Shelf positions  6 Halogen lights  Food grobe  Handle-free design  Multi-language display  Found control glass interface  Soft close doors  Acid resistant graphite enamel  Easy to clean interior  Pyrolytic proof shelf runners  Removable oven door inner glass  Removable shelf runners  Found capacity  I selectronic clock  Electronic clock  Food probe  Food probe	
Wired temperature sensor 1 Electronic clock • Wern bake Electronic oven control • Warm  Food probe  Capacity 5 Guided cooking by food type and recipes • Performance  Shelf positions 6 Halogen lights • Performance  Total capacity 85 L Handle-free design • ActiveVent <sup>in</sup> system  Usable capacity 72 L Intuitive touchscreen display • Automatic rapid pre-heat  Multi-language display true Temperature range  Cleaning 5 Soft close doors • True convection oven • Power requirements  Easy to clean interior • True convection oven • Amperage  Pyrolytic self-clean • Voice control • Wireless temperature sensor compatible • Supply requency  Removable oven door inner glass  Removable shelf runners • Functions • Functions  Functions • Functions • Product dimensions	
Electronic oven control Food probe Capacity Shelf positions 6 Halogen lights Total capacity Usable capacity Total capacity Tot	· · · · 35 - 280
Food probe Guided cooking by food type and recipes  Shelf positions  6 Halogen lights  Food probe Total capacity  85 L Handle-free design  1 Active Vent™ system  Automatic rapid pre-heat  Multi-language display  True Smart appliance  Soft close doors  Actid resistant graphite enamel  Easy to clean interior  Pryolytic proof shelf runners  Pryolytic self-clean  Removable oven door  Removable shelf runners  Functions  Fooduct dimensions  Performance  Active Vent™ system  Automatic rapid pre-heat  **Tune capus display  **True **True perature range  **Power requirements  Amperage  Power requirements  Amperage  Supply requency  Supply voltage  Supply voltage  Fooduct dimensions  Product dimensions	• • • • 35 - 280
Shelf positions 6 Halogen lights 6 Halogen lights 6 Halogen lights 6 Halogen lights 6 Handle-free design 7 total capacity 8 to Handle-free design 7 total capacity 7 to Huitive touchscreen display 8 to Huitive touchscreen display 9	• • 35 - 280
Shelf positions 6 Halogen lights Total capacity 85 L Handle-free design 10 Intuitive touchscreen display 11 Intuitive touchscreen display 11 Intuitive touchscreen display 12 Intuitive touchscreen display 12 Intuitive touchscreen display 13 Intuitive touchscreen display 13 Intuitive touchscreen display 14 Interior system 14 Intuitive touchscreen display 14 Intuitive touchscreen display 14 Intuitive touchscreen display 14 Intuitive touchscreen display 15 Intuitive touchscreen display 16 Intui	• • 35 - 280
Total capacity 85 L Handle-free design • ActiveVent™ system  Usable capacity 72 L Intuitive touchscreen display • Automatic rapid pre-heat  Multi-language display true Temperature range  Smart appliance • Soft close doors  Acid resistant graphite enamel • Touch control glass interface • Power requirements  Easy to clean interior • True convection oven • Amperage  Pyrolytic proof shelf runners • Voice control  Pyrolytic self-clean • Wireless temperature sensor compatible • Supply requency  Removable oven door inner glass  Removable shelf runners • Functions • Functions  Air fry • Depth	• • 35 - 280
Usable capacity  72 L Intuitive touchscreen display  Multi-language display  True  Smart appliance  Cleaning  Cleaning  Acid resistant graphite enamel  Easy to clean interior  Pyrolytic proof shelf runners  Pyrolytic self-clean  Removable oven door  Removable oven door inner glass  Removable shelf runners  Automatic rapid pre-heat  True touchscreen display  True  Touch control glass interface  True convection oven  Voice control  Wireless temperature sensor compatible  Pyrolytic self-clean  Removable oven door  Removable oven door  Removable shelf runners  Air fry  Functions  Air fry  Depth	35 - 280
Multi-language display true Temperature range  Smart appliance .  Soft close doors .  Acid resistant graphite enamel . Touch control glass interface . Power requirements  Easy to clean interior . True convection oven . Maperage  Pyrolytic proof shelf runners . Voice control . Voice control . Supply frequency  Pyrolytic self-clean . Wireless temperature sensor compatible . Supply voltage  Removable oven door inner glass . Removable shelf runners . Air fry . Depth	35 - 280
Smart appliance Soft close doors Acid resistant graphite enamel Fasy to clean interior Pyrolytic proof shelf runners Pyrolytic self-clean Removable oven door Removable shelf runners  Smart appliance Soft close doors Touch control glass interface Touch control glass interface True convection oven Voice control Voice control Wireless temperature sensor compatible Functions Functions Air fry  Smart appliance  Amperage  Amperage Supply frequency Supply voltage Supply voltage Product dimensions Product dimensions Papply Depth	35 - 280
Cleaning  Acid resistant graphite enamel  Fasy to clean interior  Fyrolytic proof shelf runners  Pyrolytic self-clean  Removable oven door inner glass  Removable shelf runners  Acid resistant graphite enamel  Functions  Acid resistant graphite enamel  Found control glass interface  True convection oven  True convection oven  Yoice control  Wireless temperature sensor compatible  Wireless temperature sensor compatible  Functions  Acif fry  Functions  Acif fry  Depth	
Acid resistant graphite enamel  Functions  F	
Easy to clean interior  Pyrolytic proof shelf runners  Pyrolytic self-clean  Removable oven door inner glass  Removable shelf runners  Air fry  Amperage  Amperage  Supply frequency  Supply voltage  Supply voltage  Supply voltage  Product dimensions  Depth	
Pyrolytic proof shelf runners  • Voice control  • Supply frequency  Supply voltage  • Product dimensions  Air fry  • Depth	
Pyrolytic self-clean  Removable oven door  Removable oven door inner glass  Removable shelf runners  Air fry  Wireless temperature sensor compatible  Supply voltage  Product dimensions  Product dimensions  Depth	20 A
Removable oven door inner glass Removable shelf runners  Functions Air fry  Depth	50 Hz
Removable oven door inner glass  Removable shelf runners  Functions  Air fry  Product dimensions  Depth	220 - 240 V
Removable shelf runners • Functions • Product dimensions  Air fry • Depth	
Air fry • Depth	
<u></u>	
Bake • Height	565 mm
· ·	598 mm
Consumption Classic bake • Width	596 mm
Energy rating A Dehydrate •	
Fan bake •	
Fan forced • SKU	82512
Controls Fan grill •	62512
Adjustable audio and display settings • Grill •	
Audio feedback • Pastry Bake •	
Automatic cooking/minute timer • Pizza bake •	

QUICK REFERENCE GUIDE > OB60SMPTNG1

Date: 02.12.2024 > 3

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020



## Other product downloads available at fisherpaykel.com

↓ 2D-DXF Oven

Declaration of Conformity Oven with WiFi Capability

Service & Warranty

↓ Installation Guide Wall Oven

Planning Guide - Handleless Ovens and Companions

Revit 20 Oven

## Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.