QUICK REFERENCE GUIDE > DD60STX6HI1 Date: 19.10.2024 > 1

# Series 11, Integrated Tall Single DishDrawer Dishwasher

Series 11 | Integrated

Panel Ready




Place anywhere in your kitchen at bench height for easy loading and seamless integration. Features a premium stainless steel interior.

- Eight wash cycles from Heavy to Light, including Auto, 60min and Glassware
- Fits plates up to 310mm, with flexible racking to accommodate other large cookware

With soft-close drawers, and knock to pause convenience

# **DIMENSIONS**

Height 454 mm
Width 599 mm
Depth 553 mm



# **FEATURES & BENEFITS**

**Seamless Integration** 

With the flexibility of ergonomic placement and function, single DishDrawer™ Dishwashers can be distributed throughout the kitchen to support patterns of use. The touch-sensitive control panel is located inside this Integrated model, leaving an uninterrupted exterior that blends seamlessly with surrounding cabinetry.

### Ease Of Use

DishDrawer™ Dishwashers are beautiful to use with soft-close drawers, and can be conveniently positioned at bench height for ease of loading and minimal bending. Flexible racking includes height-adjustable cup racks and wine glass supports.

# Flexible Wash Options

Eight wash programs including Auto, 60min and Glassware, while modifiers such as Sanitise, Extra Dry and Quiet provide added wash flexibility. The Quiet wash modifier reduces the noise on some cycles while maintaining performance – perfect for late night washing.

## **Design Quality**

Every detail has been carefully crafted using quality materials, from the easy-to-clean stainless steel interior to the spray arm sensor that detects jams for increased wash confidence.

#### **Knock To Pause**

For ease-of-use, these DishDrawer™ Dishwashers have a knock to pause function. A knock on the front panel will pause the dishwasher, which can be restarted by using the start button.

#### Quiet Performer

Running at a low decibel rating of 43dBA, these DishDrawer™ Dishwashers do their job without making a fuss. The combination of intelligent technology and simple mechanics means greater reliability and excellent wash performance.

## **Efficient Performance**

QUICK REFERENCE GUIDE > DD60STX6HI1

| This DishDrawer™ Dishwasher uses the water it needs without compromising on wash performance. |            | Knock to pause                   | •               | Warranty               |  |
|---|------------|----------------------------------|-----------------|------------------------|--|
| compromising on wash performance.   |            | Rinse aid indicator light        | •               | Parts and labour       | 2 years  |
| SPECIFICATIONS  |            | Spray arm sensing                | •               |                        |  |
| Accessories (included)  |            | Features                         |                 | Wash Program Modifiers |  |
|   |            |                                  |                 | Dry +                  | •  |
| Cutlery basket  | •          | Built-in water softener          | •               | Quiet                  | •  |
| Knife clip and multipurpose clip  | •          | Fan assisted drying              | •               | Sanitise               | •  |
|   |            | Flood protection                 | •               | Wash modifiers         | 3  |
| Accessories (sold separately)   |            | Flow through detergent dispenser | •               |                        |  |
| Accessories (sold separately)   |            | Internal tub material            | Stainless steel |                        |  |
| Door panel black stainless steel  | ADDD60STPB | Quiet operation                  | •               | Wash Programs          |  |
| Door panel stainless steel  | ADDD60STPX | SmartDrive™ technology           | •               | 60 min                 | •  |
|   |            | Soft close drawer                | •               | Auto                   | •  |
|   |            |                                  |                 | Eco                    | •  |
| Capacity and loading  |            |                                  |                 | Glassware              | •  |
| Accommodates round plates up to   | 310mm      | Performance                      |                 | Heavy                  | •  |
| Adjustable height, foldable cupracks  | •          | Noise emissions                  | 44 dBA          | Light                  | •  |
| Fold down tines   | •          |                                  |                 | Medium                 |  |
| Pitch adjustable tines  | •          |                                  |                 | Rinse                  | •  |
| Place settings  | 7          | Power requirements               |                 | Wash programs          | 8  |
| Wine glass supports with stemware grippers  | •          | Amperage                         | 5A              | wasii programs         | 0  |
|   |            | Supply frequency                 | 50Hz            |                        |  |
|   |            | Supply voltage                   | 220 - 240V      | Water connection       |  |
| Controls  |            |                                  |                 |                        |  |
| Electronic fault/Diagnostic indicator   | •          |                                  | ·               | Water pressure         | 100kPa - 1000kPa                                 |
| End of cycle beeps  | •          | Product dimensions               |                 | Water supply           | 3/4" BSP (20mm)<br>Connector Water<br>Inlet Hose |
| Energy saving delay start option of up to 12  | •          | Depth                            | 553 mm          |                        | inlet Hose                                       |
| hours   |            | Height                           | 454 mm          |                        |  |
| Internal wash selector  | •          | Width                            | 599 mm          |                        |  |
| Intuitive capacitive touch controls   | •          |                                  |                 | SKU                    | 82186  |
| Keylock   | •          |                                  |                 |                        |  |

QUICK REFERENCE GUIDE > DD60STX6HI1

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020



#### Other product downloads available at fisherpaykel.com

Archicad Integrated Single DishDrawer™ Dishwasher

↓ Data Sheet DishDrawer™ Dishwasher

↓ Service & Warranty

↓ Installation Guide Single DishDrawer™ Dishwasher

↓ Revit Integrated Single DishDrawer™ Dishwasher

Rhino Integrated Single DishDrawer™ Dishwasher

Sketchup Integrated Single DishDrawer™ Dishwasher

, Specification Guide Integrated Single DishDrawer™ Dishwasher

User Guide Integrated DishDrawer™ Dishwasher EN

User Guide Integrated DishDrawer™ Dishwasher ZH

## Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.