QUICK REFERENCE GUIDE > RS9121WLUVE1

92cm Series 11 Integrated Refrigerator Freezer, Ice & Water

Series 11 | Integrated

Panel Ready | Left hinge

Experience the pinnacle of refrigeration design with our most advanced model. Featuring an elegant interior, this refrigerator embodies premium functionality and style. Designed to optimise energy efficiency, it comes complete with an ice maker and internal water dispenser.

- For optimal food care, the Variable Temperature Drawer lets you switch between three modes: Chill, Fridge, or Pantry
- With a premium interior for a refined look and feel, this model is the highlight of our Integrated collection
- Enjoy convenient access to fresh, chilled water and ice with the internal water dispenser and ice maker
- · Designed to optimise energy performance and efficiency

DIMENSIONS

| Height | 2134 mm |
|--------|---------|
| Width | 908 mm |
| Depth | 610 mm |

FEATURES & BENEFITS

Variable temperature drawer

When it comes to optimal food preservation, one temperature does not fit all. Our Variable Temperature Drawer gives you complete control over how you care for your food. With the touch of a button, you can transform the bottom refrigerator drawer into Chill, Fridge, or Pantry modes to best suit different types of food. Adjust the settings for everyday convenience or switch modes to increase chilling capacity, perfect for special occasions.

Clever energy

Your refrigerator adapts to daily use by cooling and defrosting only when needed. Designed to optimise energy performance and efficiency, it uses the energy it needs without compromising on food care.

Elegant interior

With a premium interior for a refined look and feel, this model is the highlight of our Integrated refrigeration collection. Experience superior design and functionality combined seamlessly.

Internal water and ice dispenser

Both the water dispenser and ice maker are located inside this integrated model, ensuring an uninterrupted exterior that blends seamlessly with adjacent cabinetry. The slimline water dispenser is flush-fit to maximise internal storage space. It boasts a temperature-controlled flow and an angled delivery to catch any drips or spills.

ActiveSmart™ Foodcare

ActiveSmart™ Foodcare adapts to your lifestyle. This technology understands how you use your fridge and adjusts the temperature, airflow, and humidity to keep your food fresher for longer.

Seamless integration

These models fit flush, with only 3mm gaps around them and no visible hinges or grilles. Our Integrated models can be seamlessly hidden behind your cabinetry, or you can purchase our stainless steel door panel.

Design quality

The premium design and finish include a steel interior lining, full-extension metal shelf runners for easy access, robust glass shelving, and drawers with quality hinges designed for daily use.

SPECIFICATIONS

Accessories (sold separately)

| Door panel set stainless steel | Left hinge RD9121WLD, Right hinge RD9121WRD |
|--|--|
| Handle kit Classic | AHCLRD9121W |
| Handle kit Contemporary round, aluminium | AHSRD9121W |
| Handle kit Contemporary square fine, aluminium | AHD5RD9121W |
| Handle kit Contemporary square fine, black | AHD5RD9121WB |
| Handle kit Professional round flush | AHP3RD9121W |
| Joiner Kit | AJ-RS21LR |
| | |

Capacity

| 555 L |
|-------|
| 190 L |
| 328 L |
| 37 L |
| |

Features

QUICK REFERENCE GUIDE > RS9121WLUVE1 Date: 24.09.2024 > 2

| Adjustable door shelves | 3 | Installation Dimensions | | Product information | |
|--|---|---|-----------------|---|-------------|
| Adjustable glass cantilevered shelves | • | Minimum inside width of cabinetry frame | 914 mm | Packaged weight | 240 kg |
| Adjustable glass shelves | 4 | Minimum internal depth of cabinetry | 635 mm | | • |
| Door alarm | • | Minimum internal height of cabinetry | 2134 mm | | |
| Fruit and vegetable bins | 1 | | | Variable Temp Compartment | |
| Full extension drawers | 2 | | | Chill | • |
| Internal water dispenser | • | Performance | | Fridge | • |
| Keylock | • | ActiveSmart™ Foodcare | • | Pantry | |
| LED bin lighting | • | Adaptive defrost | • | , | |
| LED ceiling lighting | • | Eco friendly R600a refrigerant | • | | |
| Smart appliance | • | Frost free | • | Warranty | |
| SmartTouch interface at counter height | • | Holiday mode | • | Parts and labour | 5 years |
| Split level cantilevered shelves | • | Humidity control system | • | Sealed system parts only | 5 years |
| Variable temperature drawer | • | Internal replacable water filter | • | Sealed System parts only | o years |
| | | Sabbath mode | • | | |
| | _ | Triple evaporator | • | | |
| Freezer Features | | Variable food modes | Pantry; Fridge; | SKU | 26761 |
| Automatic ice maker | • | variable reed include | Chill | | |
| Bottle chill | • | Variable Temperature Compartment | • | The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these | |
| Door alarm | • | Performance | | | |
| Fast freeze | • | | | dimensions and specifications may change at any t check with Fisher & Paykel's Customer Care Centre | |
| Freezer bins | 1 | Power requirements | | correctly describes the model currently available. © | · - |
| Freezer drawers | 1 | · | 10.4 | Appliances Ltd 2020 | |
| Freezer trays | 1 | Rated current | 10 A | | |
| Ice bin and scoop | • | Supply frequency | 50 Hz | | |
| Ice Boost | • | Supply voltage | 230 V | Other product downloads available at fishe | граукеі.com |
| LED Lighting | • | | | ↓ Service & Warranty | |
| Max Cold | • | Product dimensions | | Service & Warranty | |
| Slide Out Pastry Tray | • | | | | |
| SmartTouch interface at counter height | • | Depth | 610 mm | Where applicable: | |
| | | Height | 2134 mm | | |
| | | Width | 908 mm | | |

QUICK REFERENCE GUIDE > RS9121WLUVE1

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE 24 Hours 7 Days a Week Customer Support

T 1800 625174 Wwww.fisherpaykel.com