QUICK REFERENCE GUIDE > DD60STI9

# Series 9, Integrated Tall Single DishDrawer Dishwasher

Series 9 | Integrated

Panel Ready




Integrating into your kitchen design seamlessly, with extra height for larger dishes in the tall top drawer.

- Knock to pause function is perfect if you miss a dish
- With extra height for taller dishes, and customisable internal shelving
- Six wash programs, as well as additional Quick wash, Sanitise and Extra Dry options

 Customise with your own front panel and handle to match your kitchen cabinetry

# **DIMENSIONS**

Height	454 mm
Width	599 mm
Depth	553 mm



# **FEATURES & BENEFITS**

### Ease Of Use

DishDrawer™ Dishwashers are as easy to open and close as kitchen drawers and can be conveniently positioned at bench height for ease of loading and minimal bending.

Quick, Sanitise and Extra Dry options

The Quick wash modifier delivers a faster wash while maintaining performance. The Sanitise option provides extra protection, killing 99.9% of bacteria in the final rinse. The Extra Dry setting is perfect for plastic dishes.

# Knock to pause

Instead of needing a remote control, these DishDrawer $^{\text{TM}}$  Dishwashers have a knock to pause function. A knock on the front panel will pause the dishwasher which can be re-started again by using the start/play button.

### **Quiet Performer**

Running at a very low decibel rate, these DishDrawer™ Dishwashers do their job without making a fuss. The combination of intelligent technology and simple mechanics means greater reliability and excellent wash performance.

## **SPECIFICATIONS**

### Accessories (included)

Cutlery basket
Knife clip and multipurpose clip

### Accessories (sold separately)

Handle kit Contemporary square, black

Door panel black stainless steel ADDD60STPB

Door panel stainless steel ADDD60STPX

Handle kit Contemporary round, aluminium AHS-OBDD-60S

Handle kit Contemporary square fine, aluminium OBDD-60SX

Handle kit Contemporary square fine, black AHD5-OBDD-60SB

Handle kit Contemporary square, aluminiumAHD3-OBDD-60S

AHD3-OBDD-60B

QUICK REFERENCE GUIDE > DD60STI9 Date: 18.10.2024 > 2

Capacity and loading	
Accommodates round plates up to	310mm
Adjustable height, foldable cupracks	•
Fold down tines	•
Pitch adjustable tines	•
Place settings	7
Place settings	7
Controls	
Electronic fault/Diagnostic indicator	•
End of cycle beeps	•
Energy saving delay start option of up to 12 hours	•
Internal wash selector	•
Keylock	•
Knock to pause	•
Rinse aid indicator light	•
Features	
Fan assisted drying	•
Flood protection	•
Flow through detergent dispenser	•
Quiet operation	•
SmartDrive™ technology	•
Performance	
Noise emissions	43 dBA

Power requirements	
Amperage	5A
Supply frequency	50Hz
Supply voltage	220 - 240V
Product dimensions	
Depth	553 mm
Height	454 mm
Width	599 mm
Warranty	
Parts and labour	2 years
Wash Program Modifiers	
Extra Dry	•
Quick	•
Sanitise	•
Wash modifiers	3
Wash Programs	
Delicate	•
Eco	•
Fast	•
Heavy	•
Medium	•
Rinse	•
Wash programs	6

		Date: 18.10.2024 > 2
Wa	ter connection	
Wa	ater pressure	30kPa - 1000 kPa
Wa	ater supply	3/4" BSP (20mm) Connector Water Inlet Hose
SKI	U	8236
prod dime ched corr	duct and model. Under ensions and specificat ck with Fisher & Payke	and specifications in this page apply to the specific er our policy of continuous improvement, these tions may change at any time. You should therefore
App	rectly describes the moliances Ltd 2020	el's Customer Care Centre to ensure this page nodel currently available. © Fisher & Paykel
	oliances Ltd 2020	· -
Oth	oliances Ltd 2020 ner product downle	nodel currently available. © Fisher & Paykel
Oth	pliances Ltd 2020  ner product downle  2D-DWG Integra	oodel currently available. © Fisher & Paykel oads available at fisherpaykel.com
	poliances Ltd 2020  mer product downlo  2D-DWG Integral  2D-DXF Integral	oads available at fisherpaykel.com ated Single DishDrawer™ Dishwasher

# 2D-DWG Integrated Single DishDrawer™ Dishwasher 2D-DXF Integrated Single DishDrawer™ Dishwasher Data Sheet Integrated Single DishDrawer™ Dishwasher Service & Warranty Quick Start Guide Revit Single DishDrawer™ Dishwasher Rhino Single DishDrawer™ Dishwasher Rhino Single DishDrawer™ Dishwasher Rhino Single DishDrawer™ Dishwasher Sketchup Single DishDrawer™ Dishwasher Sketchup Single DishDrawer™ Dishwasher Sketchup Single DishDrawer™ Dishwasher with Door Panel and Contemporary Square Handle Specification Guide Single DishDrawer™ Dishwasher

Where applicable:

QUICK REFERENCE GUIDE > DD60STI9

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE 24 Hours 7 Days a Week Customer Support

T +65 6741 0777 Wwww.fisherpaykel.com