QUICK REFERENCE GUIDE > OR30SCI6R1

# 30" Series 9 Classic 4 Zone Induction Self-Cleaning Range

Series 9 | Classic

Red



Blending heritage styling and contemporary performance, including convection oven and an instant-response induction cooktop.

- Four induction cooking zones with immediate heat response and precise control
- Convection oven with 3.5 cu ft total capacity and nine oven functions including Roast and Aero™Pastry

- Self-cleaning function breaks down food residue for an easy clean
- Non-tip full-extension shelves for safe removal of hot dishes

## **DIMENSIONS**

Height 35 3/4 - 37 5/8 "
Width 29 7/8 "
Depth 25 1/4 "

#### **FEATURES & BENEFITS**

#### **Outstanding Performance**

Discover the flexibility to get creative in the kitchen with nine oven functions including Bake, Roast, and Aero™ Pastry with Pizza Bake.

#### Power & Control

The induction cooktop provides instant and immediate control from the highest to the gentlest heat. The finely tuned cooktop controls let you sear, stir fry or simmer a delicate sauce to perfection.

## **Generous Capacity**

The generous 3.5 cu ft total capacity for this range gives you plenty of space to cook multiple dishes at the same time.

## **Quality And Durability**

Every detail has been carefully crafted, from the heritage design cues, to the solid, perfectly balanced soft-close door, and to the chromed cast zinc dials. They all add up to an exceptional, premium range.

#### Easy To Clean

The self-clean function reduces grease and food residue to an easily removable light ash and the cooktop simply needs a quick wipe to keep it looking good as new. The oven door and runners can also be removed for easy cleaning.

#### Safe And Sound

Designed for your safety and convenience, this range features full extension telescopic sliding shelves, a triple-glazed CoolTouch door, and a child lock.

#### **SPECIFICATIONS**

## Accessories (included)

2-pc grill system (Broil pan and Grill rack)

Broil pan

Full extension sliding shelves

2 sets (part 578776)

Full extension telescopic shelves

2 sets (part 578776)

## Accessories (sold separately)

Hob rear trim 3" (part 81656)

Kick strip, red (optional)

Wok grate included

N/A

## Capacity

Shelf positions 7
Total capacity 3.5 cu ft
Usable capacity 2.9 cu ft

## Cleaning

QUICK REFERENCE GUIDE > OR30SCI6R1 Date: 24.09.2024 > 2

Acid resistant graphite enamel	Full extension telescop	Full extension telescopic sliding shelves     •		Yes
Drop down grill element	<ul> <li>Internal light</li> </ul>	2 x 25W halogen		
Flat easy clean glass surface	•	(rear)		
Pyrolytic proof shelf runners	Soft open/close door	•	Product Dimensions	
Pyrolytic self-clean	True convection	•	Depth	25 1/4 "
Removable oven door	•		Height	35 3/4 - 37 5/8 "
Removable shelf runners	• Oven functions		Width	29 7/8 "
	Aero Broil	•		
Controls	Aero™ Bake	•	Rangetop features	
Audio feedback	Aero™ Pastry with Pizz	za mode •	Auto heat reduce	•
Automatic cooking/minute timer	Number of functions	9	Gentle heat	•
Automatic pre-set temperatures	Pastry Bake with Pizza	a mode •	Heat settings	9
Celsius/Fahrenheit temperature	Pyrolytic self-clean	•	Induction cooking technology	
Electronic clock	Rapid proof	•		
High resolution display	• Roast	•	-	
Laser etched graphics	True Aero	•	Rangetop Performance	
Precise electronic temperature control	True convection	•	PowerBoost	•
Sabbath mode	•			
Toughened fused glass graphics	• Oven performance			•
Turned stainless steel clock buttons	• Oven performance		Safety	
Turned stainless steel dials with illuminated	• Broil power	4050 W	ADA compliant	•
halos	CoolTouch door	Triple glazed	Advanced cooling system	•
	Warming drawer powe	er 220 W	Anti-tilt bracket	•
Main oven functions			Balanced oven door	•
	Power Requirements		Catalytic venting system	•
Warm	•		Child lock	•
	Amperage	51 A	CoolTouch door	•
Oven features	Supply frequency	60 Hz	Full extension telescopic sliding shelves	•
			Non-tip shelves	•
Automatic rapid pre-heat	Product Details		Pan detection system	•
Electronic oven control	• Floudet Details			

QUICK REFERENCE GUIDE > OR30SCI6R1 Date: 24.09.2024 > 3

Safety time out	•
Spill containment	68.13 L
Spill containment	1/8 gallor
Spillage auto off	•
Surface hot indicators	•

SKU 81964

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

#### Other product downloads available at fisherpaykel.com

↓ Service & Warranty

Revit Induction Range

Rhino Induction Range

Sketchup Induction Range

User Guide Freestanding Range EN

## Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



## A PEACE OF MIND SALE 24 Hours 7 Days a Week Customer Support

T 1.888.936.7872 Wwww.fisherpaykel.com