QUICK REFERENCE GUIDE > OR30SCI6B1 Date: 28.06.2024 > 1

Induction Range, 30", 4 Zones, Self-cleaning

Series 9 | Classic

Black



Blending heritage styling and contemporary performance, including convection oven and an instant-response induction cooktop.

- Four induction cooking zones with immediate heat response and precise control
- Convection oven with 3.5 cu ft total capacity and nine oven functions including Roast and Aero™Pastry
- Self-cleaning function breaks down food residue for an easy clean

Non-tip full-extension shelves for safe removal of hot dishes

DIMENSIONS

Height 35 3/4 - 37 5/8 "
Width 29 7/8 "
Depth 25 1/4 "

FEATURES & BENEFITS

Outstanding Performance

Discover the flexibility to get creative in the kitchen with nine oven functions including Bake, Roast, and Aero™ Pastry with Pizza Bake.

Power & Control

The induction cooktop provides instant and immediate control from the highest to the gentlest heat. The finely tuned cooktop controls let you sear, stir fry or simmer a delicate sauce to perfection.

Generous Capacity

The generous 3.5 cu ft total capacity for this range gives you plenty of space to cook multiple dishes at the same time.

Quality And Durability

Every detail has been carefully crafted, from the heritage design cues, to the solid, perfectly balanced soft-close door, and to the chromed cast zinc dials. They all add up to an exceptional, premium range.

Easy To Clean

The self-clean function reduces grease and food residue to an easily removable light ash and the cooktop simply needs a quick wipe to keep it looking good as new. The oven door and runners can also be removed for easy cleaning.

Safe And Sound

Designed for your safety and convenience, this range features full extension telescopic sliding shelves, a triple-glazed CoolTouch door, and a child lock.

SPECIFICATIONS

Accessories (included)

2-pc grill system (Broil pan and Grill rack)

Broil pan

Full extension sliding shelves

2 sets (part 578776)

Full extension telescopic shelves

2 sets (part 578776)

Accessories (sold separately)

Hob rear trim 3" (part 81656)

Kick strip, black (optional)

Wok grate included

N/A

Capacity

Shelf positions 7
Total capacity 3.5 cu ft
Usable capacity 2.9 cu ft

Cleaning

QUICK REFERENCE GUIDE > OR30SCI6B1 Date: 28.06.2024 > 2

Acid resistant graphite enamel •	Full extension telescopic sliding shelves	•	Product Details	
Drop down grill element •	Internal light	2 x 25W halogen	Self Cleaning Sf	Yes
Flat easy clean glass surface •		(rear)	5 5	
Pyrolytic proof shelf runners •	Soft open/close door	•		
Pyrolytic self-clean •	True convection	•	Product Dimensions	
Removable oven door •			Depth	25 1/4 "
Removable shelf runners •	Oven functions		Height	35 3/4 - 37 5/8 "
	A ava Buail		Width	29 7/8 "
	Aero Broil	•		
Controls	Aero™ Bake	•		
Audio feedback •	Aero™ Pastry with Pizza mode	•	Rangetop features	
Automatic cooking/minute timer •	Bake	•	Auto heat reduce	
Automatic pre-set temperatures •	Number of functions	9	Gentle heat	•
Celsius/Fahrenheit temperature •	Pastry Bake with Pizza mode	•	Heat settings	0
Electronic clock •	Pyrolytic self-clean	•	-	9
High resolution display •	Rapid proof	•	Induction cooking technology	•
Laser etched graphics •	Roast	•	-	
Precise electronic temperature control •	True Aero	•	Rangetop Performance	
Sabbath mode •	True convection	•		
Toughened fused glass graphics •			PowerBoost	•
Turned stainless steel clock buttons •	Oven performance			
Turned stainless steel dials with illuminated •	·		Safety	
halos	Broil power	4050 W	ADA compliant	
	CoolTouch door	Triple glazed		
Main avanturations	Warming drawer power	220 W	Advanced cooling system	•
Main oven functions			Anti-tilt bracket	•
Warm •			Balanced oven door	•
	Power Requirements		Catalytic venting system	•
	Amperage	51 A	Child lock	•
Oven features	Supply frequency	60 Hz	CoolTouch door	•
Automatic rapid pre-heat •			Full extension telescopic sliding shelves	•
Electronic oven control •			Non-tip shelves	•

QUICK REFERENCE GUIDE > OR30SCI6B1 Date: 28.06.2024 > 3

Pan detection system	•
Safety time out	•
Spill containment	68.13 L
Spill containment	1/8 gallon
Spillage auto off	•
Surface hot indicators	•

SKU 81962

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

Other product downloads available at fisherpaykel.com

↓ Service & Warranty

Installation Guide Freestanding Cooker EN

Rhino Induction Range

Sketchup Induction Range

User Guide Freestanding Range EN

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE 24 Hours 7 Days a Week Customer Support T 1.888.936.7872 Wwww.fisherpaykel.com

FISHER & PAYKEL