QUICK REFERENCE GUIDE > RS2484WLU1

24" Series 9 Integrated Refrigerator Freezer, Ice & Water

Series 9 | Integrated

Panel Ready | Left hinge



A slim profile, perfect for compact kitchens, or pair it with other Integrated models for generous chilled and frozen storage.

- Keep food fresher for longer by constantly maintaining the ideal temperature with ActiveSmart™ technology
- Create the perfect climate for each type of food with Variable Temperature Zone: choice of four food modes, Pantry, Fridge, Soft Freeze or Freezer

- Convenient access to fresh, chilled water and ice with internal water dispenser and ice maker
- Customize with your own kitchen cabinetry or purchase our stainless steel door panel and handle accessories

DIMENSIONS

Height	84 "
Width	23 3/4 "
Depth	24 "

FEATURES & BENEFITS

Variable Temperature Zone

Create the perfect climate and store each type of food at optimal temperature and humidity with Variable Temperature Zone, reducing food waste due to spoiling. You have the choice of four food modes: Pantry, Fridge, Soft Freeze or Freezer. Use the Max cold feature for periods of high refrigerator or freezer use, or full grocery loads.

Activesmart™ Foodcare

ActiveSmart™ Foodcare learns how you live. It's technology which understands how you use your refrigerator and adjusts temperature, airflow and humidity inside to help keep food fresher for longer.

Internal Water Dispenser And Ice Maker

Both the water dispenser and ice maker are located inside this Integrated model, leaving an uninterrupted exterior. Internal storage space is maximized thanks to a flush-fit slimline water dispenser that gives a continuous flow of temperature-controlled chilled water to fill almost any size or shape of vessel. The dual valve system instantly stops water flow to prevent drips and spills.

Flexible Storage

Designed to make it simple for you to store, access and remove food, this refrigerator includes LED-lit adjustable cantilevered shelving and full extension bins in the freezer. The door and veggie bins are family safe, allowing for hands-free operation thanks to its soft close mechanism

Complementary Design

Both the 24" and 30" Integrated Refrigerator Freezers can be installed separately or paired with a Column Refrigerator, Freezer or Wine Column. Customize with your own kitchen cabinetry and handles, or purchase our stainless steel door panel and handle options.

Perfect Fit

These models fit flush and have only 1/8" gaps around them with no visible hinges or grilles. Our Integrated models can be seamlessly hidden behind your cabinetry for an understated and clean look with any kitchen layout.

Design Quality

The premium design and finish includes a steel interior lining as well as full extension metal shelf runners for easy access, robust glass shelving and quality hinges designed for daily use.

Clever Energy

With an Energy Star Most Efficient rating, your refrigerator adapts to daily use by cooling and defrosting only when needed. This means it uses the energy it needs without compromising on food care.

SPECIFICATIONS

Accessories (sold separately)

Door panel stainless steel Left hinge 84" RD2484WLD

Door panel stainless steel Right hinge 84" RD2484WRD

Handle kit Classic AHCLRD2484W

QUICK REFERENCE GUIDE > RS2484WLU1 Date: 24.09.2024 > 2

Handle kit Contemporary round, aluminium	AHSRD2484W	Features		ActiveSmart™ Foodcare	•
Handle kit Contemporary square fine, aluminium	AHD5RD2484W	Adjustable door shelves	4	Adaptive defrost	•
Handle kit Contemporary square fine, black	AHD5RD2484WB	Adjustable glass cantilevered shelves	•	Dual evaporator	•
Handle kit Professional round flush	AHP3RD2484W	Covered door shelves	1	Frost Free Freezer	•
Handle kit Professional round flush, Brass	AHP3RD2484WB	Door alarm	•	Humidity control system	•
off-stands		Fruit and vegetable bins	2	Inverter controlled compressor	•
Handle kit Professional round flush, Dark Copper off-stands	AHP3RD2484WD C	Gallon door shelves	1	Sabbath mode	•
Joiner Kit	AJ-RS84LR	Internal water dispenser	•	Variable food modes	Pantry; Fridge; Soft freeze;
Toe kick stainless steel 24"	AKRS2404	LED bin lighting	•		Freezer
Toe kick stainless steel 42"	AKRS4204	LED ceiling lighting	•	Variable temperature zones 2	
Toe kick stainless steel 42	AKRS4804	LED lighting	•		
		LED side lighting	•		
Toe kick stainless steel 54"	AKRS5404	SmartTouch interface at counter height	•	Power Requirements	
Toe kick stainless steel 60"	AKRS6004	Stackable bottle holders	4	Rated current	10 A
Toe kick stainless steel 66"	AKRS6604			Supply frequency	60 Hz
Toe kick stainless steel 72"	AKRS7204			Supply voltage	115 V
Toe kick stainless steel 78"	AKRS7804	Freezer Features			
Toe kick stainless steel 84"	AKRS8404	Automatic ice maker	•		
Water filter replacement 847200 - FWC3		Door alarm •		Product Dimensions	
		Fast freeze	•	Depth	24 "
Capacity		Freezer bins	2	Height	84 "
•		Freezer trays	1	Width	23 3/4 "
Total gross capacity	12.08 cu ft	Ice Boost	•		
Volume	12.1 cu ft	LED bin lighting	•		
Volume freezer	4.1 cu ft	LED ceiling lighting	•	Product information	
Volume refrigerator	8 cu ft	LED side lighting	•	Packaged weight	357 lbs
		Max Cold	•	Unpackaged weight	269 lbs
Consumption		SmartTouch interface at counter height	•		
Energy rating	Energy star			Warranty	
Energy usage	439kWh/year	Performance		Parts and labor	2 years

QUICK REFERENCE GUIDE > RS2484WLU1 Date: 24.09.2024 > 3

SKU	25684

5 years

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

Other product downloads available at fisherpaykel.com

- Energy Label
- ↓ Service & Warranty

Sealed system parts only

- ↓ Water Filter Replacement Instructions & Installation Guide EN
- J. Installation Guide
- J. Installation Guide Toe Kick
- ↓ Revit Refrigerator Freezer
- Rhino Refrigerator Freezer with Custom Panel
- Rhino Refrigerator Freezer with Door Panel and Contemporary Round Handle
- Rhino Refrigerator Freezer with Door Panel and Contemporary Square Fine Black Handle
- Rhino Refrigerator Freezer with Door Panel and Contemporary Square Fine Handle
- Rhino Refrigerator Freezer with Door Panel and Contemporary Square Handle
- Rhino Refrigerator Freezer with Door Panel and Professional Round Flush Handle
- Rhino Refrigerator Freezer with Door Panel and Professional Round Handle

- Rhino Refrigerator Freezer with Door Panel and Professional Square Handle
- Sketchup Refrigerator Freezer with Custom Panel
- Sketchup Refrigerator Freezer with Door Panel and Contemporary Round Handle
- SketchUp Refrigerator Freezer with Door Panel and Contemporary Square Fine Black Handle
- Sketchup Refrigerator Freezer with Door Panel and Contemporary Square Fine Handle
- Sketchup Refrigerator Freezer with Door Panel and Contemporary Square Handle
- Sketchup Refrigerator Freezer with Door Panel and Professional Round Flush Handle
- Sketchup Refrigerator Freezer with Door Panel and Professional Round Handle
- Sketchup Refrigerator Freezer with Door Panel and Professional Square Handle
- ↓ User Guide Integrated Refrigerator Freezer EN

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE 24 Hours 7 Days a Week Customer Support

 ${f T}$ 1.888.936.7872 ${f W}$ www.fisherpaykel.com