QUICK REFERENCE GUIDE > EB30PSX1

30" Series 9 Professional Built-in Coffee Maker

Series 9 | Professional

Stainless Steel




Our built-in coffee maker pours a delicious coffee, however you take it. Pairs perfectly with 30" ovens and other Professional-style companion products.

- Make barista-standard coffee just the way you like it, with 13 options from Americano to Macchiato or Latte
- Your favorite coffee can be memorized and set to start at the same time each day, so it's ready when you are
- · With self-cleaning function for an effortless clean

 Part of our suite of companion products, designed to match aesthetically for flexible configurations

DIMENSIONS

Height 18 1/2 "
Width 29 13/16 "
Depth 19 1/8 "



FEATURES & BENEFITS

Coffee Choice

Our coffee maker has 13 different options to suit individual taste and selection – from Americano to Macchiato

Self Cleaning

The Coffee Maker has a self-cleaning function, and comes with a removable drip tray and a waste container for used coffee grounds.

Complementary Design

Finished in stainless steel, this coffee maker is designed to match other Professional-style companions as well as Professional cooktops and ovens in the Fisher & Paykel family.

Coffee Your Way

Program an automatic setting to start up at the same time each day and memorize your favorite coffee. The intuitive touch display includes refill, cleaning and maintenance data, while twin LED lights illuminate your beverages so you can see what you are doing on those dark mornings.

Sized To Suit

This 30" Built-in Coffee Maker is perfect for the compact kitchen and can be placed virtually anywhere. All companion products can be installed at a convenient height to suit your kitchen design and preference.

Barista-Style Coffee

The conical burr grinder delivers a consistent grind for the perfect coffee. Set it to suit your preference.

SPECIFICATIONS

Accessories (included)

Coffee spoon	•
Descaling agent bottle	•
Extractable steam outlet	•
Thermal milk jug (Auto Cappuccino)	0.125 L
Water filter	•

Capacity

QUICK REFERENCE GUIDE > EB30PSX1 Date: 17.12.2024 > 2

Drip tray capacity O.25 gallons Grounds container capacity 14 cups of coffee Number of cups 1 or 2 Latte container capacity 1 cups 1 or 2 Latte macchiato Long black • • • • • • • • • • • • • • • • • • •	Coffee bean container capacity	0.75 lbs	Flat white	•
Number of cups Number of cups	Drip tray capacity	0.25 gallons	Hot milk	•
Cleaning Latte macchiato • Cleaning Number of functions 13 Easy to remove coffee grinds container • Personalised coffee • Easy to remove stainless steel hot water/ steem pipe steem pipe • Steam • Removable drip tray with level indicator • Performance Controls Cleaning reminder • Grinder Stainless steel conical burr LED lights 4 Grinding coarseness 13 positions Multi-language interface true Heating system Thermablock with stainless steel tube & steamer Water tank empty indicator • Heating system power (coffee / steam) 1200 W Integrated storage for accessories • • Functions Pump power 50 Americano • Pump power 50 Cappuccino • Pump pressure 15 Bar Coffee • Power requirements Cup size levels 4 + manual Amperage 10 A Double espresso • Supply voltage 120 V	Grounds container capacity	14 cups of coffee	Hot water	•
Cleaning Easy to remove coffee grinds container Easy to remove stainless steel hot water/ steam pipe Removable drip tray with level indicator Controls Cleaning reminder Intuitive information display LED lights A Grinding coarseness Refill coffee bean reminder Water tank empty indicator Functions Americano Cappuccino Coffee Coffee strength levels Coffee Long black Number of functions 13 Number of functions 13 Personalised coffee . Steam Takes pre ground coffee . Coffee temperatures Coffee temperatures 5 x settings Grinder Grinder Stainless steel Coffied temperatures 5 x settings Grinder Stainless steel Coffied temperatures 13 positions Multi-language interface true Heating system Heating system Water tank empty indicator Heating system power (coffee / steam) Itagrated cup warmer shelf Integrated storage for accessories Pump power 50 Pump power 50 Pump pressure 15 Bar Power requirements Cup size levels 4 + manual Double espresso Supply frequency 50 Hz Espresso Supply voltage 120 V	Number of cups	1 or 2	Latte	•
Cleaning Easy to remove coffee grinds container Easy to remove stainless steel hot water/ steam pipe Removable drip tray with level indicator Controls Cleaning reminder Intuitive information display LED lights Author integrated storage for accessories Refill coffee bean reminder Water tank empty indicator Water tank empty indicator Functions Americano Coffee strength levels Coffee supply supply voltage Coffee strength levels Coffee supply voltage Coffee supply volta			Latte macchiato	•
Easy to remove coffee grinds container Easy to remove stainless steel hot water/ steam pipe Removable drip tray with level indicator Performance Controls Cleaning reminder Cleaning reminder LED lights All Grinding coarseness Refill coffee bean reminder Water tank empty indicator Pump power Functions Americano Coffee Coffee strength levels Cup size levels Amperage Amperage Personalised coffee . Steam . Steam . Takes pre ground coffee . Coffee temperatures 5 x settings Coffee temperatures 5 x settings Coffee temperatures 5 x settings Coffider Stainless steel conical burr Brinder Grinding coarseness 13 positions Thermablock with stainless steel tube & steenle			Long black	•
Easy to remove stainless steel hot water/ steam pipe Removable drip tray with level indicator Performance Controls Cleaning reminder C	Cleaning		Number of functions	13
steam pipe Removable drip tray with level indicator Performance Controls Celeaning reminder LED lights Autil-language interface Refill coffee bean reminder Water tank empty indicator Functions Americano Americano Coffee strength levels Copysize levels Conical burr Takes pre ground coffee Performance Performance Coffee comparatures S x settings Coffee comparatures Coffee Coffee Coffee Coffee Coffee Coffee strength levels Coffee C	Easy to remove coffee grinds container	•	Personalised coffee	•
Removable drip tray with level indicator Performance Controls Coffee temperatures Coffee temperatures Coffee temperatures Conical burr Conical burr LED lights Multi-language interface Refill coffee bean reminder Water tank empty indicator Functions Americano Coffee Coffe		•		•
Cleaning reminder Cleaning coarseness Cleaning system Cleaning system Cleaning system power (coffee / steam) Cleaning system Cleaning	Removable drip tray with level indicator	•	Takes pre ground coffee	•
Cleaning reminder Correct Stainless steel Confice bean reminder Cleaning system Cleaning coarseness Cleaning system Coffee / steam) Cleaning system power (coffee / steam) Cleaning system power (co	Controls		Performance	
Intuitive information display LED lights 4 Grinding coarseness 13 positions Multi-language interface Thermablock with stainless steel tube & steemer Refill coffee bean reminder Water tank empty indicator Water tank empty indicator Functions Americano Cappuccino Coffee Coffee strength levels Cup size levels Double espresso Eyenctions Amperage Amperage Conical burr Corinder Corinding coarseness Heating system Heating system power (coffee / steam) Integrated cup warmer shelf Integrated storage for accessories Pump power Fump power So Pump pressure 15 Bar Amperage 10 A Double espresso Supply requency Supply voltage 120 V	Controls		Coffee temperatures	5 x settings
LED lights Multi-language interface Multi-language interface Refill coffee bean reminder Water tank empty indicator Functions Americano Coffee Coffee strength levels Cup size levels Double espresso EID lights 4 Grinding coarseness 4 Heating system Heating system power (coffee / steam) Integrated storage for accessories Pump power Pump power Power requirements Amperage 10 A Supply requency Supply voltage 120 V	Cleaning reminder	•	Grinder	Stainless steel
Multi-language interface true Refill coffee bean reminder Refill beautiful coffee	Intuitive information display	•		conical burr
r Pefill coffee bean reminder Petitube & Steamer Pembry indicator Pump power (coffee / steam) Pump power Pequirements Coffee Coffee strength levels Steamer Power requirements Cup size levels Pump power Power requirements Supply requency Supply voltage 120 V Steamer Power requirements Supply voltage Power requirements Supply voltage Steamer Power Sute Power Sute Power Requirements Supply voltage Power Sute Power Sute Power Requirements Supply voltage Power Supply voltage Power Power Power Power Power Power Power Requirements Supply voltage Power Pow	LED lights	4	Grinding coarseness	13 positions
Refill coffee bean reminder Water tank empty indicator Water tank empty indicator Functions Americano Cappuccino Coffee Coffee strength levels Cup size levels Double espresso Espresso Penating system power (coffee / steam) Integrated cup warmer shelf Integrated storage for accessories Pump power Pump pressure Pump pressure Power requirements Amperage 10 A Supply requency Supply voltage 120 V	Multi-language interface	true	Heating system	
Water tank empty indicator Heating system power (coffee / steam) Integrated cup warmer shelf Integrated storage for accessories Functions Americano Cappuccino Coffee Coffee strength levels Cup size levels Double espresso Espresso Heating system power (coffee / steam) Integrated cup warmer shelf Pump power Pump power Pump pressure Power requirements Amperage 10 A Supply requency Supply voltage 120 V	r	•		steel tube &
Integrated cup warmer shelf Integrated storage for accessories Functions Pump power Pump pressure Integrated cup warmer shelf Integrated storage for accessories Pump power Functions Pump pressure Integrated cup warmer shelf Integrated storage for accessories Pump power Power requirements Amperage Integrated storage for accessories Supply requirements Supply frequency Supply voltage Integrated storage for accessories Supply voltage Integrated cup warmer shelf Integrated storage for accessories Supply voltage Integrated storage for accessories Integrated storage for accessories Supply voltage Integrated storage for accessories Integrated storage for accessories Supply voltage Integrated storage for accessories Integrated storage for	Refill coffee bean reminder	•		
Integrated storage for accessories Pump power 50 Americano Pump pressure 15 Bar Cappuccino Coffee Power requirements Cup size levels 4 + manual Double espresso Supply frequency Supply voltage Supply voltage 120 V	Water tank empty indicator	•	Heating system power (coffee / steam)	1200 W
Functions Americano Americano Cappuccino Coffee Coffee strength levels Cup size levels Double espresso Espresso Pump pressure Pump pressure Power requirements Amperage Amperage Supply frequency Supply voltage Supply voltage			Integrated cup warmer shelf	•
Americano Cappuccino Coffee Coffee strength levels Cup size levels Double espresso Espresso Pump pressure Pump pressure Power requirements Amperage Supply frequency Supply voltage 15 Bar 15 Bar 15 Bar Power requirements Supply voltage			Integrated storage for accessories	•
Cappuccino Coffee Coffee strength levels Cup size levels Double espresso Espresso Supply frequency Supply voltage Supply voltage	Functions		Pump power	50
Coffee strength levels 5 Cup size levels 4 + manual Amperage 10 A Double espresso Supply frequency 50 Hz Espresso Supply voltage 120 V	Americano	•	Pump pressure	15 Bar
Coffee strength levels Cup size levels Amperage Amperage 10 A Double espresso Supply frequency Supply voltage 120 V	Cappuccino	•		
Coffee strength levels Cup size levels Amperage Amperage 10 A Double espresso Supply frequency Supply voltage 120 V	Coffee	•		
Double espresso Supply frequency Supply voltage 120 V	Coffee strength levels	5	Power requirements	
Double espresso Supply frequency Supply voltage 50 Hz Supply voltage	Cup size levels	4 + manual	Amperage	10 A
Espresso • Supply voltage 120 V		•	Supply frequency	50 Hz
	·	•	Supply voltage	120 V
	•	•		

Product dimensions

Depth	19 1/8 "
Height	18 1/2 "
Width	29 13/16 "

SKU 81928

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

Other product downloads available at fisherpaykel.com

↓ 2D-DWG Coffee Maker

↓ 2D-DXF Coffee Maker

Archicad Coffee Maker

Installation Guide

Guide d'installation FR

Planning Guide EN - Professional 30" Built-in Ovens and Companions

→ Planning Guide FR - Professional 30" Built-in Ovens and Companions

Planning Guide SP - Professional 30" Built-in Ovens and Companions

Revit Coffee Maker

Rhino Coffee Maker

Sketchup Coffee Maker

User Guide EN

↓ Guide d'utilisation FR

QUICK REFERENCE GUIDE > EB30PSX1 Date: 17.12.2024 > 3

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE
24 Hours 7 Days a Week Customer Support

T 1.888.936.7872 Wwww.fisherpaykel.com