QUICK REFERENCE GUIDE > OR90SCG6B1 Date: 17.12.2024 > 1

90cm Series 9 Classic 5 Burner Dual Fuel Pyrolytic Freestanding Cooker

Series 9 | Classic

Black



Get the best of both worlds with dual fuel. A gas hob with wok burner is paired with a nine-function convection oven.

- Five burner hob with with dual wok burner and two powerful triple ring burners
- Convection oven with 140L capacity and nine oven functions plus rotisserie including Pastry Bake with pizza mode
- · Non-tip full-extension shelves for safe removal of hot dishes


Pyrolytic self-clean that breaks down food residue for an easy clean

DIMENSIONS

Height 898 - 946 mm

Width 897 mm

Depth 600 mm



FEATURES & BENEFITS

Multi-Shelf Cooking

Our AeroTech^{T} system circulates air evenly throughout the entire oven so dishes on the top shelf turn out just as perfectly as food cooking on the bottom shelf.

Quality And Durability

Every detail has been carefully crafted. The solid, perfectly balanced soft-close door, durable hob trivets and glowing halo dials all add up to an exceptional, premium range.

Easy Cleaning

With its durable surface, your hob simply needs a quick wipe after cooking to keep it looking good as new for years to come.

Large Capacity Oven

The generous 140L total capacity oven gives you plenty of space to cook multiple dishes at once.

Even Heat

Accurate, electronically controlled oven heat ensures a great result every time.

Burner Power & Control

Instant and immediate control from the highest to the gentlest heat. The finely tuned cooktop controls let you sear, stir fry or simmer a delicate sauce to perfection.

SPECIFICATIONS

Accessories (included)

Flat wire shelf	•
Full extension sliding shelves	2 sets (par 578744)
Full extension telescopic shelves	2 sets (par 578744)
Grill rack	true
Roasting dish	
Rotisserie set	1 se
Small pot support	1 (part 53398 cast
Step down wire shelf	•

Accessories (sold separately)		Consumption		Soft open/close door	•
Kick strip, black (optional)	KICKOR90B1	Energy usage	1.62kWh/cycle	Twin cavity fans	•
				Warming drawer	•
Burner ratings		Controls		-	
Dual wok burner inner/outer (LPG)	0.3 - 4.5kW	Audio feedback	•	Oven functions	
Dual wok burner inner/outer (natural gas)	0.4 - 4.5kW	Automatic cooking/minute timer	•	Bake	•
Maximum burner power	4.5kW	Automatic pre-set temperatures	•	Energy slow cook	•
Semi-rapid burner (LPG)	1.2kW	Celsius/Fahrenheit temperature	•	Fan bake	•
Semi-rapid burner (natural gas)	1.75kW	Electronic clock	•	Fan forced	•
Total cooktop power	14.9kW	High resolution display	•	fanGrill	•
Triple ring wok burner (LPG) x2	4.0kW	Laser etched graphics	•	Grill	•
Triple ring wok burner (natural gas) x2	4.0kW	Precise electronic temperature control	•	Number of functions	9
,		Sabbath mode	•	Pastry Bake with Pizza mode	•
		Turned stainless steel clock buttons	•	Rapid proof	•
Capacity		Turned stainless steel clock crown (dial)	•	Roast	•
Shelf positions	6			Rotisserie	•
Shelf positions (main oven)	6		_	True convection	•
Total capacity	140 L	Installation Dimensions			
Usable capacity	120 L	Installation cutout dimensions (Depth)	600 mm		
Usable capacity (main oven)	120 L	Installation cutout dimensions (Width)	900 mm	Oven performance	
				CoolTouch door	Quadruple glazed
				Warming drawer power	202 W
Cleaning		Oven features			
Acid resistant graphite enamel	•	AeroTech™ technology	•	Power requirements	
Drop down grill element	•	Automatic rapid pre-heat	•	Power requirements	
Pyrolytic proof shelf runners	•	Bright chromed, cast zinc dials with	•	Amperage	23 A
Pyrolytic self-clean	•	illuminated halos		Supply frequency	50 Hz
Removable oven door	•	Electronic oven control	•		
Removable oven door inner glass	•	Full extension telescopic sliding shelves	•		
Removable shelf runners	•	Internal light	4 x 25W halogen (2 side & 2 top)	Product details	

QUICK REFERENCE GUIDE > OR90SCG6B1 Date: 17.12.2024 > 3

Self Cleaning Sf	Yes	
Product dimensions		
Depth	600 mm	
Height	898 - 946 mm	
Width	897 mm	
Rangetop features		
Brass burner spreader (power burner)	•	
Embossed brass burner cap (power burner)	•	
Hob rail	•	
Hob rear trim	60 mm	
LPG / Natural Gas compatible	•	
Sealed range top	•	
Rangetop Performance		
Number of burners	5	
Safety		
Advanced cooling system	•	
Anti-tilt bracket	•	
Balanced oven door	•	
Catalytic venting system	•	
CoolTouch door	•	
Flame failure system	•	
Full extension telescopic shelves	2 sets (part 578744)	
Full extension telescopic sliding shelves	•	

Non-tip shelves	•
Spill containment	26 L
Warranty	
Parts and labour	5 years
SKU	81699

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

Other product downloads available at fisherpaykel.com

Declaration of Conformity
 Energy Rating
 Service & Warranty
 Installation Guide Dual Fuel Cooker
 Installation Guide - Kick Strip
 Product Information Sheet
 Revit Dual Fuel Cooker
 Rhino Dual Fuel Cooker
 SketchUp Dual Fuel Cooker
 User Guide Dual Fuel Cooker

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE 24 Hours 7 Days a Week Customer Support

T 1800 625174 Wwww.fisherpaykel.com