QUICK REFERENCE GUIDE > RS6019F3LJ1

60cm Series 9 Integrated Triple Zone Freezer, Ice

Series 9 | Integrated

Panel Ready | Left hinge



Pair with the Integrated Triple Zone Refrigerator for the ultimate kitchen solution – this model features three independent food zones taking cooling flexibility to a new level.*

- Customise with your own kitchen cabinetry or purchase our stainless steel door panel accessory
- Three independent food zones, each with adjustable temperature to store different foods
- Panel ready, flush fit design with 4mm gaps and custom height installation

- Internal ice maker with boost feature for busy times
- · Easy-to-use touch-control panel and Wi-Fi capability

DIMENSIONS

Height 1870 mm

Width 592 mm

Depth 576 mm

FEATURES & BENEFITS

Three Levels Of Freshness

When it comes to optimal food preservation, one temperature does not fit all. Three independent food zones give you full control over the way you care for food. The Freezer zone has adjustable temperature from -21°C to -14°C, while the top two compartments can be converted into a Chill (-1.5°C to 0°C), Soft-Freeze (-10°C to -8°C) or Freezer zone (-21°C to -14°C), to best suit different types of food. Adjust temperature for everyday convenience, or to provide additional chilling capacity for special occasions.

Perfect Fit

These models fit flush, with only 4mm gaps around them and no visible hinges or grilles. Our Integrated models can be seamlessly hidden behind your cabinetry, or you can purchase our stainless steel door panel.

Mix & Match

These modular refrigerators and freezers can be mixed and matched, with different sizes and finishes. Installed side by side or individually throughout the kitchen, you can create a cooling solution to suit your lifestyle. Customise with your own kitchen cabinetry and handles, or purchase our stainless steel door panel and handle options.

Chill Mode

Keep ready-to-eat food fresher for longer with Chill mode (-1.5 to O°C). Chill mode is a perfect solution for everyday life. It keeps meats, poultry and fish as cool as possible without freezing, retaining vital freshness and helps food retain its condition. It's also great for entertaining. Set one of the top two compartments to Chill mode to quickly bring beverages down to serving temperature.

Clever Energy

ActiveSmart™ Foodcare learns how you live. It is technology that understands how you use your freezer and adjusts temperature, airflow and humidity inside to help keep food fresher for longer.

Simple Installation

Our Integrated products are easy to install, whether you are renovating your kitchen or designing a new one. Adjustable front and rear feet allow for uneven floors alongside adjustable door panels that can be customised to match your kitchen. These models are designed to easily slide into place as separate units – a perfect fit for European design kitchens.

Ease Of Use

Using the intuitive touch-sensitive control panel, you can easily adjust the temperature to suit. Beautiful to use, the freezer door is family safe with a soft-close mechanism.

SPECIFICATIONS

Accessories (included)

QUICK REFERENCE GUIDE > RS6019F3LJ1

Hinge change (from left hinge to right	•	Smart appliance	•	Power requirements	
hinge)	A IDC101 D	SmartTouch control panel	•	Amperage	10 A
Joiner kit	AJRS19LR			Supply frequency	50 Hz
				Supply voltage	230 V
Accessories (sold separately)		Freezer Features			
Door panel set stainless steel	Right & Left	Automatic ice maker	•		
Door parier set stairness steer	hinge RD6019	Bottle chill	•	Product dimensions	
Handle kit Classic	AHCLRDSF	Door alarm	•	Depth	576 mm
Handle kit Contemporary round, aluminium	AHSRDSF	Fast freeze	•	Height	1870 mm
Handle kit Contemporary square fine,	AHD5RDSF	Freezer bins	4	Width	592 mm
aluminium		Ice Boost	•		
Handle kit Contemporary square fine, black	AHD5RDSFB	Ice making rate per day	1 kg		
Handle kit Professional round flush	AHP3RDSF	LED bin lighting	•	Warranty	
Toe kick stainless steel 1200mm	AKRS12010	LED ceiling lighting	•	Parts and labour	2 years
Toe kick stainless steel 1800mm	AKRS18010	LED side lighting	•	Sealed system parts only	5 years
Toe kick stainless steel 600mm	AKRS06010			Sedica system parts only	o years
		Installation Dimensions			
Capacity		Minimum inside width of cabinetry frame	600 mm	SKU	26199
Total gross capacity	327 L	Minimum internal depth of cabinetry	600 mm		
Volume	303 L	Minimum internal height of cabinetry	1880 mm		
Volume freezer	303 L			The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these	
				dimensions and specifications may change at any check with Fisher & Paykel's Customer Care Centr	
		Performance		correctly describes the model currently available.	
Consumption		ActiveSmart™ Foodcare	•	Appliances Ltd 2020	
Energy rating	3.5 star	Adaptive defrost	•		
Energy usage	272kWh/year	Frost free	•	Other product developed available at fich	ornaukol som
In-use energy carbon emissions estimate 17	77.2kgCO2e/year	Inverter controlled compressor	•	Other product downloads available at fishe	еграукеі.сопі
		Sabbath mode	•	↓ 2D-DWG Integrated Refrigeration - K	08 Hinge
		Triple evaporator	•	 ↓ 2D-DWG Integrated Refrigeration - Ki ↓ 2D-DWG Freezer 	55.mgc
Features		Variable temperature zones	3	↓ 2D-DWG Freezer with Custom Panel	
Adjustable door shelves	2			_	

QUICK REFERENCE GUIDE > RS6019F3LJ1 Date: 06.11.2024 > 3

- 2D-DXF Integrated Refrigeration K08 Hinge
- ↓ 2D-DXF Freezer
- ↓ 2D-DXF Freezer with Custom Panel
- ↓ 2D-DXF Integrated Refrigeration Panel Preparation
- J. Archicad 23 Freezer
- Energy Label Integrated Triple Zone Freezer

- ↓ Planning Guide Integrated Refrigeration
- ↓ Revit 18 Freezer
- I. Rhino 5 Freezer
- I. Rhino 5 Freezer with Custom Panel
- J. Rhino 5 Freezer Door with Classic Round Handle
- J. Rhino 5 Freezer Door with Contemporary Round Handle
- J. Rhino 5 Freezer Door with Professional Round Flush Handle
- ↓ Rhino 5 Freezer Door with Square Fine Black Handle
- Rhino 5 Freezer Door with Square Fine Handle
- Sketchup 8 Freezer
- ↓ Sketchup 8 Freezer with Custom Panel
- ↓ Sketchup 8 Freezer Door with Classic Round Handle
- Sketchup 8 Freezer Door with Contemporary Round Handle
- Sketchup 8 Freezer Door with Professional Round Flush
- Sketchup 8 Freezer Door with Square Fine Black Handle
- Sketchup 8 Freezer Door with Square Fine Handle
- User Guide Integrated Refrigerator & Freezer
- User Guide Integrated Refrigerator Freezer EN

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE 24 Hours 7 Days a Week Customer Support

T 1300 650 590 Wwww.fisherpaykel.com