QUICK REFERENCE GUIDE > RS6121FRJK1 Date: 17.12.2024 > 1

# 61cm Series 11 Integrated Column Freezer, Ice

Series 11 | Integrated

Panel Ready | Right Hinge



Install it separately or pair with another Column for true design freedom – this model is right hinge with stainless steel interior.\*

- Customise with your own kitchen cabinetry or purchase our stainless steel door panel accessory
- ActiveSmart™ technology helps keep food fresher for longer by constantly maintaining the ideal temperature.
- Variable Temperature Zone lets you change a compartment to Freeze, Soft Freeze or Deep Freeze for optimal storage

Internal ice maker with boost feature for busy times

### **DIMENSIONS**

Height 2134 mm
Width 603 mm
Depth 610 mm

## **FEATURES & BENEFITS**

#### Variable Temperature Zones

There's more than one way to freeze food, and different freezing temperatures and techniques affect food care – and your levels of convenience – in different ways. Optimal freezing is a question of what you're storing, how fresh it is, and when you plan to consume it. Change a compartment to Soft Freeze to enjoy maximum everyday convenience, or to Freeze Mode or Deep Freeze Mode to retain natural goodness for future use.

#### DEEP FREEZE MODE

Deep freezing (-25°C) allows food to be stored for months or even years with temperatures that halt bacterial activity. Freezing food quickly is the key to protecting quality and retaining nutrients, so they are not lost when defrosting.

#### Mix & match

Integrated Column Refrigeration gives you the freedom to mix and match. Different sized Column Fridges and Freezers can be installed separately or paired. Finish them with our stainless steel door panels or customise to match your own kitchen cabinetry.

#### Clever Energy

Our ActiveSmart™ Foodcare Refrigerator Freezers adapt to daily use by cooling and defrosting only when needed. This means your refrigeratoruses the energy it needs without compromising on food care.

# Appealing Illumination

Bright LEDs light up each ceiling, shelves, bins and trays in both refrigerator and freezer, making it easy to find your food and creating a welcoming glow in your kitchen for those midnight snacks.

#### **Design Quality**

The premium design and quality finish includes a steel interior lining as well as full-extension metal shelf runners for easy access, and robust glass shelving.

#### Easy Install

Integrated Column Refrigerators and Freezers have been developed to make their installation easy. The joiner kit is included when pairing refrigerators and freezers. All models come with front adjustable levelling feet and they've been designed to easily slide into place as separate units.

#### **SPECIFICATIONS**

#### Accessories (included)

Joiner kit AJ-RS21LR

#### Accessories (sold separately)

Door panel stainless steel Left hinge 610mm

Door panel stainless steel Right hinge 610mm

Handle kit Classic

Handle kit Contemporary round, aluminium

RD6121L10D

RD6121R10D

RD6121R10D

RD6121R10D

AHCLRDSF

Handle kit Contemporary square fine,	AHD5RDSF	Smart appliance	•	Sabbath mode	•
aluminium  Handle kit Contemporary square fine, black	AHD5RDSFB			Variable temperature zones	2
Handle kit Professional round flush	AHP3RDSF	Freezer Features			
Joiner Kit	AJ-RS21LR			Power requirements	
Toe kick stainless steel 1220mm	AKRS12210	Automatic ice maker	•		10.4
Toe kick stainless steel 1372mm	AKRS13710	Bottle chill	•	Rated current	10 A
Toe kick stainless steel 1828mm	AKRS18310	Door alarm	•	Supply frequency	50 Hz
Toe kick stainless steel 1981mm	AKRS19810	Fast freeze	•	Supply voltage	230 - 240 V
Toe kick stainless steel 610mm	AKRS06110	Freezer bins	4		
		Ice Boost	•	Due do et dimensione	
		LED bin lighting	•	Product dimensions	
Capacity		LED ceiling lighting	•	Depth	610 mm
Total gross capacity	368 L	LED side lighting	•	Height	2134 mm
Volume	336 L	SmartTouch interface at counter height	•	Width	603 mm
Volume freezer	336 L				
Volume variable temperature compartment	295 L	Installation Dimensions		Product information	
		Minimum inside width of cabinetry frame	610 mm	Packaged weight	137 kg
Consumption		Minimum internal depth of cabinetry	635 mm	Unpackaged weight	117 kg
Consumption		Minimum internal height of cabinetry	2134 mm		
Energy rating	2.5 star				
Energy usage	452kWh/year			Warranty	
In-use energy carbon emissions estimate	294.4kgCO2e/ year	Performance		Parts and labour	2 years
	•	ActiveSmart™ Foodcare	•	Sealed system parts only	5 years
		Adaptive defrost	•		
Features		Dual evaporator	•		
Adjustable door shelves	4	Frost free	•	CIVII	20100
Adjustable glass cantilevered shelves	•	Frost free freezer	•	SKU	26160
Adjustable glass shelves	4	Inverter controlled compressor	•		
Adjustable half width door shelves	3	Noise emissions	42 dBA		
Front levelling feet	•	Noise emissions class	D		

QUICK REFERENCE GUIDE > RS6121FRJK1 Date: 17.12.2024 > 3

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

#### Other product downloads available at fisherpaykel.com

- 2D-DWG Integrated Refrigeration K05 Hinge
- ↓ 2D-DXF Integrated Refrigeration K05 Hinge
- ↓ Energy Label Integrated Column Freezer
- ↓ Service & Warranty
- Water Filter Replacement Instructions Parts 847200 and 847201 EN
- Installation Guide Integrated Column Refrigerator
- ↓ Planning Guide Integrated Refrigeration EN
- Rhino Integrated Column Freezer
- Rhino Integrated Column Freezer with Door Panel and Contemporary Round Handle
- Rhino Integrated Column Freezer with Door Panel and Contemporary Square Handle
- ↓ Sketchup Integrated Column Freezer
- Sketchup Integrated Column Freezer with Door Panel and Contemporary Round Handle
- Sketchup Integrated Column Freezer with Door Panel and Contemporary Square Handle
- ↓ User Guide Integrated Refrigerator Freezer EN

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE 24 Hours 7 Days a Week Customer Support

T 1300 650 590 Wwww.fisherpaykel.com

# Where applicable: