QUICK REFERENCE GUIDE > WH1160P3 Date: 19.06.2024 > 1

Front Loader Washing Machine, 11kg, Steam Care

Series 7 | Front Load

White



This Fisher & Paykel 11kg washing machine has 13 different fabric care cycles to cater for every type of load.

- Refresh, de-wrinkle and deodorise clothes with no need for a full wash cycle, using Steam Refresh
- Save time or maximise energy efficiency and reduce water usage with the Optimise Wash option
- Quickly and easily add or remove any item from the machine during the wash cycle with the Add a Garment function

- Extra large 11kg capacity within the standard 600mm space
- Delivers a quiet, reliable wash with its unique cushion drum design powered by SmartDrive™ technology

DIMENSIONS

Height	850 mm
Width	600 mm
Depth	675 mm

FEATURES & BENEFITS

Fabric Care Cycles

13 fabric care cycles including Steam Refresh, Quick 30, Bulky and Easy Iron. The specially designed cushioned drum provides a gentle, effective washing action protecting clothes while delivering an optimal wash performance.

Steam Refresh Cycle

Worn something once or had it stored away? Steam Refresh will deodorise, de-wrinkle and make it ready to wear again with no need for a full wash cycle.

Customise Your Wash

Select Speed to shorten wash and rinse times or choose Eco to wash more sustainably with lower temperatures and less water usage.

A Smarter, Quieter Motor

SmartDrive[™] Technology is a gentle, quiet, and efficient combination of smart electronics and a direct drive motor that senses the load to deliver better fabric care.

Approved By Woolmark™

Our Wool cycle is an extra gentle warm wash, perfect for machine washable woollen items. It has a Woolmark $^{\text{TM}}$ guarantee so you can wash with confidence, saving time on hand washing.

Add A Garment

The Add a Garment feature allows you to quickly add or remove any size garment mid cycle. Simply press the Add a Garment button and the door will unlock. If the drum water is too high, just enough will be drained out before the door is unlocked.

Wash Larger Loads

The large 11kg drum can wash both small and large loads as well as bulky items like a king size feather duvet. This saves time as a full week's laundry can be done in just a few loads. Accurate water level sensing makes it highly efficient at washing different load sizes.

Designed To Match

The complete package for a beautiful laundry. The 11kg washing machine is designed to match our 8kg Heat Pump Condensing Dryer or 8kg Condensing Dryer. With outstanding aesthetics and complimentary wash and dry cycles, they become the perfect pair to deliver complete fabric care.

SPECIFICATIONS

Accessories (sold separately) Stacking kit 428159 Capacity Capacity 11 kg

QUICK REFERENCE GUIDE > WH1160P3

Energy usage In-use energy carbon emissions estimate 220.2kgCO2e/ year Water consumption per cycle Water rating 4.5 star (WELS) Maximum spin speed Number of spin speeds Smart Diagnosis of problems SmartDrive™ technology Anti-fungal door gasket Vortex wash Auto out of balance correction Automatic water level Child/Keylock Product dimensions Cold water inlet Delay start Height Excess foam detection Interior light Per Wash Progress indicator Rinse + Smart Day SmartDrive™ motor Parts and labour Rinse + SmartTouch™ control dial Soak Speed mode Spin speeds Stainless steel drum Cottons Delicate	Consumption		Woolmark certified	
In-use energy carbon emissions estimate Water consumption per cycle Water rating 4.5 star (WELS) Maximum spin speed Number of spin speeds Smart Diagnosis of problems Smart Drive™ technology Anti-fungal door gasket Auto out of balance correction Automatic water level Child/Keylock Product dimensions Cold water inlet Delay start Excess foam detection Interior light Pre Wash Progress indicator Rinse + Smart Drive™ motor Interior lock Soak Speed mode Spin speeds Maximum spin speed Maximum spin speed 14 Number of spin speeds Smart Drive™ technology Automatic water level Vortex wash Product dimensions Width Gelliant Frequence Water and labour Parts and labour Parts only SmartDrive™ motor Interior lock Soak Speed mode Spin speeds Stainless steel drum Cottons Delicate	Energy rating	4.5 star	Wrinkle Free	
Water consumption per cycle 94L Load sensing Water rating 4.5 star (WELS) Maximum spin speed 14 Number of spin speeds Smart Diagnosis of problems 5mart Diagnosis of problems Features Smart Diagnosis of problems 5mart Diagnosis of problems Add a garment (immediate door opening) • Steam Care • Vortex wash Auto out of balance correction • Auto out of balance correction • Auto out of balance correction • Product dimensions Colid water inlet • Depth 6 Delay start • Height 8 Excess foam detection • Width 6 Flood protection • Width 6 Interior light • Warranty Per Wash • Warranty Progress indicator • Parts and labour Interior light Parts only SmartDrive™ motor 10 SmartTouch™ control dial • Parts only SmartDrive™ motor 10 Soak • Wash Cycles Spin speeds 5 Bulky Stainless steel drum • Cottons Time to go • Delicate	Energy usage	338kWh/year		
Water rating 4.5 star (WELS) Maximum spin speed Number of spin speeds Smart Diagnosis of problems	In-use energy carbon emissions estimate		Performance	
Number of spin speeds Smart Diagnosis of problems SmartDrive™ technology Add a garment (immediate door opening) Anti-fungal door gasket Auto out of balance correction Automatic water level Child/Keylock Cold water inlet Delay start Delay start Height Sexcess foam detection Interior light Progress indicator Rinse + Parts and labour Rinse + Parts only SmartDrive™ motor Speed mode Spin speeds Stainless steel drum Cottons Time to go Moth the Mothers of problems SmartTouch™ control dial Stainless steel drum Cottons Delicate	Water consumption per cycle	94L	Load sensing	
Smart Diagnosis of problems SmartDrive™ technology Add a garment (immediate door opening) Anti-fungal door gasket Auto out of balance correction Automatic water level Child/Keylock Product dimensions Cold water inlet Delay start Delay start Delay start Delay start Sexcess foam detection Interior light Progress indicator Rinse + Progress indicator Rinse + SmartTouch™ control dial Soak Speed mode Spin speeds Spin speeds Stainless steel drum SmartCouch™ control og March & Cottons SmartDrive™ technology Steam Care Amarchae technology Steam Care Amarchae technology Steam Care Amarchae technology Steam Care Avanta Steam	Water rating	4.5 star (WELS)	Maximum spin speed	1400
SmartDrive™ technology Add a garment (immediate door opening) Anti-fungal door gasket Auto out of balance correction Automatic water level Child/Keylock Product dimensions Cold water inlet Delay start Excess foam detection Interior light Prey Wash Progress indicator Rinse + Parts and labour Rinse + Parts only SmartDrive™ motor Interior dial Soak Speed mode Speed mode Spin speeds Stainless steel drum Time to go March & Cottons Time to go March & Cott			Number of spin speeds	
SmartDrive™ technology Add a garment (immediate door opening) Anti-fungal door gasket Vortex wash Auto out of balance correction Automatic water level Child/Keylock Cold water inlet Delay start Excess foam detection Interior light Pre Wash Progress indicator Rinse + SmartTouch™ control dial Soak Speed mode Spin speeds Stainless steel drum Time to go Month Attains Vortex wash Porotex wash Product dimensions Depth Width Froduct dimensions Wortex wash Product dimensions Very dimensions Parts and labour Parts and labour Parts only SmartDrive™ motor Interior light Parts only SmartDr			Smart Diagnosis of problems	
Anti-fungal door gasket Auto out of balance correction Automatic water level Child/Keylock Cold water inlet Delay start Excess foam detection Interior light Progress indicator Rinse + Parts and labour SmartTouch™ control dial Soak Speed mode Spin speeds Stainless steel drum Vortex wash Product dimensions Depth Width Width Berduct dimensions Product dimensions Weith Product dimensions Pepth Width Berduct dimensions Parth Par	Features		SmartDrive™ technology	
Auto out of balance correction Automatic water level Child/Keylock Product dimensions Cold water inlet Depth Height Excess foam detection Width Flood protection Interior light Pre Wash Progress indicator Rinse + Progress indicator Rinse + Parts and labour SmartTouch™ control dial Soak Speed mode Spin speeds Stainless steel drum Cottons Time to go Water attribuch and a speed	Add a garment (immediate door opening)	•	Steam Care	
Automatic water level Child/Keylock Cold water inlet Delth Excess foam detection Flood protection Interior light Pre Wash Progress indicator Rinse + Parts and labour SmartTouch™ control dial Soak Speed mode Spin speeds Stainless steel drum Time to go Month to the food product dimensions Pepth Product dimensions Pepth Width Automatic water level Width Wath Bepth Width Fleight Automatic width Parts and labour Parts only SmartDrive™ motor Interior light Cottons Bulky Cottons Time to go Month to go Month to go Policate	Anti-fungal door gasket	•	Vortex wash	
Child/Keylock Cold water inlet Depth Height Excess foam detection Flood protection Interior light Pre Wash Progress indicator Rinse + SmartTouch™ control dial Soak Speed mode Spin speeds Stainless steel drum Pre to go Warch Product dimensions Depth A Bepth A Beight Width Width Width Warranty Warranty Parts and labour Parts only SmartDrive™ motor Wash Cycles Bulky Cottons Time to go Wash Cycles	Auto out of balance correction	•		
Cold water inlet Cold water inlet Delay start Height Excess foam detection Width Flood protection Interior light Pre Wash Progress indicator Rinse + Parts and labour Rinse + Parts only SmartDrive™ motor SmartTouch™ control dial Soak Speed mode Spin speeds Spin speeds Stainless steel drum Time to go Wash Cycles Delicate	Automatic water level	•		
Delay start Pepth Excess foam detection Width Flood protection Interior light Pre Wash Progress indicator Rinse + Parts and labour Parts only SmartDrive™ motor SmartTouch™ control dial Soak Speed mode Spin speeds Spin speeds Stainless steel drum Cottons Time to go Wash Cycles Delicate	Child/Keylock	•	Product dimensions	
Excess foam detection Flood protection Interior light Pre Wash Progress indicator Rinse + SmartTouch™ control dial Soak Speed mode Spin speeds Spin speeds Stainless steel drum Time to go Width Width Width Wath Parts only Warranty Parts only SmartDrive™ motor Mash Cycles Bulky Cottons Delicate	Cold water inlet	•	Depth	675
Flood protection Interior light Pre Wash Progress indicator Rinse + SmartTouch™ control dial Soak Speed mode Spin speeds Spin speeds Stainless steel drum Time to go Warranty Parts and labour Parts only SmartDrive™ motor Wash Cycles Bulky Cottons Delicate	Delay start	•	Height	850
Interior light Pre Wash Progress indicator Rinse + SmartTouch™ control dial Soak Speed mode Spin speeds Spin speeds Stainless steel drum Time to go Wash Cycles Delicate	Excess foam detection	•	Width	600
Pre Wash Progress indicator Parts and labour Parts only SmartDrive™ motor SmartTouch™ control dial Soak Speed mode Spin speeds Spin speeds Stainless steel drum Time to go Wash Cycles Delicate	Flood protection	•		
Progress indicator Rinse + Parts and labour Parts only SmartDrive™ motor SmartTouch™ control dial Soak Speed mode Wash Cycles Spin speeds Spin speeds Stainless steel drum Cottons Time to go Parts and labour	Interior light	•		
Rinse + Parts only SmartDrive™ motor SmartTouch™ control dial Soak Speed mode Wash Cycles Spin speeds Stainless steel drum Cottons Time to go Parts only SmartDrive™ motor Id Cottons Delicate	Pre Wash	•	Warranty	
SmartTouch™ control dial Soak Speed mode Speeds Spin speeds Stainless steel drum Time to go SmartTouch™ control dial Wash Cycles Bulky Cottons Delicate	Progress indicator	•	Parts and labour	2 y
Speed mode Speeds Spin speeds Stainless steel drum Cottons Time to go Delicate	Rinse +	•	Parts only SmartDrive™ motor	10 y
Speed mode • Wash Cycles Spin speeds 5 Bulky Stainless steel drum • Cottons Time to go • Delicate	SmartTouch™ control dial	•		
Spin speeds 5 Bulky Stainless steel drum Cottons Delicate	Soak	•		
Stainless steel drum Cottons Time to go Delicate	Speed mode	•	Wash Cycles	
Time to go • Delicate	Spin speeds	5	Bulky	
Mach +	Stainless steel drum	•	Cottons	
Wash + • Drum Clean	Time to go	•	Delicate	
	Wash +	•	Drum Clean	
Water supply Cold Everyday	Water supply	Cold	Everyday	
	Water temperature controls	5	-	

Favourite	•
Heavy	•
Number of wash cycles	13
Quick 15	•
Quick 30	•
Rinse	•
Spin	•
Steam Refresh	•
Wool	•

SKU 92280

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

Other product downloads available at fisherpaykel.com

Energy & Water Label

Service & Warranty

Installation Guide

User Guide

Where applicable:

QUICK REFERENCE GUIDE > WH1160P3

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE 24 Hours 7 Days a Week Customer Support

T 1300 650 590 Wwww.fisherpaykel.com