QUICK REFERENCE GUIDE > RS6121WRUE1 Date: 12.02.2025 > 1

61cm Series 11 Integrated Refrigerator Freezer, Ice & Water

Series 11 | Integrated

Panel Ready | Right Hinge




Experience the pinnacle of refrigeration design with our most advanced model. Featuring a right hinge and an elegant interior, this Column embodies premium functionality and style. Designed to optimise energy efficiency, it seamlessly integrates alone or paired with another Column.

- With a premium interior for a refined look and feel, this model is the highlight of our Integrated Columns collection
- · Designed to optimise energy performance and efficiency

- Flexible storage with two Variable Temperature Zones: choose Pantry, Fridge, Soft Freeze or Freezer mode
- Mix and match columns, install separately or pair, and customise with cabinetry or stainless steel panels

DIMENSIONS

Height 2134 mm
Width 603 mm
Depth 610 mm



FEATURES & BENEFITS

Premium interior

Our Series 11 Columns are designed with a premium interior that balances form and function. Every element, from the seamless finish to the considered interior lighting, creates a sleek, understated aesthetic that integrates effortlessly into any kitchen.

Clever energy

With highly efficient vacuum insulation reducing heat transfer, this fridge uses only the energy it needs while keeping your food fresher for longer.

Variable Temperature Zones

When it comes to optimal food preservation, one temperature doesn't fit all. With Variable Temperature Zones, you can create the ideal climate for different types of food and drinks. Switch a compartment to Fridge, Pantry, or Chill Mode for everyday convenience, or adjust the settings to provide extra capacity when needed.

Mix & Match

Integrated Column Refrigeration offers the flexibility to mix and match. Choose from different-sized Column Fridges and Freezers that can be installed individually or paired together. Complete the look with your own customized door panels to blend seamlessly with your kitchen cabinetry, or purchase our stainless steel door panels.

Perfect Fit

These models fit flush and have only 3mm gaps around them with no visible hinges or grilles. Our Integrated models can be seamlessly hidden behind your cabinetry for an understated and clean look with any kitchen layout.

Deep Freeze Mode

Deep freezing (-25°C) halts bacterial activity, allowing food to be stored safely for extended periods. Freezing food quickly helps to protect quality and retain nutrients, ensuring they are preserved when defrosted.

Easy install

Integrated Column Refrigerators and Freezers have been developed to make installation easy. The joiner kit is included when pairing refrigerators and freezers. All models come with front-adjustable levelling feet and they've been designed to easily slide into place as separate units.

SPECIFICATIONS

| Accessories (sold separately) | |
|---|--------------|
| Door panel stainless steel Left hinge 610mm | RD6121WLD |
| Door panel stainless steel Right hinge 610mm | RD6121WRD |
| Handle kit Classic | AHCLRD6121W |
| Handle kit Contemporary round, aluminium | AHSRD6121W |
| Handle kit Contemporary square fine, aluminium | AHD5RD6121W |
| Handle kit Contemporary square fine, black | AHD5RD6121WB |
| Handle kit Professional round flush | AHP3RD6121W |
| Joiner kit | AJ-RS21LR |
| Toe kick stainless steel 1067mm | AKRS10710 |
| Toe kick stainless steel 1220mm | AKRS12210 |
| Toe kick stainless steel 1372mm | AKRS13710 |
| Toe kick stainless steel 1828mm | AKRS18310 |
| Toe kick stainless steel 1981mm | AKRS19810 |
| Toe kick stainless steel 610mm | AKRS06110 |
| Capacity | |
| Volume | 342 L |
| Volume freezer | 115 L |
| Volume refrigerator | 227 L |

| Features | | | |
|---|--------|---------------------|--|
| Adjustable door shelves | | | |
| Adjustable glass cantilevered shelves Door alarm Front levelling feet Full extension runners Internal water dispenser Keylock LED ceiling lighting Soft-close fruit and vegetable bins Water Filter | 847200 | | |
| | | Freezer Features | |
| | | Automatic ice maker | |
| | | Bottle chill | |
| | | - I | |
| | | Door alarm | |
| | | Past freeze | |
| | | | |
| | | Fast freeze | |
| Fast freeze Ice bin and scoop | | | |
| Fast freeze Ice bin and scoop Ice Boost | | | |
| Fast freeze Ice bin and scoop Ice Boost Performance | | | |
| Fast freeze Ice bin and scoop Ice Boost Performance ActiveSmart™ Foodcare | | | |
| Fast freeze Ice bin and scoop Ice Boost Performance ActiveSmart™ Foodcare Adaptive defrost | | | |
| Fast freeze Ice bin and scoop Ice Boost Performance ActiveSmart™ Foodcare Adaptive defrost Dual evaporator | | | |
| Fast freeze Ice bin and scoop Ice Boost Performance ActiveSmart™ Foodcare Adaptive defrost Dual evaporator Frost free | | | |

| Power requirements | |
|---|------------------|
| Rated current | 10 A |
| Supply frequency | 50 Hz |
| Supply voltage | 230 V |
| Product dimensions | |
| Depth | 610 mm |
| Height | 2134 mm |
| Width | 603 mm |
| | |
| Warranty | |
| Parts and labour | 1 year |
| | |
| SKU | 26921 |
| The product dimensions and specifications in this pag product and model. Under our policy of continuous im dimensions and specifications may change at any time | provement, these |

check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

Other product downloads available at fisherpaykel.com



2D-DWG Integrated Refrigeration - K05 Hinge



2D-DWG Integrated Refrigeration



2D-DXF Integrated Refrigeration - K05 Hinge



2D-DXF Integrated Refrigeration



2D-DXF Panel Preparation

QUICK REFERENCE GUIDE > RS6121WRUE1

- $\overline{\mathbf{\Lambda}}$
- Declaration of Conformity ZH
- ↓ Service & Warranty
- ↓ Planning Guide ZH
- ↓ Planning Guide Integrated Refrigeration EN
- ↓ Revit 20 Refrigerator Freezer
- ↓ Rhino 6 Refrigerator Freezer
- ↓ SketchUp Refrigerator Freezer

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.