QUICK REFERENCE GUIDE > RDV3-304-N

30" Series 9 Professional 4 Burner Dual Fuel Self-Cleaning Range, Natural Gas

Series 9 | Professional

Stainless Steel | Natural Gas




Get the best of gas and convection technology in this striking range with intuitive touchscreen and specialized cooking functions.

- Guided cooking using your touchscreen makes it simple to cook by food, function or recipe.
- Top burner heat of 22,500 BTU, for seriously fast boiling
- · 4 cu ft total oven capacity

Beautiful LED halo-illuminated dials provide information at a glance

DIMENSIONS

Height 35 3/4 - 36 3/4 "
Width 29 7/8 "
Depth 29 1/8 "



FEATURES & BENEFITS

Cook With Confidence

Our touchscreen interface provides an intuitive guided cooking experience that helps deliver perfect results, whether you've been cooking all your life or just starting out. Cook with a favorite method, a hero ingredient, or a go-to cooking function or recipe. The screen tilts for improved ergonomics and optimal visibility while cooking.

Generous Capacity

Featuring a generous total capacity of 4 cu ft, with enough room to fit a 26 lb turkey, or to cook several dishes at once.

Cooking Flexibility

No matter what you're cooking, you've got the right heat to get perfect results. Each of the 15 oven functions have been extensively researched and carefully designed to cater to a broad range of dishes and cooking styles. The handy food probe helps you monitor your progress.

Cooktop Power

Sealed dual flow burners deliver cooktop power up to 22,500 BTU for seriously fast boiling, and precise 140°F full surface, low temperature cooking with the gentlest of flames

Design Quality

This range has craftsmanship in every detail, with real stainless steel, cast-iron grates, and beautifully weighted, halo illuminated dials. Each cavity features incandescent lights and full extension telescopic racks. From the robust legs to the powerful cooktop, this Range is built to last.

Easy To Clean

The oven features a self-cleaning function and self-clean proof side racks, which don't need to be removed when using this function.

SPECIFICATIONS

Accessories (included)

Adjustable feet covers •

Branded coin end cap

Accessories (sold separately)

Square handle option AH-R30

QUICK REFERENCE GUIDE > RDV3-304-N

Wok grate included	No	Precise cooking with food probe	•	Classic bake	•
		Recipe and food based functions	•	Clean	•
		Sabbath mode	•	Convection bake	•
Burner ratings		Smart appliance	•	Convection Broil	•
Maximum burner power	22500 BTU	Tilting touch screen interface	•	Dehydrate	•
Power back left	18500BTU			Dehydrate	•
Power back right	18500BTU			Maxi Broil	•
Power front left	22500BTU	Gas Requirements		Number of functions	15
Power front right	18500BTU	Fitting and pipe	½ NPT, min. 5%″ 🛚	Pastry bake	•
Total cooktop power	78000 BTU		flex line	Pizza bake	•
		Supply Pressure (natural gas)	6" to 9" W.C	Rapid proof	•
				Roast	•
Capacity		Main oven functions		Slow cook	•
Shelf positions	5	riam oven functions		True convection	•
		Warm	•	Warm	•
Cleaning		Oven features			
Easy clean porcelain basepan	•	Overrieatures		Oven performance	
Pyrolytic self-clean	•	Auto re-ignition system	•	Bake power	3500
		Broil pan	•	Main oven - True convection power	2500 W
		Concealed element	•		
Consumption		Electronic oven control	•		
Energy usage	490kWh/year	Food probe	•	Power requirements	
		Full extension telescopic sliding shelves	•	Connection	4-prong
		Internal light	true		grounding type [NEMA 14-50
Controls		Self-clean proof side racks	•		plug]
Dial with illuminated halo	•	Titanium coated, illuminated metal dials	•	Service	30 A
Electric circuit	4 wire			Supply	120 / 240 V, 60 Hz
High resolution display	•	Oven functions			112
Metal illuminated dials	•				
Multi-language interface	•	Air fry	•	Product details	
		Bake	•		

QUICK REFERENCE GUIDE > RDV3-304-N Date: 17.10.2024 > 3

Self Cleaning Sf Yes Product dimensions 29 1/8 " Depth Depth (excluding handles) 2918 mm 35 3/4 - 36 3/4 " Height Width 29 7/8 " Rangetop features Sealed range top Vent trim included Recommended Back Guards Ventilation Combustible situation BGRV3-3030H

Non combustible situation

BGRV2-3030 / BGRV2-1230

Recommended hood

HCB30-6_N
(Professional Range Hood)

Safety

ADA compliant

Full extension telescopic sliding shelves

Secondary oven features

Food probe •

SKU 82943

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

Other product downloads available at fisherpaykel.com

2D-DWG Dual Fuel Range

2D-DXF Dual Fuel Range with Backguard-BGRV2-1230

2D-DXF Dual Fuel Range with Backguard BGRV2-3030

2D-DXF Dual Fuel Range

ArchiCAD Dual Fuel Range

↓ Energy Label Dual Fuel Cooker

Service & Warranty

Revit Dual Fuel Range

- -

Rhino Dual Fuel Range

SketchUp Dual Fuel Range

User Guide Professional Range EN

Guide d'utilisation FR

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE 24 Hours 7 Days a Week Customer Support

T 1.888.936.7872 Wwww.fisherpaykel.com