QUICK REFERENCE GUIDE > OR90SCG1X1 Date: 17.12.2024 > 1

# 90cm Series 5 Classic 5 Burner Dual Fuel Cooker

Series 5 | Classic

Stainless Steel



Get the best of both worlds with dual fuel. A gas cooktop with wok burner is paired with a seven-function convection oven.


- · Five burner gas cooktop, with precise heat control
- Convection oven with 140L total capacity and seven oven functions
- Optional non-tip full-extension shelves for safe removal of hot dishes

**DIMENSIONS** 

 Height
 898 - 946 mm

 Width
 897 mm

 Depth
 600 mm



# **FEATURES & BENEFITS**

# **Quality And Durability**

Every detail has been carefully crafted, from the solid balanced door to the durable cooktop trivets and large capacity oven.

# Impressive Capacity

With an extra large 140L capacity, this range has plenty of space for cooking multiple dishes at the same time.

### **Burner Power & Control**

Instant and immediate control from the highest to the gentlest heat. The finely tuned cooktop controls let you sear and stir fry over powerful heat, or simmer a delicate sauce to perfection.

#### Even Heat

Dishes on the top shelf turn out as perfectly as the ones on the bottom, due to our  $AeroTech^{TM}$  convection system that circulates air evenly throughout the entire oven.

#### Easy To Clean

Your cooktop simply needs a quick wipe to keep it looking good as new, as the gas cooktop is made from a single piece of stainless steel that contains spills. The oven door, its inner pane of glass and runners can also be removed for easy cleaning.

#### Safe And Sound

The door and cavity cooling system keeps the heat on the inside, protecting your hands and surrounding cabinetry. The flame failure safety device automatically turns off the gas if the flame is accidentally extinguished.

## **SPECIFICATIONS**

## Accessories (included)

(	Chromed shelf runners	1 set
ı	Flat wire shelf	1
ı	Roasting dish	1
	Small pot support	1 (part 533981)
	Square foot covers, stainless steel	1
	Step down wire shelf	•

## Accessories (sold separately)

Full extension sliding shelves	Optional (part 578744)	Removable oven door inner glass	•	fanGrill	•
Full extension telescopic shelves	Optional (part	Removable shelf runners	•	Grill Number of functions	• 7
	578744)				,
Kick strip, stainless steel (optional)	KICKOR90X1	Controls		True convection  Warm	•
		Audio feedback		vvarri	
Burner ratings		Automatic cooking/minute timer	•		
-		Celsius/Fahrenheit temperature	•	Oven performance	
Auxiliary burner (LPG)	3.9MJ/h	Electronic clock	•	CoolTouch door	Double glazed
Auxiliary burner (natural gas)	3.9MJ/h	Laser etched graphics		Coorroad addi	Double glazeu
Maximum burner power	16.2MJ/h	Turned stainless steel clock buttons			
Rapid burner (LPG)	11.8MJ/h	Turned Stainless Steel Clock puttons	•	Power requirements	
Rapid burner (natural gas)	11.5MJ/h			•	
Semi-rapid burner (LPG) x2	5.8MJ/h	Installation Dimensions		Amperage	14 A
Semi-rapid burner (natural gas) x2	6.5MJ/h	installation Dimensions		Supply frequency	50 Hz
Total cooktop power	44.6MJ/h	Installation cutout dimensions (Depth)	600 mm	Supply voltage	220 - 240 V
Wok burner (LPG)	14.9MJ/h	Installation cutout dimensions (Width)	900 mm		
Wok burner (natural gas)	16.2MJ/h			Product dimensions	
		Oven features		Depth	600 mm
Capacity		AeroTech™ technology	•	Height	898 - 946 mm
Shelf positions	6	Internal light	2 x 25W halogen (side)	Width	897 mm
Shelf positions (main oven)	6	Storage compartment	(side)		
Total capacity	140 L	True convection	•	_	
Usable capacity	121 L		· · · · · · · · · · · · · · · · · · ·	Rangetop features	
Usable capacity (main oven)	121 L	Twin cavity fans	•	Hob rear trim	60 mm
				LPG / Natural Gas compatible	•
		Oven functions		Sealed range top	•
Cleaning		Paka			
Acid resistant graphite enamel	•	Bake	•		
Drop down grill element	•	Defrost	•	Rangetop Performance	
Removable oven door	•	Fan bake	•	Number of burners	5
		Fan forced	•		

QUICK REFERENCE GUIDE > OR90SCG1X1 Date: 17.12.2024 > 3

## Safety

Warranty

Parts and labour

Advanced cooling system	•
Anti-tilt bracket	•
Balanced oven door	•
CoolTouch door	•
Flame failure system	•
Full extension telescopic shelves	Optional (part 578744)
Non-tip shelves	•
Spill containment	26 L

SKU 81678

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

## Other product downloads available at fisherpaykel.com

Installation Guide

Installation Guide - Kick Strip

Revit Dual Fuel Cooker

Rhino Dual Fuel Cooker



Sketchup Dual Fuel Cooker



User Guide Dual Fuel Cooker

# Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



2 years

A PEACE OF MIND SALE 24 Hours 7 Days a Week Customer Support

T 1300 650 590 Wwww.fisherpaykel.com