QUICK REFERENCE GUIDE > OR90SCI6B1 Date: 30.10.2024 > 1

# 90cm Series 9 Classic 5 Zone Induction Pyrolytic Cooker, 2 SmartZones

Series 9 | Classic

Black



With large oven and cooktops that can be paired to create an expansive cook zone, this freestanding cooker is made for those who love to cook.

- Five cooking zones that can be bridged to form SmartZones
- Convection oven with 140L total capacity, nine oven functions plus rotisserie, including Pastry Bake with pizza mode and rapid proof for making bread


- Non-tip full-extension shelves for safe removal of hot dishes
- High-temperature self-cleaning function breaks down food residue for an easy clean

# **DIMENSIONS**

 Height
 898 - 946 mm

 Width
 897 mm

 Depth
 600 mm



#### **FEATURES & BENEFITS**

## Multi-Shelf Cooking

Our AeroTech<sup>TM</sup> system circulates air evenly throughout the entire oven so dishes on the top shelf turn out just as perfectly as food cooking on the bottom shelf.

## Quality And Durability

Every detail has been carefully crafted. The solid, perfectly balanced soft-close door, durable cooktop and glowing halo dials all add up to an exceptional, premium range.

#### Power & Control

Instant and immediate control from the highest to the gentlest heat. The finely tuned cooktop controls let you sear, stir fry or simmer a delicate sauce to perfection.

## Easy To Clean

Cleaning up spills is effortless. Your cooktop simply needs a quick wipe to keep it looking good as new. The pyrolytic self-clean oven cycle breaks down food residue at a very high temperature, leaving a light ash that's easily removed with a damp cloth.

# **Complementary Design**

Combining traditional aesthetics and modern performance, this Classic style freestanding range cooker is the perfect centrepiece for your unique kitchen design.

## Large Capacity Oven

The generous 140L total capacity oven gives you plenty of space to cook multiple dishes at once.

## **Multi-Function Flexibility**

No matter what you are cooking, you have the right heat to match thanks to nine oven functions plus Rotisserie, including Pastry Bake with Pizza Mode and Rapid Proof for making bread.

#### Large, Flexible Cooking Area

SmartZone links two cooking zones and controls them as one, giving you the flexibility to use large pans and griddles and easily handle bigger food items such as a whole fish.

#### **SPECIFICATIONS**

Accessories (included)		Removable oven door inner glass	•	Internal light	4 x 25W halogen (2 side & 2 top)
Flat wire shelf	1	Removable shelf runners	•	Soft open/close door	(2 side & 2 top)
Full extension sliding shelves	2 sets (part 578744)			Twin cavity fans	•
Full extension telescopic shelves	2 sets (part 578744)	Controls		Warming drawer	•
Grill rack	true	Audio feedback	•		
Roasting dish	1	Automatic cooking/minute timer	•	Oven functions	
Rotisserie set	1 set	Automatic pre-set temperatures	•	Della	
Step down wire shelf	•	Celsius/Fahrenheit temperature	•	Bake	•
Step down wife shell	•	Electronic clock	•	Fan bake	•
		High resolution display	•	Fan forced	•
Accessories (sold separately)		Laser etched graphics	•	Fan grill	•
	I/IO//ODOOD1	Precise electronic temperature control	•	Grill	•
Kick strip, black (optional)	KICKOR90B1	Sabbath mode	•	Number of functions	9
Kick strip, red (optional)	KICKOR90R1	Toughened fused glass graphics	•	Pastry Bake with Pizza mode	•
Kick strip, stainless steel (optional)	KICKOR90X1	Turned stainless steel clock buttons	•	Rapid proof	•
Kick strip, white (optional)	KICKOR90W1	Turned stainless steel clock crown (dial)	•	Roast	•
				Rotisserie	•
Capacity		Installation Dimensions			
Shelf positions	6	installation difficulties		Oven performance	
Shelf positions (main oven)	6	Installation cutout dimensions (Depth)	600 mm	CoolTouch door	Quadruple glazed
Total capacity	140 L	Installation cutout dimensions (Width)	900 mm	Warming drawer power	202 W
Usable capacity	120 L			warring drawer power	202
		Oven features			
Cleaning		AeroTech™ technology	•	Power requirements	
Cleaning		Automatic rapid pre-heat	•	Amperage	68 A
Acid resistant graphite enamel	•	Bright chromed, cast zinc dials with	•	Supply frequency	50 Hz
Drop down grill element	•	illuminated halos		Supply voltage	220 - 240 V
Flat easy clean glass surface	•	Convection	•		
Pyrolytic self-clean	•	Electronic oven control	•		
Removable oven door	•	Full extension telescopic sliding shelves	•	Product dimensions	

QUICK REFERENCE GUIDE > OR90SCI6B1 Date: 30.10.2024 > 3

Depth	600 mm	CoolTouch door •			
Height	898 - 946 mm	Full extension telescopic shelves	2 sets (part		
Width	897 mm		578744)		
		Full extension telescopic sliding shelves	•		
		Non-tip shelves	•		
Rangetop features		Pan detection system	•		
Auto heat reduce	•	Safety time out •			
Dual colour display	•	Spill containment	12 L		
Gentle heat	•	Spillage auto off			
Heat settings	9	Surface hot indicators	•		
Hob rail	•				
Hob rear trim	60 mm	Warranty			
Induction cooking technology	•	•			
SmartZone	1	Parts and labour	2 years		
Zone bridging	•				
Rangetop Performance		SKU	81694		
Centre	2300 W				
Left front	1600 W	The product dimensions and specifications in this page product and model. Under our policy of continuous in			
Left rear	2100 W dimensions and specifications may change at any time. You should therefore				
Number of cooking zones	5	check with Fisher & Paykel's Customer Care Centre to correctly describes the model currently available. © F			
PowerBoost	•	Appliances Ltd 2020			
Safety		Other product downloads available at fisherp	paykel.com		
Advanced cooling system	•				
Anti-tilt bracket	•	Service & Warranty			
Balanced oven door		<ul> <li>✓ Installation Guide Freestanding Cooker</li> <li>✓ Installation Guide - Kick Strip</li> </ul>			
Catalytic venting system	•	<ul><li></li></ul>			
Child lock	•	↓ Rhino Freestanding Cooker			



Sketchup Freestanding Cooker



User Guide Freestanding Cooker

# Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE 24 Hours 7 Days a Week Customer Support T 0800 372 273 Wwww.fisherpaykel.com