61cm Series 11 Integrated Column Freezer, Ice

Carico 11	Interveted	
Series 11	Integrated	
Panel Ready	Left hinge	


Install it separately or pair with another Column for true design freedom – this model is left hinge with stainless steel interior.

- ActiveSmart™ technology helps keep food fresher for longer by constantly maintaining the ideal temperature.
- Variable Temperature Zone lets you change a compartment to Freeze, Soft Freeze or Deep Freeze for optimal storage
- Internal ice maker with boost for busy times

Customise with your own kitchen cabinetry or purchase our stainless steel door panel accessory

DIMENSIONS





FEATURES & BENEFITS

Variable Temperature Zones

There's more than one way to freeze food, and different freezing temperatures and techniques affect food care – and your levels of convenience – in different ways. Optimal freezing is a question of what you're storing, how fresh it is, and when you plan to consume it. Change a compartment to Soft Freeze to enjoy maximum everyday convenience, or to Freeze Mode or Deep Freeze Mode to retain natural goodness

DEEP FREEZE MODE

for future use.

Deep freezing (-25°C) allows food to be stored for months or even years with temperatures that halt bacterial activity. Freezing food quickly is the key to protecting quality and retaining nutrients, so they are not lost when defrosting.

Mix & match

Integrated Column Refrigeration gives you the freedom to mix and match. Different sized Column Fridges and Freezers can be installed separately or paired. Finish them with our stainless steel door panels or customise to match your own kitchen cabinetry.

Clever Energy

Our ActiveSmart[™] Foodcare Refrigerator Freezers adapt to daily use by cooling and defrosting only when needed. This means your refrigeratoruses the energy it needs without compromising on food care.

Appealing Illumination

Bright LEDs light up each ceiling, shelves, bins and trays in both refrigerator and freezer, making it easy to find your food and creating a welcoming glow in your kitchen for those midnight snacks.

Design Quality

The premium design and quality finish includes a steel interior lining as well as full-extension metal shelf runners for easy access, and robust glass shelving.

Easy Install

QUICK REFERENCE GUIDE > RS6121FLJK1

Integrated Column Refrigerators and Freezers have been developed to make their installation easy. The joiner kit is included when pairing refrigerators and freezers. All models come with front adjustable levelling feet and they've been designed to easily slide into place as separate units.

SPECIFICATIONS

Accessories (included)

Joiner kit

Accessories (sold separately)

Door panel stainless steel Left hinge 610mm	RD6121L10D
Door panel stainless steel Right hinge 610mm	RD6121R10D
Handle kit Classic	AHCLRDSF
Handle kit Contemporary round, aluminium	AHSRDSF
Handle kit Contemporary square fine, aluminium	AHD5RDSF
Handle kit Contemporary square fine, black	AHD5RDSFB
Handle kit Professional round flush	AHP3RDSF
Joiner kit	AJ-RS21LR
Toe kick stainless steel 1220mm	AKRS12210
Toe kick stainless steel 1372mm	AKRS13710
Toe kick stainless steel 1828mm	AKRS18310
Toe kick stainless steel 1981mm	AKRS19810
Toe kick stainless steel 610mm	AKRS06110

Capacity

Total gross capacity	
Volume	

Volume freezer 336 L Volume variable temperature compartment 295 L

Consumption

Energy rating	2.5 star
Energy usage	452kWh/year
In-use energy carbon emissions estimate	61.2kgCO2e/year

Features

AJ-RS21LR

368 L 336 L

Adjustable door shelves
Adjustable glass cantilevered shelves
Adjustable glass shelves
Adjustable half width door shelves
Front levelling feet
Smart appliance

Freezer Features

Automatic ice maker
Bottle chill
Door alarm
Fast freeze
Freezer bins
Ice Boost
LED bin lighting
LED ceiling lighting
LED side lighting
SmartTouch interface at counter height

Installation Dimensions

Minimum inside width of cabinetry frame	610 mm
Minimum internal depth of cabinetry	635 mm
Minimum internal height of cabinetry	2134 mm

Performance

4

4

3

4

ActiveSmart™ Foodcare	•
Adaptive defrost	•
Dual evaporator	•
Frost free	•
Frost free freezer	•
Inverter controlled compressor	•
Noise emissions	42 dBA
Noise emissions class	D
Sabbath mode	•
Variable temperature zones	2

Power requirements

Rated current Supply frequency Supply voltage	10 A 50 Hz 230 - 240 V
	230 240 1
Product dimensions	
Depth	
Deptil	610 mm
Height	610 mm 2134 mm

QUICK REFERENCE GUIDE > RS6121FLJK1

Product information

Packaged weight Unpackaged weight	137 kg 117 kg
Warranty	
Parts and labour	2 years
Sealed system parts only	5 years

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

Other product downloads available at fisherpaykel.com

- 2D-DWG Integrated Refrigeration K05 Hinge
- ↓ 2D-DWG Integrated Column Freezer
- ↓ 2D-DXF Integrated Refrigeration K05 Hinge
- ↓ 2D-DXF Integrated Column Freezer
- Energy Label Integrated Column Freezer
- 🚽 🛛 Energy Rating
- Service & Warranty
- ↓ Water Filter Replacement Instructions Parts 847200 and 847201 EN
- Installation Guide Integrated Column Refrigerator
- Planning Guide Integrated Refrigeration EN
- Revit Integrated Column Freezer

Rhino Integrated Column Freezer

- ↓ Rhino Integrated Column Freezer with Door Panel and Contemporary Round Handle
- ↓ Rhino Integrated Column Freezer with Door Panel and Contemporary Square Handle
- Sketchup Integrated Column Freezer
- Sketchup Integrated Column Freezer with Door Panel and Contemporary Round Handle
- Let Sketchup Integrated Column Freezer with Door Panel and Contemporary Square Handle
- ↓ User Guide Integrated Columns
- ↓ User Guide Integrated Refrigerator Freezer EN

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. **Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate** indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE 24 Hours 7 Days a Week Customer Support

T 0800 372 273 Wwww.fisherpaykel.com