QUICK REFERENCE GUIDE > OR90SCG6B1 Date: 19.06.2024 > 1

# Freestanding Cooker, Dual Fuel, 90cm, 5 Burners, Selfcleaning

Series 9 | Classic

Black



Get the best of both worlds with dual fuel. A gas cooktop with wok burner is paired with a nine-function convection oven.

- Five burner cooktop with with dual wok burner and two powerful triple ring burners
- Convection oven with 140L capacity and nine oven functions plus rotisserie including Pastry Bake with pizza mode
- · Non-tip full-extension shelves for safe removal of hot dishes


Pyrolytic self-clean that breaks down food residue for an easy clean

# **DIMENSIONS**

 Height
 898 - 946 mm

 Width
 897 mm

 Depth
 600 mm



#### **FEATURES & BENEFITS**

### Multi-Shelf Cooking

Our AeroTech $^{\text{m}}$  system circulates air evenly throughout the entire oven so dishes on the top shelf turn out just as perfectly as food cooking on the bottom shelf.

# **Quality And Durability**

Every detail has been carefully crafted. The solid, perfectly balanced soft-close door, precise electric temperature control and chromed cast zinc dials all add up to an exceptional, premium range.

# Easy Cleaning

Cleaning up spills is effortless. Your cooktop simply needs a quick wipe to keep it looking good as new. The pyrolytic self-clean oven cycle breaks down food residue at a very high temperature, leaving a light ash that's easily removed with a damp cloth.

#### **Burner Power & Control**

Instant and immediate control from the highest to the gentlest heat. The finely tuned cooktop controls let you sear, stir fry, or simmer a delicate sauce to perfection.

#### Large Capacity Oven

The generous 140L total capacity oven gives you plenty of space to cook multiple dishes at once.

#### Even Heat

Accurate, electronically-controlled oven heat ensures a great result every time.

# **SPECIFICATIONS**

#### Accessories (included)

Flat wire shelf	1
Full extension sliding shelves	2 sets (part 578744)
Full extension telescopic shelves	2 sets (part 578744)
Grill rack	true
Roasting dish	1
Rotisserie set	1 set

Small pot support	1 (part 533981 cast)	Removable oven door inner glass	•	Twin cavity fans	•
Step down wire shelf	•	Removable shelf runners	•	Warming drawer	•
Accessories (sold separately)		Controls		Oven functions	
	MICKOBOOD1	Audio feedback	•	Bake	•
Kick strip, black (optional)	KICKOR90B1	Automatic cooking/minute timer	•	Fan bake	•
		Automatic pre-set temperatures	•	Fan forced	•
Burner ratings		Celsius/Fahrenheit temperature	•	Fan grill	•
•		Electronic clock	•	Grill	•
Dual wok burner inner/outer (LPG)	14.9MJ/h	High resolution display	•	Number of functions	9
Dual wok burner inner/outer (natural gas)	16.2MJ/h	Laser etched graphics	•	Pastry Bake with Pizza mode	•
Maximum burner power	16.2MJ/h	Precise electronic temperature control	•	Rapid proof	•
Semi-rapid burner (LPG)	5.8MJ/h	Sabbath mode	•	Roast	•
Semi-rapid burner (natural gas)	6.5MJ/h	Turned stainless steel clock buttons	•	Rotisserie	•
Total cooktop power	58.0MJ/h	Turned stainless steel clock crown (dial)	•	True convection	•
Triple ring wok burner (LPG) x2	14.4MJ/h				
Triple ring wok burner (natural gas) x2	14.4MJ/h				
		Installation Dimensions		Oven performance	
Capacity		Installation cutout dimensions (Depth)	600 mm	CoolTouch door	Quadruple glazed
Shelf positions (main oven)	6	Installation cutout dimensions (Width)	900 mm	Warming drawer power	202 W
Total capacity	140 L				
Usable capacity (main oven)	120 L	Oven features		Power requirements	
		AeroTech™ technology	•	Amperage	23 A
Cleaning		Automatic rapid pre-heat	•	Supply frequency	50 Hz
Acid resistant graphite enamel		Bright chromed, cast zinc dials with illuminated halos	•	Supply voltage	220 - 240 V
Drop down grill element	•	Electronic oven control	•		
Pyrolytic proof shelf runners	•	Internal light	4 x 25W halogen	Product dimensions	
Pyrolytic self-clean	•		(2 side & 2 top)		<b>600</b>
Removable oven door	•	Soft open/close door	•	Depth	600 mm

QUICK REFERENCE GUIDE > OR90SCG6B1 Date: 19.06.2024 > 3

Height	898 - 946 mm 897 mm	
Width		
Rangetop features		
Brass burner spreader (power burner)	•	
Embossed brass burner cap (power burner)	•	
Hob rail	•	
Hob rear trim	60 mm	
LPG / Natural Gas compatible	•	
Sealed range top	•	
Rangetop Performance		
Number of burners	5	
Safety		
Advanced cooling system	•	
Anti-tilt bracket	•	
Balanced oven door	•	
Catalytic venting system	•	
CoolTouch door	•	
Flame failure system	•	
Full extension telescopic sliding shelves	•	
Non-tip shelves	•	
Spill containment	26 L	
Warranty		
Parts and labour	2 years	

SKU 81689

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

#### Other product downloads available at fisherpaykel.com

- Service & WarrantyInstallation Guide
- Installation Guide Kick Strip
- Revit Dual Fuel Cooker
- Rhino Dual Fuel Cooker

  SketchUp Dual Fuel Cooker
- ↓ User Guide

#### Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.

