QUICK REFERENCE GUIDE > RS6121WLUK2

Integrated Refrigerator Freezer, 61cm, Ice & Water

Series 11 | Integrated

Panel Ready | Left hinge



A slim profile, perfect for compact kitchens, or pair it with other Integrated models for generous chilled and frozen storage.

- Keep food fresher for longer by constantly maintaining the ideal temperature with ActiveSmart™ technology
- Create the perfect climate for each type of food with Variable Temperature Zone: choice of four food modes, Pantry, Fridge, Soft Freeze or Freezer
- Convenient access to fresh, chilled water and ice with internal water dispenser and ice maker

 Customise with your own kitchen cabinetry or purchase our stainless steel door panel and handle accessories

DIMENSIONS

Height 2134 mm
Width 603 mm
Depth 610 mm

FEATURES & BENEFITS

Variable Temperature Zone

Create the perfect climate and store each type of food at optimal temperature and humidity with Variable Temperature Zone, reducing food waste due to spoiling. You have the choice of four food modes: Pantry, Fridge, Soft Freeze or Freezer. Use the Max cold feature for periods of high refrigerator or freezer use, or full grocery loads.

Pantry Mode

Not everything benefits from cold storage. Pantry Mode (11 to 13°C) is the perfect climate to store foods that benefit from a cool, dark place, including bread, many types of fruit, bananas, avocados, tomatoes, nuts, grains and cereals.

Soft Freeze Mode

Soft freeze is for food that requires a gentle freeze and quick thawing, perfect for items that will be consumed soon. It allows easy portioning and the ability to heat, cook or serve straight from the compartment, without waiting for it to thaw.

ACTIVESMART™ FOODCARE

ActiveSmart™ Foodcare learns how you live. It's technology which understands how you use your refrigerator and adjusts temperature, airflow and humidity inside to help keep food fresher for longer.

Internal Water Dispenser And Ice Maker

Both the water dispenser and ice maker are located inside this Integrated model, leaving an uninterrupted exterior that blends in seamlessly with surrounding cabinetry. The slimline water dispenser is flush fit in order to maximise internal storage space, with a temperature-controlled flow and an angled water delivery to capture any drips and spills.

Complementary Design

Both the 61cm and 76.2cm Integrated Refrigerator Freezers can be installed separately or paired with a Column Refrigerator, Freezer or Wine Column. Customise with your own kitchen cabinetry and handles, or purchase our stainless steel door panel and handle options.

Design Quality

The premium design and finish includes a steel interior lining as well as full extension metal shelf runners for easy access, robust glass shelving and quality hinges designed for daily use.

Flexible Storage

Designed to make it simple for you to store, access and remove food, this refrigerator includes LED-lit adjustable cantilevered shelving and full extension bins in the freezer. The door and veggie bins are family safe, allowing for hands-free operation thanks to its soft close mechanism.

SPECIFICATIONS

Accessories (sold separately)

Door panel stainless steel Left hinge 610mm RD6121WLD

Door panel stainless steel Right hinge RD6121WRD
610mm

| Handle kit Contemporary round, aluminiun | AHSRD6121W | LED bin lighting | • | Noise emissions | 42 dBA |
|--|-----------------------|--|---|--|----------------------------|
| Handle kit Contemporary square fine, | AHD5RD6121W | LED ceiling lighting | • | Noise emissions class | D |
| aluminium | A LID E D D 6404144 D | LED side lighting | • | Sabbath mode | • |
| Handle kit Contemporary square fine, black | | SmartTouch interface at counter height | • | Variable temperature zones | 2 |
| Handle kit Contemporary square, aluminium | | Stackable bottle holders | 4 | | |
| Joiner Kit | AJ-RS21LR | Ultra slim water dispenser | • | · | |
| Toe kick stainless steel 1220mm | AKRS12210 | | | Power requirements | |
| Toe kick stainless steel 1372mm AKRS13710 | | | | Rated current | 10 A |
| Toe kick stainless steel 1828mm | AKRS18310 | Freezer Features | | Supply frequency | 50 Hz |
| Toe kick stainless steel 1981mm | AKRS19810 | Automatic ice maker | • | Supply voltage | 230 V |
| Toe kick stainless steel 610mm | AKRS06110 | Bottle chill | • | | |
| Water filter replacement | 847200 - FWC3 | Door alarm | • | | |
| | | Door shelves | 1 | Product dimensions | |
| Canacity | | Freezer bins | 2 | Depth | 610 mm |
| Capacity | | Freezer trays | 1 | Height | 2134 mm |
| Total gross capacity | 371 L | Ice Boost | • | Width | 603 mm |
| Volume | 342 L | LED bin lighting | • | | |
| Volume freezer | 115 L | LED ceiling lighting | • | - | |
| Volume refrigerator | 227 L | LED Lighting | • | Warranty | |
| | | LED side lighting | • | Parts and labour | 5 years |
| Consumption | | Slide Out Pastry Tray | • | Sealed system parts only | 5 years |
| Consumption | | SmartTouch interface at counter height | • | | |
| Energy rating | D | | | | |
| Energy usage | 205kWh/year | | | | |
| In-use energy carbon emissions estimate | 63.3kgCO2e/year | Performance | | SKU | 26629 |
| | | ActiveSmart™ Foodcare | • | | |
| Features | | Adaptive defrost | • | The product dimensions and specifications in this p | page apply to the specific |
| | | Dual evaporator | • | product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel | |
| Adjustable door shelves | 4 | Frost free | • | | |
| Covered door shelves | 1 | Humidity control system | • | | |
| Door alarm | • | Inverter controlled compressor | • | Appliances Ltd 2020 | |
| Gallon door shelves | 1 | | | | |

QUICK REFERENCE GUIDE > RS6121WLUK2

Other product downloads available at fisherpaykel.com

→ Declaration of Conformity Refrigeration with WiFi Capability

↓ Service & Warranty

Water Filter Replacement Instructions & Installation Guide EN

Installation Guide Toe Kick

↓ Installation Guide Integrated Column Refrigerator Freezer

↓ Product Fiche

Rhino Refrigerator Freezer

Rhino Refrigerator Freezer with Door Panel and Contemporary Round Handle

Rhino Refrigerator Freezer with Door Panel and Contemporary Square Fine Black Handle

Rhino Refrigerator Freezer with Door Panel and Contemporary Square Fine Handle

Rhino Refrigerator Freezer with Door Panel and Contemporary Square Handle

↓ Sketchup Refrigerator Freezer

Sketchup Refrigerator Freezer with Door Panel and Contemporary Round Handle

SketchUp Refrigerator Freezer with Door Panel and Contemporary Square Fine Black Handle

Sketchup Refrigerator Freezer with Door Panel and Contemporary Square Fine Handle

Sketchup Refrigerator Freezer with Door Panel and Contemporary Square Handle

↓ User Guide Integrated Refrigerator Freezer

↓ Product Information Sheet

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE 24 Hours 7 Days a Week Customer Support

T 1800 625174 Wwww.fisherpaykel.com