QUICK REFERENCE GUIDE > OR36SCI6X1

36" Series 9 Classic 5 Zone Induction Self-Cleaning Range, 2 SmartZones

Series 9 | Classic

Stainless Steel



Heritage styling meets modern performance, including an induction cooktop with the ability to pair zones to create a large cook zone.

- Five induction cooking zones that can be bridged to form two "SmartZones"
- Convection oven with 4.9 cu ft total capacity and nine oven functions including Roast and Aero™Pastry

- Self-cleaning function breaks down food residue for an easy clean
- Non-tip full-extension shelves for safe removal of hot dishes

DIMENSIONS

Height 35 3/4 - 37 1/4 "
Width 35 7/8 "
Depth 25 1/4 "

FEATURES & BENEFITS

Outstanding Performance

Discover the flexibility to get creative in the kitchen with nine oven functions including Bake, Roast, and Aero™ Pastry with Pizza Bake. The AeroTech™ system circulates air evenly throughout the entire oven, perfect for multi-shelf cooking.

Power & Control

The induction cooktop provides instant and immediate control from the highest to the gentlest heat. The finely tuned cooktop controls let you sear, stir fry or simmer a delicate sauce to perfection.

Quality And Durability

Every detail has been carefully crafted, from the heritage design cues, to the solid, perfectly balanced soft-close door, and to the chromed cast zinc dials. They all add up to an exceptional, premium range.

Large Capacity

The large 4.9 cu ft total capacity for this range gives you plenty of space to cook multiple dishes at the same time.

Easy To Clean

The self-clean function reduces grease and food residue to an easily removable light ash and the cooktop simply needs a quick wipe to keep it looking good as new. The oven door and runners can also be removed for easy cleaning.

Safe And Sound

Designed for your safety and convenience, this range features full extension telescopic sliding shelves, a quadruple-glazed CoolTouch door, and a child lock. Induction cooktops heat only the cookware, not the elements, so they are much safer in family kitchens.

SPECIFICATIONS

Accessories (included)

2-pc grill system (Broil pan and Grill rack)

Broil pan

Full extension sliding shelves

2 sets (part 578755)

Full extension telescopic shelves

2 sets (part 578744)

Grill rack

true

Accessories (sold separately)

Kick strip, stainless steel (optional)	KICKOR36X1
Wok grate included	N/A

Capacity

Shelf positions	7
Total capacity	4.9 Լ
Usable capacity	4.3 L

QUICK REFERENCE GUIDE > OR36SCI6X1 Date: 24.09.2024 > 2

Cleaning		Warm	•	Oven performance	
Acid resistant graphite enamel	•			Broil power	4300 W
Drop down broil element	•			CoolTouch door	Quadruple glazed
Drop down grill element	•	Oven features		Warming drawer power	220 W
Flat easy clean glass surface	•	AeroTech™ technology	•		
Pyrolytic proof shelf runners	•	Automatic rapid pre-heat	•		
Pyrolytic self-clean	•	Bright chromed, cast zinc dials with illuminated halos	•	Power Requirements	
Removable oven door	•	Concealed element	•	Amperage	65 A
Removable shelf runners	•	Convection	•	Supply frequency	60 Hz
		Electronic oven control	•		_
		Full extension telescopic sliding shelves	•		
Controls		Internal light	4 x 25W halogen	Product Details	
Audio feedback	•		(2 side & 2 top)	Self Cleaning Sf	Yes
Automatic cooking/minute timer	•	Soft open/close door	•		
Automatic pre-set temperatures	•	Turned stainless steel clock dial	•		
Celsius/Fahrenheit temperature	•	Twin cavity fans	•	Product Dimensions	
Electronic clock	•	Warming drawer	•	Depth	25 1/4 "
High resolution display	•			Height	35 3/4 - 37 1/4 "
Laser etched graphics	•			Width	35 7/8 "
Precise electronic temperature control	•	Oven functions			
Sabbath mode	•	Aero Broil	•		
Toughened fused glass graphics	•	Aero™ Bake	•	Rangetop features	
Turned stainless steel clock buttons	•	Aero™ Pastry with Pizza mode	•	Auto heat reduce	•
Turned stainless steel clock crown (dial)	•	Bake	•	Dual zones	•
		Number of functions	9	Gentle heat	•
		Pyrolytic self-clean	•	Heat settings	9
Installation Dimensions		Rapid proof	•	Induction cooking technology	•
Installation cutout dimensions (Width)	36 mm	Roast	•	SmartZone	1
		True Aero	•	Zone bridging	•
Main avan firmskinna					

QUICK REFERENCE GUIDE > OR36SCI6X1 Date: 24.09.2024 > 3

Rangetop Performance

Centre	2600 W
Number of cooking zones	5
PowerBoost	•

Safety

ADA compliant	
ADA Compilant	·
Advanced cooling system	•
Anti-tilt bracket	•
Balanced oven door	•
Catalytic venting system	•
Child lock	•
CoolTouch door	•
Full extension telescopic sliding shelves	•
Non-tip shelves	•
Pan detection system	•
Safety time out	•
Spill containment	143.83 L
Spill containment	1/8 gallon
Spillage auto off	•
Surface hot indicators	•

SKU 81965

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

Other product downloads available at fisherpaykel.com

Service & Warranty

, Revit Induction Cooker

Rhino Induction Cooker

Sketchup Induction Cooker

User Guide Freestanding Range EN

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE 24 Hours 7 Days a Week Customer Support T 1.888.936.7872 Wwww.fisherpaykel.com