# Gas Range, 48", 6 Burners with Griddle

Series 7 | Professional

Stainless Steel | Natural Gas



With Professional styling, this large range has six burners delivering powerful high heat, a griddle and two gas ovens.

- Griddle with burners that deliver up to 23,500 BTU heat per burner, for seriously fast boiling
- Expansive 7.7 cu ft total oven capacity across two oven cavities
- Non-tip full-extension shelves in main cavitiy for safe removal of hot dishes
- Made from quality materials and real stainless steel

### DIMENSIONS

Height	35 3/4 - 36 3/4 "
Width	47 7/8 "
Depth	29 1/8 ″

### **FEATURES & BENEFITS**

### **Generous Capacity**

Featuring a generous total capacity of 7.7 cu ft, with enough room to fit a 32 lb turkey. The griddle plate allows you to cook several foods at once.

### **Cooktop Power**

Sealed Dual Flow Burners<sup>™</sup> deliver cooktop power up to 23,500 BTU for seriously fast boiling right down to a precise 140°F full surface simmer with the gentlest of flames.

### **Cooking Flexibility**

The cooktop is designed for easy access to any burner with grates you can smoothly slide pots across. The oven is large enough to hold full size baking sheets.

### **Design Quality**

This range has craftsmanship in every detail, with real stainless steel, cast-iron trivets, and titanium coated dials. Each cavity features incandescent lights and full extension telescopic racks. From the robust legs to the powerful legs to the powerful cooktop, the Range is built to last.

### Easy To Clean

Cleaning up spills is effortless with the continuous, porcelain basepan. Your cooktop simply needs a quick wipe to keep it looking good as new.

**Total Control** 

Precise control across high and low settings is delivered through the halo-illuminated cooktop dials.

# SPECIFICATIONS

Accessories (sold separately)	
Square handle option	AH-R48

### Burner ratings

Maximum burner power	23500 BTU
Power back centre	18500BTU
Power back left	18500BTU
Power back right	18500BTU
Power front centre	18500BTU
Power front left	23500BTU
Power front right	18500BTU
Power griddle	16500BTU
Total cooktop power	132500 BTU

### Capacity

Shelf positions (main oven)	5
Shelf positions (second oven)	5
Total capacity (main oven)	5.3 cu ft
Total capacity second oven	2.4 cu ft
Usable capacity (main oven)	3.9 cu ft

### Cleaning

Easy clean porcelain basepan

### QUICK REFERENCE GUIDE > RGV3-486GD-N

# Controls Metal illuminated dials Gas Requirements 1/2 NPT, min. 5/8" 🕅 Fitting and pipe flex line Supply Pressure (natural gas) 6" to 9" W.C Main oven features Broil pan Electronic oven control Full extension telescopic racks Infrared broiler Internal light Main oven functions Bake Broil Convection bake

Oven	features

Slow cook

Number of oven functions

Auto re-ignition system	
Broil pan	
Electronic oven control	
Full extension telescopic sliding shelves	

# Infrared Broiler Internal light

٠

true

4

.

### Oven functions

Bake	
Broil	
Convection bake	
Jumber of functions	
ilow cook	

Oven performance	
Bake power	19700BTU
Broil	18500 BTU
Secondary oven - Bake power	18000BTU

### Power requirements

Connection3-prong<br/>grounding type<br/>plugService15 ASupply120 V, 60 Hz

### Product dimensions

4

Depth	29 1/8 "
Height	35 3/4 - 36 3/4 "
Width	47 7/8 "

## **Rangetop features** Sealed range top Vent trim included **Rangetop Performance** Number of burners 6 Recommended Back Guards Ventilation Combustible situation BGRV3-3048H Non combustible situation BGRV2-3048 / BGRV2-1248 Recommended hood HCB48-12\_N (48" Professional Range Hood, Dual Blower)

# Safety ADA compliant ADA compliant Secondary oven features 3/4 Extension racks Electronic oven control Internal light Secondary oven functions Bake Convection bake Number of secondary oven functions 4

### QUICK REFERENCE GUIDE > RGV3-486GD-N

Slow cook Warranty	• Limited 2 years	Proof	•
Warranty	Limited 2 years	Slow cook	•
Warranty	Limited 2 years		
	Limited 2 years	Warranty	
Parts and labor Limited 2 ye		Parts and labor	Limited 2 years

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

Other product downloads available at fisherpaykel.com

- ArchiCAD Gas Range
- ↓ Data Sheet Professional Range
- 🛓 🛛 Energy Label
- Service & Warranty
- 🖌 🛛 Revit Gas Range
- 🞍 🛛 Rhino Gas Range
- ↓ SketchUp Gas Range
- ↓ User Guide
- Guide d'utilisation FR

### Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE 24 Hours 7 Days a Week Customer Support T 1.888.936.7872 Wwww.fisherpaykel.com