QUICK REFERENCE GUIDE > RS3084FLJ1

30" Series 9 Integrated Column Freezer, Ice

Series 9 | Integrated

Panel Ready | Left hinge



Install it separately or pair with another Column for seamless kitchen integration - this model is left hinge with white interior.

- ActiveSmart[™] technology helps keep food fresher for longer by constantly maintaining the ideal temperature
- Two separate Variable Temperature Zones: each with Freeze, Soft Freeze or Deep Freeze
- Internal ice maker with boost for busy times


 Customize with your own kitchen cabinetry or purchase our stainless steel door panel accessory

DIMENSIONS

 Height
 84 "

 Width
 29 3/4 "

 Depth
 24 "



FEATURES & BENEFITS

Variable Temperature Zones

Food is stored in two separate zones. You have the choice of three food modes: Freeze -7°F to 7°F, Soft Freeze 14°F to 18°F and Deep Freeze is fixed at -13°F.

Mix & Match

Integrated Column Refrigeration gives you the freedom to mix and match. Different sized Column Fridges and Freezers can be installed separately or paired. Finish them with our stainless steel door panels or customize to match your own kitchen cabinetry.

Clever Energy

Our Energy Star-certified ActiveSmart™ Refrigerators & Freezers adapt to daily use by cooling and defrosting only when needed. This means your refrigerator uses the energy it needs without compromising on food care.

Appealing Illumination

Bright LEDs light up the ceiling, shelves, bins and tray in both refrigerator and freezer, making it easy to find your food and creating a welcoming glow in your kitchen for those midnight snacks.

Design Quality

The premium design and quality finish includes a white or stainless steel interior lining, as well as full-extension metal shelf runners for easy access and robust glass shelving.

Easy Install

Integrated Column Refrigerators and Freezers have been developed to make their installation easy. The joiner kit is included when pairing refrigerator and freezers. All models come with front adjustable levelling feet and they've been designed to easily slide into place as separate units.

Perfect Fit

These models fit flush and have only 1/8" gaps around them with no visible hinges or grilles. Our Integrated Column models can be seamlessly hidden behind your cabinetry or you can purchase our stainless steel door panel.

SPECIFICATIONS

Accessories (sold separately)

Door panel stainless steel Left hinge 84"	RD3084L4D			
Door panel stainless steel Right hinge 84" Handle kit Classic Handle kit Contemporary round, aluminium Handle kit Contemporary square fine, aluminium Handle kit Contemporary square fine, black Handle kit Professional round flush Handle kit Professional round flush, Brass off-stands Handle kit Professional round flush, Dark Copper off-stands Joiner Kit Stainless steel door panel Toe kick stainless steel 30" Toe kick stainless steel 48" Toe kick stainless steel 54" Toe kick stainless steel 60" Toe kick stainless steel 66" Toe kick stainless steel 72" Toe kick stainless steel 72"	RD3084R4D AHCLRDSF AHSRDSF AHD5RDSF AHD5RDSFB AHP3RDSFB AHP3RDSFBA AHP3RDSFDC			
		AJ-RS84LR		
		RD3084L4D AKRS3084 AKRS4804 AKRS5404 AKRS6004 AKRS6604 AKRS7204 AKRS7804		
			Toe kick stainless steel 84"	AKRS8404
			Capacity	
			Total gross capacity	15.6 cu ft
			Volume	15.6 cu ft
			Volume freezer	15.6 cu ft
	Consumption			
	Energy rating		Energy star	
	Energy usage	491kWh/year		

In-use energy carbon emissions estimate	60.5kgCO2e/yea
Features	
Adjustable door shelves	
Adjustable glass cantilevered shelves	
Door alarm	
Freezer Features	
Automatic ice maker	
Bottle chill	
Door alarm	
Fast freeze	
Freezer bins	
Ice Boost	
LED bin lighting	
LED ceiling lighting	
LED side lighting	
SmartTouch interface at counter height	
Performance	
ActiveSmart™ Foodcare	
Adaptive defrost	
Dual evaporator	
Frost free	
Inverter controlled compressor	
Sabbath mode	

Power requirements	
Rated current	10 A
Supply frequency	60 Hz
Supply voltage	115 V
Product dimensions	
Depth	24 "
Height	84 "
Width	29 3/4 "
Warranty	
Parts and labor	2 years
Sealed system parts only	5 years
SKU	26131

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

Other product downloads available at fisherpaykel.com



2D-DWG Integrated Column Freezer



2D-DXF Integrated Column Freezer



Data Sheet Integrated Column Freezer

Variable temperature zones

QUICK REFERENCE GUIDE > RS3084FLJ1 Date: 17.10.2024 > 3

- Data Sheet Integrated Column Freezer Dual Install (18" + 30")
- Data Sheet Integrated Column Freezer Dual Install (24" + 30")
- ↓ Energy Label
- ↓ Water Filter Replacement Instructions & Installation Guide EN
- Installation Guide Toe Kick
- Guide d'installation Instructions de Remplacement du Filtre à Fau FR
- ↓ Guide d'installation FR
- J. Guide d'installation FR
- Key Purchase Decisions Integrated Columns
- ↓ Planning Guide Integrated Columns
- ↓ Revit Freezer
- ↓ Rhino Freezer
- J. Rhino Freezer
- Rhino Freezer
- → Rhino Freezer
- ↓ Rhino Freezer
- ↓ Sketchup Freezer
- Sketchup Freezer
- Sketchup Freezer
- J. Sketchup Freezer
- Specification Guide Integrated Column Freezer
- ↓ User Guide EN
- User Guide Integrated Refrigerator Freezer EN
- J. Guide d'utilisation FR
- J. Guide d'utilisation FR
- ↓ Guide d'utilisation FR
- ↓ User Guide

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE 24 Hours 7 Days a Week Customer Support

T 1.888.936.7872 Wwww.fisherpaykel.com

Where applicable: